

Vol. 17



internationalcatering.com.au

QUOTES



"The sun's energy warms the world. But when you focus it through a magnifying glass it can start a fire. Focus is so powerful!"

Alan Pariser

""The pessimist complains about the wind. The optimist expects it to change. The leader adjusts the sails."

"Sleep is an investment in the energy you need to be effective tomorrow." Robert Glazer

"If there was no money, and everything depended on your moral standards, the way that you behave, and the way you treated people, how would you be doing in life?"

Tupac Shakur

"May we think of freedom not as the right to do as we please, but as the opportunity to do what is right." Peter Marshall

"If you want to live a happy life, tie it to a goal, not to people or things." Albert Einstein

"F.E.A.R has two meanings, 'Forget Everything And Run' or 'Face Everything And Rise'. The choice is yours." Zig Ziglar

"Raise your words, not voice. It is rain that grows flowers, not thunder." Rumi

"Deciding what not to do is as important as deciding what to do."

Steve Jobs

"So often we become so focused on the finish line, that we fail to enjoy the journey. Dieter F. Uchtdorf

"Fear is a reaction. Courage is a decision." Winston Churchill

"It's your road, and yours alone. Others may walk it with you, but no one can walk it for you."

Jalal ad-Din Mohammad Rumi

"It is fine to celebrate success, but it is more important to heed the lessons of failure." Bill Gates

"If you want to lead the orchestra, you must turn your back on the crowd. Max Lucado

"Every morning in Africa, a gazelle wakes up, it knows it must outrun the fastest lion or it will be killed. Every morning in Africa, a lion wakes up, it knows it must run faster than the slowest gazelle, or it will starve. It doesn't matter whether you are the lion or gazelle- when the sun comes up, you'd better be running."

Christopher Mcdougall

"Personality can open doors, but only character can keep them open." Elmer G. Letterman



Introduction

Welcome to volume 17 of the ICE catalogue SPLICE. Despite many companies in our industry switching to a totally electronic format for their catalogues, we continue to believe our dealers, their sales teams and customers still find value in our printed catalogue. We have kept the format the same, as it is easy to navigate and hopefully provides all the information you need instantly at your fingertips. An electronic copy of the catalogue and product collection are also available on our website.

Logistics and warehousing

We continue to hold stock of the DFS range in not only our Sydney warehouse, but at SAFE LOGISTICS is Brisbane and Melbourne. Hopefully, this will give some of our interstate resellers, the opportunity to minimise the freight component when selling these items. We now have stock of our NDA range in both Melbourne and Brisbane as well. This is particularly exciting as we have managed to reduce the prices of both the DFS and NDA range, making them more competitive in Queensland, Victoria and NSW.

Freight on refrigeration

In order to simplify the freight component and reduce the need to call and get a quote for freight before quoting your customer, we have now divided all refrigeration into 4 categories. At the bottom of the column where the product code appears, you will find a freight code S, M, L or L+. ICE will provide you a fixed price for each category to all major cities.

For any other freight cost enquiries please email freight@internationalcatering.com.au for a quote



DIMENSIONS

All dimensions in the catalogue are listed in order of length, depth and height. We make every effort to ensure dimensions are accurate however variations can occur as manufacturers may change design after this catalogue has been printed. For products where fabrication or integration is required, we recommend using the product itself to measure off, or alternatively requesting CAD drawings or confirming dimensions with one of our office staff.

New Products

Below are images of some of the new products which are all marked in the catalogue with a "NEW" symbol.





VITRAS PORTION SCALE PAGE 28





GLACIAN
UPRIGHT SINGLE/DOUBLE DOOR
FRIDGES AND FREEZERS
PAGE 48, 49



ANVIL BANQUET CART PAGE 18, 19



ANVIL
HEAVY DUTY MICROWAVE
PAGE 6



FLOWERING ONION CUTTER PAGE 32



SECTION 1 Ambient Displays Countertop Cooking Equipment SECTION 2 Microwave Ovens 6 Conveyor Toasters ANVIL...... 7 Fryer Deep Fat Electric ANVIL 11 Waffle Bakers 11 Sous Vide Bath VITRAS 13 Warming Cupboard ANVIL 17 **SECTION 3 Food Preparation** Dough Rollers, Pizza Former, Portion Scale...... MECNOSUD, VITRAS 28 Citrus Juicer, Benchtop Dehydrators SKYMSEN, TRE SPADE 36 Biltong Cabinets, Sausage Fillers BUTCHERQUIP, TRE SPADE . 37

SECTION 4 Blenders

SECTION 4	blenuers		
	Rio Bar Blender – Polycarbonate	HAMILTON BEACH	. 38
	Rio Bar Blender – Stainless Steel	HAMILTON BEACH	. 38
	Fury Blender	HAMILTON BEACH	. 38
	Tempest Ice Blender	HAMILTON BEACH	. 38
	Tempest Food Blender	HAMILTON BEACH	. 39
	Eclipse Blender	HAMILTON BEACH	. 39
	Summit Blender		
	Spare Jugs		
	Expeditor Blender	HAMILTON BEACH	. 40
	Quiet Shield	HAMILTON BEACH	. 40
	Hand Operated Juicer	HAMILTON BEACH	. 40
	Milkshake Mixers	HAMILTON BEACH	. 41
	Planetary Mixer		
	Cream Guns		. 42
	Cream Chargers		. 42
	Soda Chargers		. 42
SECTION 5	Ware Washing		
	Undercounter Glasswasher, Dishwasher	. ADLER	. 43
	Undercounter Topline	. ADLER	. 43
	Pass Through Dishwashers	. ADLER	. 44
SECTION 6	Stainless Steel Products		
	Trolleys, Drawers, Fryer Baskets, Grill Scraper	45 -	+ 46
SECTION 7	Refrigeration		
	Black Back Bar Refrigerators		
	Upright Fridges		
	Upright Freezers		
	Steel Doors Underbar	GLACIAN	. 50
	Glass Doors Underbar	GLACIAN	. 51
	Underbar Slimline Freezers	GLACIAN	. 52
	Pizza Bars	GLACIAN	. 53
	Ingredient Units	ANVIL	. 54
	Underbench Fridge & Freeers	ANVIL	. 55
	Beverage Coolers	SALTAS	. 56

Display FreezersSALTAS57Blast Chillers/FreezersEVERLASTING58 + 59Gelato/Pastry StorageEVERLASTING60Retarder ProversEVERLASTING61Dry Age CabinetsEVERLASTING62 + 63Slimline Steel DoorsGLACIAN64Slimline Glass DoorsGLACIAN65Upright Fridges & Freezers (Single & Double Doors)INOMAK66-69Slimline Fridges & Freezers (Single & Double Doors)INOMAK70 + 71

	Ultra Slimline Underbench Fridges	INOMAK	72 - 75
	Upright Display Fridges	SALTAS	76
	Upright Display Freezers	SALTAS	77
	Underbar Fridges	ANVIL	78
	Pizza Bars	ANVIL	79
	Castors for Underbars & Pizza Bars	ANVIL	79
	Countertop Fridge / Freezers	TECHNOCRIO	80
	Sushi Display	SAYL	80
	Cake Display 2, 3 + 4 Tier Cold/Hot	ANVIL	81 - 83
	Salad/Cake Displays	ANVIL	84
	Refrigerated Drawer Displays	ANVIL	85
	Refrigerated Drink Dispensers	ANVIL	85
	Countertop Display - Hot/Cold	ANVIL	86
	Gelato Freezers	ANVIL	87
	Ice Cream Machines	MUSS0	88 + 89
ECTION 8	Vacuum Sealers & Bags		
	Vacuum Sealers	ORVED	90 - 92
	Vacuum Bags	ORVED	93
	TERMS & CONDITIONS		94
NEW PI	RODUCTS INDEX		
	Saturn Heat LampsBanquet CartsFlowering Onion Cutter	ANVIL	18 + 19



AMBIENT DISPLAYS ICE

AMBIENT DISPLAYS	Model	Product Description	Unit Size (mm)	Kg	List Price excl GST
	ADS0010	Ambient Display – Two Tier • Elegant, neat, classy and hygienic ambient displays for muffins, biscuits and other items not requiring refrigeration • Rear sliding perspex doors • Tempered glass • Supplied in kit form • Easy to assemble • Manufacture code: EP36S	550 x 390 x 375	10kg	\$720
	ADS0020	Ambient Display – Single Tier • Manufacture code: EP20M	920 x 330 x 200	13kg	\$520
	ADS0025	Ambient Display - Single Tier • Manufacture code: EP20S	555 x 330 x 200	10kg	\$450
	ADS0036	Ambient Display – Two Tier • Manufacture code: EP36M	920 x 390 x 375	24kg	\$740
	ADS1200	Ambient Display – Single Tier • Manufacture code: EP20B	1200 x 330 x 200	26kg	\$720
	ADSC0840	Ambient Display – Curved • Manufacture code: E4	840 x 380 x 170	15kg	\$600
SPAIN	ADSC1190	Ambient Display – Curved • Manufacture code: E6	1190 x 380 x 170	20kg	\$800







ADS1200 ADS0020 ADS0025



ADS0036 ADS0010



ADSC0840





MICROWAVE OVENS



MICROWAVE OVENS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	MWA1000	Microwave 1000W High power 1000W output Motorised stirrer fan for even heating Easy clean sealed in ceramic base Variable power output to suit delicate menu items Dual Interlock door safety switch Internal dimensions: 372W × 346D × 200H Capacity 34L	240V	1.55kW	553 x 488 x 343	20.2kg	\$800
★★ CHINA	MWA1400	Microwave 1400W • 1900W power consumption • 1400W power output • 100 preset programs • Full stainless steel internal and external construction • Easy clean ceramic base • Variable power output • Internal dimensions: 370W x 385D x 230H • Capacity 34L	240V	1.9kW	553 x 488 x 343	20.2kg	\$1,150
CHINA	MWA1800	Heavy Duty Microwave 1800W 3000W power consumption 1800W power output (IEC705) Full stainless steel internal and external construction Easy clean ceramic base Twin motorised stirrer fan Dual magnetron technology Variable power output (10-100%) Defrost programming 100 preset programmable touch pad Multiple quantity programming 3 stage heating function Stackable Internal dimensions: 330W x 310D x 175H Capacity: 18L	240V	3.0kW 15A	420 x 563 x 340	31.6kg	\$1,800
CHINA	MWA2100	Heavy Duty Microwave 2100W High power 2100W output Dual magnetron technology for faster and more even heating Up to 100 preset programs Removeable air filter Self diagnostic programming Twin motorised stirrer fans for even heating LED interior lighting Easy clean removeable wave guide cover Easy clean sealed in ceramic base Variable power output to suit delicate menu items Dual interlock door safety switch Internal dimensions: 330W x 310D x 175H Capacity 18L	240V	3.2kW 15A	420 x 563 x 340	31.6kg	\$2,000





PANINI PRESS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	TSS2000	Panini Press – Single Ribbed Top / Flat Bottom • Manufacture code: GH-811PD-MKS	240V	2.2kW	410 x 378 x 205 including handle	22kg	\$540
CHINA	TSS2001	Panini Press – Single Flat Top / Flat Bottom • Cooking surface 340mm x 225mm • Manufacture code: GH-811PB-MKS	240V	2.2kW	410 x 378 x 205 including handle	22kg	\$540
	TSS3000	Panini Press – Double Flat Top / Flat Bottom Cooking surface 480mm x 225mm Nanocoated plates Independent heat controls for each side Spring loaded top plate to suit any food thickness Heat resistant handle Heavy duty cast iron plates Self balancing top plate Stainless steel body Thermostatically controlled heat up to 300°C Removable drip tray Height clearance when open 520mm Manufacture code: GH-813C-MKS	240V	3.08kW 15A	570 x 378 x 205 including handle	35kg	\$900
*> CHINA	TSS3001	Panini Press – Double Flat Top / Flat Bottom • Manufacture code: GH-813D-MKS	240V	3.08kW 15A	570 x 378 x 205 including handle	35kg	\$900

CONVEYOR TOASTER

CHINA	CTK0001	Conveyor Toaster 2 Slice • Ideal for breakfast buffets, coffee shop, take-aways, etc • Front and rear discharge chutes • 85mm usable height above conveyor • 250mm wide conveyor • Adjustable belt speed • Standby function for energy saving • Manufacture code: CTK0001	240V	2.2kW	367 x 761 x 424	17kg	\$920
CHINA	CTK0002	Conveyor Toaster 3 Stice • Ideal for breakfast buffets, coffee shop, take-aways, etc • Front and rear discharge chutes • 85mm usable height above conveyor • 350mm wide conveyor • Adjustable belt speed • Standby function for energy saving • Manufacture code: CTK0002	240V	2.2kW	474 x 769 x 428	18kg	\$1,200





JAFFLE MAKER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	JMA0001	Jaffle Maker • Nanocoated plates • Temperature range: 50°C to 240°C • Generous sandwich area: 130mm W x 150mm D • Removable drip tray • Manufacture code: JMA001	240V	1.55kW	382 x 271 x 236	8.8kg	\$500

VERTICAL TOASTER

SOUTH AFRICA	VCT1001	Vertical Toaster • Heavy duty stainless steel conveyor belt system • Low noise operation • Variable heating control from 50°C − 300°C • Slim design − small footprint • Adjustable for various bun thicknesses • 2.2kW element and an aluminum energy efficient heating plate • Single feed design • Low energy consumption • Precision cartridge bearing shafts • 22 Buns per minute • Includes 1 x teflon sheet • Manufacture code: VTA0101	240V	2.2kW	702 x 327 x 568	29kg	\$2,900
	XVCT0001	Teflon sheet to suit					\$44

SANDWICH PRESS

SOUTH AFRICA	TSA1009	Sandwich Press Flat Plate Cast aluminium plates For toasted sandwiches Can be used for grilling burgers, tomatoes, etc Cooking surface: 330 x 355mm Adjustable lid prevents squashing of thick sandwiches and foccacias Manufacture code: TSA1309-ICE	240V	2.2kW	355 x 466 x 327	12.5kg	\$600
	XTSA9999	Teflon sheet and clips to suit TSA1009					\$40






GRIDDLES & TOASTERS



NIVEVOD

CONVEYOR PIZZA OVEN	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	P0K0003	Conveyor Pizza Oven 1PH • Maximum temperature 300 °C • Full digital controls for heat and speed • Perfect for pizza, defrosting ready made food, reheating, etc • Powerful cooling fan to help aid exterior surface cooling • Heavy duty 350mm wide stainless steel conveyor belt • Clearance height max. 70mm • Switch between right to left or left to right operation • Supplied without plug. Needs to be installed by an electrician • Manufacture code: HX-15 (1PH)	240V	6.7kW 28A	1499 x 575 x 436	54kg	\$3,000
*>	P0K0004	Conveyor Pizza Oven 3PH • 3-phase version • Supplied without plug. Needs to be installed by an electrician • Manufacture code: HX-15 (3PH)	400V 3PH	9.3A/PH	1499 x 575 x 436	54kg	\$3,000

GRIDDLE PLATE ELECTRIC



Extended Gold Star Warranty – 2 year parts, 1 year labour.





COOKERS & SANDWICH PRESS



INDUCTION WARMER/COOKER

OKER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
*	ICW2000	Induction Warmer/Cooker Perfect for use in place of chaffing fuel. For use with chaffing dishes, for chocolate tempering, keeping sauces warm or any other warming application Cooking circle 220mm Schott Ceran hob Stainless steel framed body Touch control, safety lock Timer, LED display (0-180 minutes) 1-10 power levels 1-10 temperature setting Temperature range: 60°C-240°C Electronic overheating protection Maximum weight: 15kg	240V	2kW 10A	330 x 383 x 66	4.5kg	\$280

INDUCTION COOKER

CHINA



	ICK3500	Induction Cooker	240V	3.1kW	375 x 420 x 172	7.5kg	\$500
COUNTY PRODUCT		Cooking circle: 250mm Temp. range: 60°C - 240°C Electronic overheat protection Suitable for any magnetic based cooking pots Instant heat saves power during quiet periods Timer, LED Display (0-180 mins) Maximum weight: 30kg		15A			

INDUCTION COOKERS

CHINA	ICD3500	Double Induction Cooker Stainless steel body Touch control with safety lock Each plate is controlled separately Front plate is 500-1800W Back plate is 500-1700W Temperature range 60°C - 240°C Electronic overheating protection Plate diameter:225mm Power cord size 1300mm long Maximum weight: 15kg	240V	3.5kW 15A	300 x 580 x 65	6kg	\$550
CHINA	ICL3500	Large Induction Cooker • Stainless steel body • Touch control • Timer and LED display 0-180 mins • 1 – 10 power levels 500-3500W • 1 – 10 temperature settings • Temperature range 60 ° C – 240 ° C • Suitable for large pots. • Plate diameter: 290mm • Power cord size 1300mm long • Maximum weight: 40kg	240V	3.5kW 15A	440 x 550 x 130	9kg	\$700
CHINA	ICK3501	Prop-in Induction Cooker Powerful 3.5kW Temperature range 60°-240°C Electronic overheat protection Stainless steel body and frame, metal bottom Touch panel and control knob adjustments (below or above counter) Maximum weight: 30kg	240V	3.5kW 15A	360 x 380 x 125 Size of cut-out 330W x 350D	7kg	\$650





FRYER DEEP FAT ELECTRIC	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
SOUTH AFRICA	FFA0001	Fryer Deep Fat Single Pan Reset switch and extra safety thermostat Hinged element box for easy lifting of elements Removable stainless steel tank with carrying handles for easy cleaning Loil capacity Complete with night lid Manufacture code: FFA2001-ICE	240V	2.4kW	282 x 470 x 288	7kg	\$420
	FFA0002	Fryer Deep Fat Double Pan Reset switch and extra safety thermostat Hinged element box for easy lifting of elements Removable stainless steel tank with carrying handles for easy cleaning Allows for separation of foods and allows flexible and economical use. i.e. use both pans when busy and only one when quiet 2 x 5L oil capacity Complete with night lids Manufacture code: FFA2002-ICE	240V	2 x 2.4kW Supplied with 2 x 10A plugs	577 x 470 x 288	13kg	\$800

WAFFLE BAKERS

SOUTH AFRICA

	WBA1001	Waffle Baker – Belgian Single	240V	1kW	255 x 515 x 286	12kg	\$900
CHINA CHINA		2 x 500W high power heating elements Programmable heat and time settings Stainless steel construction Digital display Timer alarm with buzzer 180° Rotating plates Diameter of waffle 190mm Manufacture code: WB-03					
	WBA1002	Waffle Baker – Belgian Double	240V	2kW	520 x 530 x 286	23kg	\$1,700
CONTRACTOR OF THE PARTY OF THE		4 x 500w high power heating elements Programmable heat and time settings Stainless steel construction Digital display Timer alarm with buzzer 180° Rotating plates Diameter of waffle 190mm Manufacture code: WB-03-2		Supplied with 2 x 10A plugs			
CHINA							





CONVECTION OVENS

SOUTH AFRICA

SOUTH AFRICA

SOUTH AFRICA

ON	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	COA1003	Convection Oven – Prima 10Amp power, ideal for caterers 4 shelves supplied as standard Cooking chamber size: 460 x 370 x 350mm Shelf size: 440 x 320mm Timer and bake function Interior light Heat setting: 50°C - 300°C Dual fan system for even heat distribution Manufacture code: COA1003-ICE	240V	2.4kW	602 x 652 x 596	36kg	\$1,500
	COA1004	Convection Oven – Prima Pro with grill function 10Amp power, ideal for caterers 4 shelves supplied as standard Cooking chamber size: 460 x 370 x 325mm Shelf size: 440 x 320mm Timer, grill and bake function Interior light Heat setting: 50°C - 300°C Dual fan system for even heat distribution Grill and Bake functions cannot be used simultaneously Manufacture code: COA1004-ICE	240V	2.4kW	602 x 652 x 596	37kg	\$1,700
	COA1005	Convection Oven – Grande Forni Heat setting: 50°C – 300°C Stainless steel interior & exterior Manual steam injection for humidity, which allows browning of pastry and bread products industrial heavy-duty reversing fan motors chour timer with bypass Interior light Cooking chamber size: 700 x 495 x 355mm Takes 4 full size gastronorm pans or 4 baking trays (600 x 400mm) 4 shelves supplied as standard	240V	3.2kW 15A	835 x 800 x 596	70kg	\$3,200





01	Proving Cabinet	240V	0.75kW	860 x 591 x 995	42kg	\$1,800
	Designed for use with Anvil convection ovens Faster proving time in a humidity controlled environment Can accommodate up to 9 x 600 x 400 baking trays or 9 x 1/1 GN Trays Manufacture code: POA0001-ICE					

PIZZA OVEN

	P0A1001	• 2 decks with ceramic tile bases • Dimensions of ceramic tile: 450 x 445 x 16mm • Clearance height each shelf: 75mm • 15 minute audible timer • Heat setting: 60°C - 400°C	240V	2.85kW 15A	588 x 645 x 468	40kg	\$1,400
SOUTH AFRICA		Stainless steel interior and exterior Manufacture code: POA1001-ICE					

• Manufacture code: COA1005-ICE





STANDS FOR OVENS



Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
COR0001	Stand for Oven • Suits COA1003, COA1004 and POA1001			600 x 540 x 900		\$400
COR0005	Stand for Oven • Suits COA1005 • Stainless steel construction • Takes 8 shelves • Easy assembly			845 x 650 x 900		\$440

CHICKEN ROTISSERIE



CGA0008	8 Bird Chicken Rotisserie (2 birds per basket)	240V	2.7kW 15A	740 x 570 x 590	38kg	\$2,200	
	Full stainless steel construction Timer fitted for controlled operation Glass front and rear makes this a good point of sale unit Internal light Thermostatically controlled heating Manufacture code: CGA0008-ICE						

STOVE TOP ELECTRIC



STA0001	Single Boiling Top	240V	2kW	333 x 508 x 225	8kg	\$380	
	Plate diameter - 230mm Manufacture code: STA0001-ICE						
STA0002	Rapid heat-up time Six stage heat switch for simmering and boiling Rear splash guard prevents blockage of ventilation slots Diameter of plates: Small - 190mm Large - 230mm Manufacture code: STA0002-ICE	240V	3.2kW 15A (2kW & 1.2kW)	580 x 508 x 225	12kg	\$480	

SOUS VIDE RATH

SOUTH AFRICA



SOUS VIDE DATE							
CHINA	SVK0320	Sous Vide Cooker 8L Magnetic driven water circulation system Temperature range 40°-90°C Time setting can be adjusted from 10 minutes to 72 hours Useable tank dimensions: 310 x 220 x 130 (h) mm Frame holder and inserts available	240V	0.7kW	350 x 280 x 240	6kg	\$320
S	SVK0320A	rame holder and inserts for two pans 145 x 157 x 100(h)mm					\$50
S	VK0320B	Frame holder and inserts for one pan	me holder and inserts for one pan 310 x 150 x 100(h)mm				



ADJUSTABLE HEAT LAMPS

EUROPEAN HEAT LAMPS	Model	Product Description	Power	Kg	List Price excl GST
ITALY	HLS1250	Heat Lamp Henri Modern aluminium design Length adjustable: 60 - 130cm Teflon coated 250W globe protects food if glass shatters Standard E27 screw in fitting globe On/off switch on lamp shade Shade diameter: 190mm Supplied without plug. Must be installed by a licensed electrician	0.25kW	0.7kg	\$480
ITALY	HLS2250	Heat Lamp Bonnie Copper finish Specs as above (see Heat Lamp Henri) Shade diameter: 225mm Supplied without plug. Must be installed by a licensed electrician	0.25kW	1.1kg	\$600
ITALY	HLS3250	Heat Lamp Clyde Chrome finish Specs as above (see Heat Lamp Henri) Shade diameter: 225mm Supplied without plug. Must be installed by a licensed electrician	0.25kW	1.1kg	\$600

ECONOMY MODEL HEAT LAMPS



PREMIUM HEAT LAMPS

CHINA	HLP0001	Chrome Finish • Metal Plating • Overall length adjustable 500mm – 1800mm • Shade diameter 228mm • Standard E27 screw in fitting globe with Teflon coating • Supplied without plug. Must be installed by a licensed electrician	0.25kW	1kg	\$280
CHINA **	HLP0002	Copper Finish Metal Plating Overall length adjustable 500mm – 1800mm Shade diameter 228mm Standard E27 screw in fitting globe with Teflon coating Supplied without plug. Must be installed by a licensed electrician	0.25kW	1kg	\$280
CHINA *	HLP0003	Space Grey Finish Powder coated Overall length adjustable 500mm – 1800mm Shade diameter 228mm Standard E27 screw in fitting globe with Teflon coating Supplied without plug. Must be installed by a licensed electrician	0.25kW	1kg	\$280

ice*

ADJUSTABLE HEAT LAMPS

VENUS HEAT LAMPS	Model	Pro	oduct Description	1	Power	Kg	List Price excl GST
	HLD0001B HLD0001C HLD0001S HLD0001W	 Supplied with a suit all our heat Adjustable from Lamp cover is 2' 	ack, White, Copper a 1250W Teflon coate tlamp range 1500mm to 1800mr 116mm x 156mm ut plug - must be in	d globe to	0.25kW	ALL VENUS LAMPS 1kg	\$300 each
*3	HLD00i (Bla		HLD0001C (Copper)	HLD0001S (Silver)	HLD0001W (White)		

MARS HEAT LAMPS	Model	Product Description	Power	Kg	List Price excl GST
	HLD0002B HLD0002C HLD0002S HLD0002W	ALL MARS LAMPS • Available in Black, White, Copper and Silver • Supplied with a 250W Teflon coated globe to suit all our heatlmap range • Adjustable from 500mm to 1800mm • Lamp cover is 216mm x 156mm • Supplied without plug - must be installed by a licensed electrician	0.25kW	ALL MARS LAMPS 1kg	\$300 each
CHINA	HLD000 (Bla		HLD0002W (White)		

	SATURN HEAT LAMPS	Model	Product Description	Power	Kg	List Price excl GST
1	EW!	HLD0003DC HLD0003S HLD0003C HLD0003B	ALL SATURN LAMPS • Available in Black, Copper, Dark Copper and Silver • Supplied with a 250W Teflon coaded globe • Adjustable from 500mm to 1800mm • Lamp cover is 249mm x 275mm • Supplied without plug - must be installed by a licensed electrician	0.25kW	ALL SATURN LAMPS 1kg	\$300 each
	*>	HLD0003DC (Dark Copper)	HLD0003S HLD0003C (Copper)	HLD0003B (Black)		
		XHLD0001	250W Spare Teflon globe to suit all lamps			\$18





MULTI-FUNCTION List Price Model Voltage Unit Size (mm) **Product Description Power** Kg excl GST **WARMER** CDA1003 **Chip Warmer** 240V 1.9kW 346 x 681 x 596 \$720 16kg • Top and bottom heating elements • Retains cooked food's taste and appearance • Holds 15kg chips for 15 minutes • Excellent for fast food operators • Removable interior for easy cleaning • Robust and reliable incolloy element: impervious to grease and fat • Stainless steel perforated spiked tray for use as carving station • Complete with 1/1 65mm GN Pan Manufacture code: CDA1003-ICE

SALAMANDER

SOUTH AFRICA

Manufacture code: EB-600-MKSI CHINA

PIE WARMER

	PWK0007	Pie Warmer Mini (12–18 pies) All stainless steel construction Supplied with three fixed shelves Rear hinged toughened glass door Front fixed glass window Removable crumb tray Humidity pan Illuminated signage panel in front Adjustable thermostat 50°-80°C Manufacture code: PWK0007-ICE	240V	0.75kW	353 x 393 x 604	13.7kg	\$560
SOUTH AFRICA	PWK1007	Pie Warmer (36–48 pies)	240V	1.5kW	453 x 503 x 644	30kg	\$750
		Ideal for holding up to 15 pizza boxes Supplied with 4 shelves Removable crumb tray Display lighting Humidity pan for keeping product moist Fixed front window Blank decal for branding sticker Adjustable thermostat 50°-80°C Manufacture code: PWA1007					
SOUTH AFRICA							



HOT CUPBOARDS



WARMING CUPBOARD	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	HCA0001	Single Door Full stainless steel double wall construction with adjustable shelf positioning Can hold up to 60 x 360mm sized plates Temperature control Temperature range: 30°C to 85°C Manufacture code: PWK0001	240V	0.75kW	450 x 485 x 850	30kg	\$600
CHINA	HCA0002	Full stainless steel double wall construction with adjustable shelf positioning Can hold up to 120 x 360mm sized plates Temperature control Temperature range: 30°C to 85°C Manufacture code: PWK0002	240V	1.2kW	750 x 450 x 850	42kg	\$960
	XHCA000	XHCA0008S		Shelf to suit HCA0001			
	XHCA000	8L	Shelf to suit HCA0002				\$44
	XHCA999	9	Shelf clips t	o suit HCA00	001 & HCA0002		\$4 each

BANQUET CART

Well insulated to improve holding efficiency 30°C to 110°C controlled thermostat Temperature display		MFW0011	Banquet Cart • Stainless steel structure	240V	2.5kW 15A	780 x 960 x 1775	182kg	\$4,500
Double durable stainless steel elements Forced air circulation Stainless steel lock 4 x 150mm high castors with brake Bumpers all around base of unit for better protection while in transportation Recessed handle Rubber seal on the door Bottom water tray to keep food humidity when needed Supplied with GN2/1 wiring grid Takes 22 x GN1/1 (11 levels) Manufacture code: BC1121 FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS EX WAREHOUSE SYDNEY	CHINA	М	efficiency 30°C to 110°C controlled thermostat Temperature display Water-proof on/off switch Double durable stainless steel elements Forced air circulation Stainless steel lock 4 x 150mm high castors with brake Bumpers all around base of unit for better protection while in transportation Recessed handle Rubber seal on the door Bottom water tray to keep food humidity when needed Supplied with GN2/1 wiring grid Takes 22 x GN1/1 (11 levels) Manufacture code: BC1121 FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS					



BANQUET CARTS



BANQUET CART COLD	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	BCC0016	Banquet Cart Cold • 16 Level Refrigerated Unit • 10 Amp Unit • Used to transport food safety from the kitchen to the banquet area • Temperature range -2° to +4°C • 345L • GN pan designed • 16 levels, 2/1 GN per level • 304 grade stainless steel exterior and interior • Built in handles on all four sides for easy mobility • Heavy duty, non-marking swivel and braked castors for easy mobility and positioning • Round corner design for easy cleaning • Door open over 90° allows for easy loading/unloading and use • Self closing doors prevent loss of temperature and reduce energy consumption • 43°C ambient • Circulation fans for even temperature and quick cooling • Automatic reset cut-out switch prevents overheating • Manufacture code: P16SF + FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS EX WAREHOUSE SYDNEY	240V	0.49kW	781 x 885 x 2000	125kg	\$5,200







BANQUET CARTS



BANQUET CART HOT	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	BCH0016	Banquet Cart Hot 16 Level Heated Unit 10 Amp Unit Used to transport food safety from the kitchen to the banquet area Temperature range 70° to 82°C GN pan designed 16 levels, 2/1 GN per level 304 grade stainless steel exterior and interior Built in handles on all four sides for easy mobility Heavy duty, non-marking swivel and braked castors for easy mobility and positioning Round corner design for easy cleaning Door open over 90° allows for easy loading/unloading and use Self closing doors prevent loss of temperature and reduce energy consumption Circulation fans for even temperature and fast warm up Automatic reset cut-out switch prevents overheating Manufacture code: P16HF + FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS EX WAREHOUSE SYDNEY	240V	1.43kW	781 x 872 x 1770	107kg	\$4,500







PIZZA TRAYS & TROLLEYS

PIZZA TRAYS & TROLLEYS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	PTG0070	70mm Deep Pizza Tray • Stackable pizza tray 70mm deep • Material made of PE (polyethylene) • Food safe • Resistant to temperatures from -40°C to +80°C and up to 120°C during washing • Dishwasher safe • Internal height 55mm	N/A	N/A	600 x 400 x 70	1.3kg	\$32
ITALY	PTG0100	100mm Deep Pizza Tray Stackable pizza tray 100mm deep Material made of PE (polyethylene) Food safe Resistant to temperatures from -40°C to +80°C and up to 120°C during washing Dishwasher safe Internal height 85mm	N/A	N/A	600 x 400 x 100	1.5kg	\$36
	PTG0133	Perforated Pizza Tray • 100mm deep • Material, made of PE (polyethylene) • Lid to suit is PTG9999 suitable on (polyethylene) • Food safe • Resistant to temperatures from -40°C to +80°C and up to 120°C during washing • Dishwasher safe • Internal height 85mm	N/A	N/A	600 x 400 x 100	1.1kg	\$40
ITALY	PTG9999	Pizza Tray Lid • Suitable for use with both 70mm deep and 100mm deep pizza trays • Material made of PE (polyethylene) • Food safe • Resistant to temperatures from -40°C to +80°C and up to 120°C during washing • Dishwasher safe	N/A	N/A	600 x 400 x 10	0.9kg	\$24
	PTG1111	Pizza Tray Trolley • ABS material • Made to move stacked pizza trays	N/A	N/A	615 x 415 x 170	3.7kg	\$180
ITALY							





STICK BLENDERS

STICK BLENDERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST	
*3 CHINA	IMH0355	BigRig Stick Blender 14" • 355mm shaft • Up to 53L • Manufacture code: HMI014-AU	240V	1kW	820 x 216 x 140	6.2kg	\$1,200	
★3 CHINA	IMH0406 ★★	BigRig Stick Blender 16" • 406mm shaft • Up to 87L • Manufacture code: HMI016-AU	240V	1kW	880 x 216 x 140	6.3kg	\$1,320	
*; CHINA	IMH0457 ★★	BigRig Stick Blender 18" • 457mm shaft • Up to 121L • Manufacture code: HMI018-AU	240V	1kW	930 x 216 x 140	6.4kg	\$1,580	
china *>	IMH0533	BigRig Stick Blender 21" • 533mm shaft • Up to 158L • Manufacture code: HMI021-AU	240V	1kW	1000 x 216 x 140	7kg	\$1,800	
	XIMH0007	7 Whisk attachment to suit all models						
	XIMH0008	355mm shaft complete					\$500	
	XIMH0009	406mm shaft complete						
	XIMH0010	457mm shaft complete						
	XIMH0011	533mm shaft complete					\$700	

All above models feature:

- Sealed and removable stainless steel shaft
- Stainless steel shaft with ergonomic grip
- Interchangeable shaft and whisk as an optional accessory
- Stainless steel blade with guard for quick blending/chopping /pureeing/emulsifying

 • Variable speed dial
- Comes with power base and wall mount hanger
 Blending speed 3000 RPM to 15,000 RPM
- 2 Years Warranty





STICK BLENDERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
SWITZERLAND	SBK8220	Kisag Stick Blender – Small Shaft length 20cm Overall length 38cm 20lt processing quantity 250W motor Speeds 15000rpm/20000rpm Continuous use 8 min 2m cable Supplied with wall bracket for storage Manufacture code: 8220	240V	0.25kW	380 x 80 x 80 Depth and height refer to largest part of motor section	1.2kg	\$450



SLICERS -**BELT DRIVEN**





List Price

SLICERS – GRAVITY FED

SLICERS - GRAVIII	ILU						
	MSA3220	220mm Slicer Gravity fed slicer Blade diameter: 220mm Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Medium duty construction Cut capacity: 160 x 190mm Blade speed: 420 rpm Maximum slice thickness: 10mm Manufacture code: MSA0220	240V	0.2kW	457 x 280 x 368	13kg	\$780
	MSA3250	250mm Slicer Gravity fed slicer Blade diameter: 250mm Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Medium duty construction Cut capacity: 170 x 190mm Blade speed: 420 rpm Maximum slice thickness: 10mm Manufacture code: MSA0250	240V	0.32kW	483 x 280 x 368	15kg	\$880
★) CHINA	MSA3300	300mm Slicer Gravity fed slicer Blade diameter: 300mm Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Medium duty construction Cut capacity: 240 x 150mm Blade speed: 370 rpm Maximum slice thickness: 17mm Manufacture code: MSA0300	240V	0.42kW	610 x 343 x 457	24kg	\$1,340
CHINA	MSA5300	Heavy duty Slicer Gravity fed slicer Blade diameter: 300mm Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Cut capacity: 240 x 150mm Blade speed: 370 rpm Maximum slice thickness: 17mm Manufacture code: MSA5300	240V	0.42kW	613 x 368 x 422	29kg	\$2,000







List Price

FIXED HEAD FIXED BOWL MIXER

ITALY

R	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
	SMM0005	Fixed Head Fixed Bowl • 5kg finished product • 3kg dry flour • Bowl 7L • Bowl, hook, shaft and safety guard all stainless steel • Single phase / single speed • Bowl speed 10rpm • Spiral speed 100rpm • Manufacture code: PK5M	240V	0.37kW	540 x 260 x 527 Bowl Size 237 x 160	33kg	\$1,700

TILTING HEAD REMOVABLE BOWL









FIXED	HEAD &	
BOWL	- ECONO	YMC

FIXED HEAD & BOWL – ECONOMY	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	SMM9925	Economy Model 20kg Fixed head/bowl 20kg finished product 12.5kg dry flour Bowl 33L / Timer Bowl, hook, shaft all stainless steel Supplied with castors Bowl speed 100rpm Spiral speed 100rpm Min. water to flour ratio is 50% Manufacture code: IM25	240V	1.1kW	762 x 430 x 770 Bowl Size 400 x 260	95kg	\$3,300
ITALY	SMM9944	Economy Model 38kg Fixed head/bowl 38kg finished product 25kg dry flour Bowl, hook, shaft all stainless steel Supplied with castors Bowl speed 10rpm Spiral speed 100rpm Water to flour ratio is 50% Bowl size 500 x 270 Manufacture code: IM44	240V	1.1kW	860 x 530 x 790 Bowl Size 500 x 270	110kg	\$4,400
TIALY	SMM9960	Economy Model 60kg 60kg finished product 40kg dry flour Bowl 75L Manual timer Three phase 2 speed Bowl, hook and shaft all st/steel Supplied on castors with 2 front lockable levelling feet 2 year parts and labour warranty Bowl speed: 12rpm/24rpm Tool speed: 68rpm/140rpm Min. water to flour ratio is 50% Plug not supplied. Must be installed by licensed electrician Manufacture code: IM60D	400V 3PH	2.6kW/ 3.4kW	575 x 1020 x 1010 Bowl Size 550 x 370	250kg	\$9,200



VARIABLE SPEED	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
ITALY	SMM2244	Variable Speed Mixer 38kg • Special speed variator from 100 to 230 rpm • Single-phase power supply • Fixed head fixed bowl • 38kg finished product • 25kg dry flour • Bowl 50L / Timer • Bowl, hook, shaft all stainless steel • Supplied with castors • Manufacture code: IM44MV	240V 10A	2.2kW	842 x 530 x 770	110kg	\$5,500







Kg

170kg

List Price

excl GST

\$12,500

DOUBLE ARM MIXER



BAKERY SPIRAL MIXERS



SMM1060	Spiral Mixer 60kg • 60kg Finished product • 40kg flour • 100L bowl • Manufacture code: SP60	400V 3PH	Spiral motor 1.5kW / 3kW Bowl motor 0.55kW	630 x 1180 x 1312 Tool speed: 98/198rpm Bowl speed:21rpm	370kg	\$15,000
SMM1080	Spiral Mixer 80kg • 80kg finished product • 50kg flour • 130L bowl • Manufacture code: SP80	400V 3PH	Spiral motor 3kW/5.2kW Bowl motor 0.75kW	730 x 1305 x 1460 Tool speed: 112/224rpm Bowl speed:16rpm	510kg	\$18,000
SMM1130	Spiral Mixer 130kg • 130kg finished product • 80kg flour • 200L bowl • Manufacture code: SP130	400V 3PH	Spiral motor 3kW/5.2kW Bowl motor 0.75kW	830 x 1355 x 1460 Tool speed: 112/230rpm Bowl speed:16rpm	580kg	\$22,000

All above models:

- Dual motors, 1 for the bowl and one for the hook
- Dual automatic timersPulse rotation of bowl for easy unloading
- Reversible bowl

- 2 speeds
- Stainless steel safety guard and head plate cover above spiral
 Min. water to flour ratio is 50%
- Plug not supplied. Must be installed by qualified electrician

FORKED MIXERS

ITALY



	SMF0025	Forked Mixer 25kg • Single phase single speed • 30L bowl • 25kg finished dough • 15kg bag of flour • Manufacture code: FC25M	240V	1.1kW	870 x 560 x 890 Bowl 10rpm Fork 30rpm	140kg	\$8,600
	SMF0035	Forked Mixer 35kg • 3 phase 2 speed • 40L bowl • 35kg finished product • 20kg bag of flour • Manufacture code: FC35D	400V 3 Phase	0.75kW/ 1.1kW	885 x 590 x 890 Bowl Low 6rpm High 10rpm Fork Low 20rpm High 30rpm	145kg	\$10,200
	SMF0080	Forked Mixer 80kg • 3 phase 2 speed • 93Lt bowl • 80kg finished product • 50kg flour (2 bags) • Manufacture code: FC80D	400V 3 Phase	1.1kW/ 1.5kW	1025 x 744 x 1110 Bowl Low 6rpm High 10rpm Fork Low 20rpm High 30rpm	290kg	\$17,000

• Min. water to flour ratio is 50% • All rotating parts on ball bearings • Stainless steel frame • Plug not supplied. Must be installed by qualified electrician



PASTRY SHEETERS





PASTRY SHEETER – BENCH TOP	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	PSM0570	Pastry Sheeter Ideal for rolling all types of pastries, puff pastry, croissants, pasta dough, etc. Roller length 500mm Tables 700mm (each side) Variable speed Folding arms for storage 0-36mm dough thickness Manufacture code:SB500PM-70	240V	0.55kW	1520 x 920 x 700 (Body 380mm x 780mm, feet inset 50mm each. Will sit on 700mm deep bench)	160kg	\$8,800

PASTRY SHEETER – FLOOR	R MODEL					
PSM6120	Pastry Sheeter Ideal for rolling all types of pastries, puff pastry, croissants, pasta dough etc O-50mm Dough thickness Chromium plated rollers Roller length 600mm Roller diameter 80mm Roller diam	400V 3PH	0.75kW	3290 x 1170 x 1060	260kg	\$11,600
		MACENOSUO STATEMENT OF THE PROPERTY OF THE PRO				







DOUGH DIVIDER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	DDM0220	Dough Divider Dough Divider with a rectangular 20 division tank 20 divisions at 80 x 200mm 5kg to 17kg dough capacity Blades automatically ascend to divide the dough while in operation Lateral plates guarantee easy access to facilitate cleaning of the internal mechanism Comfortable handle on the lid for easy operation Ideal for bakeries looking at automating the dough dividing process Supplied without plug - must be installed by a licensed electrician Manufacture code: DV20	400V 3PH	1.5kW	585 x 800 x 1693	230kg	\$14,800
ITALY	DDM0220T	Dough Divider with Cutting Grids • 3 functions in the same machine • Hydraulic dough divider with 20 divisions • Divider/Moulder for bread ready to be baked • Press for butter and food dough • Additional features include: – Teflon coated head cover – Flour basin – Flour anti-spatter – Divider/Moulder attachment • Supplied without plug – must be installed by a licensed electrician • Manufacture code: DV20T	400V 3PH	1.5kW	585 x 800 x 1732	280kg	\$20,000

BUN DIVIDER/ ROUNDER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	BDK0330	Semi-Automatic dough divider & rounder Creates 30 pieces of 40-120g dough balls Supplied with three plastic moulds Larger base for stablity and easy operation Bigger rounding diameter for faster rounding Supplied without plug - must be installed by a licensed electrician	400V	0.55kW	638 x 735 x 1986	268kg	\$16,000
	XBDK0030	30 piece rounding plate					\$280
TAIWAN	XBDK9999	Wheel set					\$480




DOUGH ROLLERS





DOUGH ROLLERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	DRM0031	Dough Roller 30cm Single Pass Dough portions of 80g - 210g Includes foot pedal Safety guard Stainless steel body Manufacture code: DL30M	240V	0.375kW 0.5HP	420 x 450 x 350	27kg	\$1,480
ITALY	DRM0030	Dough Roller 30cm Dough portions of 80g - 210g Includes foot pedal Safety guards Stainless steel body Manufacture code: DL30	240V	0.375kW 0.5HP	420 x 450 x 650	35kg	\$1,900
ITALY	DRM0040	Dough Roller 40cm Dough portions of 80g - 400g Includes foot pedal Safety guards Stainless steel body Manufacture code: DL40	240V	0.375kW 0.5HP	520 x 450 x 712	45kg	\$2,300
ITALY	DRM1040	Dough Roller 40cm Parallel Dough portions of 100g - 700g Includes foot pedal Safety guards Stainless steel body Manufacture code: DL40P	240V	0.375kW 0.5HP	520 x 450 x 750	45kg	\$2,300


PIZZA FORMER



PORTION SCALE



\$9,000








MEAT MINCER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	XMPE0804 XMPE0808 MNF8010 MNF8020 MNS0091	Capacity approx. 30kg per hour Supplied with 6mm plate Accessories available 4.5mm plate	240V	0.3kW	320 x 200 x 430	10kg	\$600 \$24 \$24 \$8 \$8 \$8
ITALY							

TOMATO SOUEEZER


	mile oforther							
ITALY		TSE0004	Tomato Squeezer • Size 4 • Tinner cast iron body and auger • Stainless steel hopper and collector • Stainless steel filter • Motor power 300W • Worm revolutions: 160 RPM	240V	0.3kW	330 x 580 x 300	10.5kg	\$660
ITALY		TSE1004	Tomato Squeezer Attachment To suit MNS0008 Manufacture code: F17430/I	N/A	N/A	280 x 365 x 340	5kg	\$280

MEAT MINCER

TAIWAN



HEAVY DUTY MEAT MINCER





PROCESSOR & BLADES



FOOD PROCESSOR	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BRAZIL	FPA0001	Food Processor Extra heavy duty construction Fitted with safety micro switches in the handle and lid 385 rpm motor Ideal for high volume applications such as pizza shops, etc Specially designed to process 300 - 400kg of product (including cheese) per hour Price includes choice of any 2 blades Manufacture code: PAIE	240V	0.375kW	590 x 250 x 440	25kg	\$ 2,650

FOOD PROCESSOR BLADES

FOOD PROCESSOR E	JLADL		
BRAZIL	FPE0001 FPE0003 FPE0005 FPE0010	Veg/Cut Plate - Slicing 1mm (E1) Veg/Cut Plate - Slicing 3mm (E3) Veg/Cut Plate - Slicing 5mm (E5) Veg/Cut Plate - Slicing 10mm (E10)	\$160
RV 8. ROVED BRAZIL	FPZ0003 FPZ0005 FPZ0008	Veg/Cut Plate - Shredding 3mm (Z3) Veg/Cut Plate - Shredding 5mm (Z5) Veg/Cut Plate - Shredding 8mm (Z8)	\$160
BRAZIL	FPW0002 FPW0004	Veg/Cut Plate - Crinkle Cut 2mm (W2) Veg/Cut Plate - Crinkle Cut 4mm (W4)	\$160
BRAZIL	FPV0001	Veg/Cut Plate - Parmesan (V)	\$160
BRAZIL	FPH0003 FPH0007	Veg/Cut Plate - Julienne 3mm (H3) Veg/Cut Plate - Julienne 7mm (H7) This grid has to be used together with an 'E' slicing blade	\$160
BRAZIL	FPM0001	Veg/Cut Plate - Chipping Grid 10mm (GP) These grid has to be used together with an 'E' slicing blade	\$190
BRAZIL	FPD0008 FPD0012 FPD0016	Veg/Cut Plate - Cubing Grid 8mm (G8) Veg/Cut Plate - Cubing Grid 12mm (G12) Veg/Cut Plate - Cubing Grid 16mm (G16)	\$190
	FPP0001	Ejector Disc	\$36





10 QUART

	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
f	PMA1010	10 Quart Mixer with Timer • 5 fixed speeds • 0.8HP air cooled motor • Direct drive gear driven transmission • Long life gear box • Grease packed ball bearing • Guard fitted with safety micro-switch • Gears and shafts made of heat treated alloy steel • 3 attachments supplied: whisk, hook and paddle • VOLUME GUIDE: Mashed Potatoes: 1.5kg Waffle/Pancake Mix: 2L Pound Cake Mix: 2.5kg Bread/Roll Dough: 1.3kg (800g flour + 500mL water) • Speeds: 193/296/354/438/496 rpm	240V	0.65kW	350 x 450 x 530	22kg	\$2,000

240V

0.37kW

20 QUART

TAIWAN



PMA1020 20 Quart Mixer with Timer

- 3 fixed speeds with easy speed shifting
- Direct drive gear driven transmission
- Long life gear box
- · Grease packed ball-bearing
- · Safety guard stainless steel
- Gears and shafts made of heat treated alloy steel
- 0.5HP motor3 attachments supplied: whisk, hook and paddle
- VOLUME GUIDE:

Mashed Potatoes: Waffle/Pancake Mix: Pound Cake Mix: 10kg
Bread/Roll Dough: 3kg
(2kg flour + 1L water)
• Speeds: 130/259/473 rpm 10kg

40 QUART



PMA1040 40 Quart Mixer with Timer

- 3 fixed speeds with easy speed shifting • Powerful 1.5HP air cooled motor
- Direct drive 100% gear driven transmission
- Safety guard stainless steel
- 1.5HP motor 3 attachments supplied: whisk, hook and paddle
- VOLUME GUIDE

Mashed Potatoes: 13kg Waffle/Pancake Mix: 16L Pound Cake Mix: 20kg Bread/Roll Dough: 10kg Speeds: 127/261/478 rpm 20kg 10kg

Flexible Option for purchase of 20 Quart accessories to enable smaller batches. Options include; Bowl, Whisk, Hook & Beater

240V 1.125kW 610 x 660 x 1215 238kg \$9,200

1039 x 708 x 1430 455kg

\$18,000

417 x 486 x 802

100kg

\$4,200

60 OUART



PMA3060 **60 Quart Mixer with Timer**

- Gear driven
- Stainless steel safety guard
- 4 Speeds with easy speed shifting
- 3HP motor
 3 attachments supplied; whisk, hook and paddle and additional bowl dolly
- VOLUME GUIDE:
- · Mashed Potatoes: 18kg
- Waffle/Pancake: 22L
- Pound cake mix: 25kg Dough: 27kg (18kg dry flour, 12L water)
 Speeds: 436/ 248/148/84 rpm
- Supplied without plug, must be installed by a licensed electrician

400V

3PH





CHEESE SLICER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
USA	NCC0002	Easy Cheeser 3/4" – 18mm • 3/4" cube cut • Labour saving • Time saving (cubes a 2kg cheese block in 75 seconds vs. 20 minutes by hand) • Consistent cut size for portion control • Stainless steel cutting wires operator replaceable • Sturdy aluminium construction • Manufacture code: 55300A	N/A	N/A	318 x 172 x 336	2kg	\$660
USA	NCC0003	Easy Cheeser ¾" x ¾" – 18mm x 9mm • Easily interchangeable cut size arms (¾" and ¾") • Labour saving • Time saving (cubes a 2kg cheese block in 75 seconds vs. 20 minutes by hand) • Consistent cut size for portion control • Stainless steel cutting wires operator replaceable • Sturdy aluminium construction • Manufacture code: 55300A-2	N/A	N/A	318 x 172 x 336	2kg	\$860
USA	NCC0004	Easy Cheeser Mozzarella 5/16" - 8mm • Cutting bow can be easily removed for cleaning and the stainless steel cutting wires are replaceable • Consistent cut size for portion control • Easy to disassemble for cleaning • Stainless steel cutting wires easily replaceable • Manufacture code: 55300A-516D	N/A	N/A	318 x 165 x 101	2kg	\$860

EASY FLOWERING ONION CUTTER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
USA	NF00001	Create the perfect signature snack or garnish Load a peeled onion and pull the lever All cast aluminum and stainless steel construction Ergonomic handle and lever action Wide base and non-slip suction feet Stainless steel blades Manufacture code: 55700	N/A	N/A	350 x 290 x 430	7.3kg	\$1,800





TOMATO SLICER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	NTS0045	Easy Tomato Slicer %6" 4.5mm Save time, labour & workspace 60% less space than others Razor sharp blades cut with trouble free precision Unique self-lubricating track material that resists misalignment problems that cause nicks and broken blades Manufacture code: 55600-1	N/A	N/A	360 x 160 x 170	4kg	\$860
	NTS0060	Easy Tomato Slicer 1/4" 6mm • Manufacturer code: 55600-2	N/A	N/A	360 x 160 x 170	4kg	\$860
	XNTS4661	Spare Blade for 4.5mm 13 Wires • Manufacture code: 466-1					\$120
USA	XNTS4662	Spare Blade for 6mm 10 Wires • Manufacture code: 466-2					\$120
SCOOPER	•						
USA	NTS55875	Removes tomato stems in one movement Increases life of tomato slicer blades by reducing damage cause by hard stems/cores Manufacture code: 55875	N/A	N/A			\$8
SLICER	-						
	NES0001	Easy Slicer The one slicer you need to make fast, easy work of fruits and veg Unique adjustable blade provides full range of slicing options from 1.6mm to 12.7mm in thickness Manufacture code: 55200AN	N/A	N/A	280 x 200 x 400	4kg	\$1,360
USA	NES1001	Portable Base Table • Suits Easy Slicer NES0001 • Manufacture code: 55816	N/A	N/A	500 x 340 x 60	3kg	\$320
CHOPPERS							
CHOIT ERO	NEC0002	Easy Chopper II • %" x %" (9mm x 9mm) square cut • Manufacture code: 56500-2	N/A	N/A	250 x 250 x 512	4kg	\$860
	NEC0003	Easy Chopper II • ½" x½" (12mm x 12mm) square cut • Manufacture code: 56500-3	N/A	N/A	250 x 250 x 512	4kg	\$860
USA	NEC0004	Easy Chopper II • 1/4" x 1/4" (6mm x 6mm) square cut • Manufacture code: 56500-1	N/A	N/A	250 x 250 x 512	4kg	\$860
GRIDDLE SCRAPER							1
GRIDDLE SCRAPER	NEG0001	Easy Griddle Scraper • Ergonomically designed to put more pressure on the blade with less effort. • Heavy duty cast aluminium body, stainless steel blades • Manufacture code: 55825	N/A	N/A	400 x 150 x 100	2kg	\$150
USA	XNEG55607-6	Spare Blades – 6 Pack					\$60







LETTUCE CUTTER

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NEL0001	Easy Lettuce Cutter • %" (9mm) slices • Clean cut prevents lettuce browning on the edges • No crushing or bruising of product • Manufacture code: 55650-CS	N/A	N/A	325 x 450 x 500	8kg	\$2,080
NEL0002	• ½" (12mm) x ½" (12mm) square cut • Manufacture code: 55650-3	N/A	N/A	325 x 450 x 500	8kg	\$2,080
NEL0003	• ¾" (19mm) x ¾" (19mm) • Manufacture code: 55650-6	N/A	N/A	325 x 450 x 500	8kg	\$2,080


ONION SLICER



WEDGER



EASY VEGETABLE NOODLER



ceado.



CITRUS JUICERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	CEH0098	Citrus Juicer – Hand Operated • Supplied with 2 size reamers • All parts that come into contact with food are easily removable and dishwasher safe • Safety cut-out on motor to prevent overheating • 1400 rpm • Manufacture code: S98	240V	0.25kW	190 x 300 x 380	6.5kg	\$920
ITALY	CEL1098	Citrus Juicer – Lever Operated Stainless steel reamer and basket Lever handle for more efficient juicing and higher yield All food contact parts are stainless steel and dishwasher safe Microswitch for handle located at the back, not below motor, to prevent liquid damage 1400 rpm Manufacture code: SL98	240V	0.3kW	190 x 300 x 360	8.5kg	\$1,400

JUICERS

JUICERS							
3 YEAR WARRANTY 10 YEARS ON MOTOR	CJC0500	Centrifugal Juicer – Medium Duty Compact, lightweight and exceptionally quiet Easy to disassemble and clean, due to magnetic system, no tools required All food contact parts are dishwasher safe 75mm diameter feed chute Ideal for medium size operations 3000 rpm Manufacture code: ES500	240V	0.7kW	242 x 485 x 512	14.4kg	\$2,600
3 YEAR WARRANTY 10 YEARS ON MOTOR ITALY	CJC0700	Centrifugal Juicer – Heavy Duty • Easy to disassemble and clean, due to magnetic system, no tools required • All food contact parts are dishwasher safe • Unique double feed chute for different shape product 50mm and 75mm diameter • Ideal for high turnover operations doing more than 10kg of produce per day • 3000 rpm • Manufacture code: ES700	240V	0.8kW	290 x 538 x 512	19.2kg	\$4,000
NOW WITH 3 YEAR WARRANTY	CPJ0150	Optimal yield, richness and consistency of juice is achieved by a combination of the angles of the flaps on the auger and the design of the mesh Innovative anti – block mesh filter and powerful motor make it perfect for continuous juicing Simple twist drum cup to prevent dripping Supplied with 2 jugs, 1 for pulp and 1 for juice Easy to disassemble and clean All food contact parts are dishwasher safe Extremely silent operation 70rpm 60mm diameter feed chute Manufacture code: CP150	240V	0.4kW	180 x 400 x 465	15.5kg	\$4,400





®ADDIC

'SKYMSEN' CITRUS JUICER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BRAZIL	CES0001	• 1750 rpm motor • 2 size reamers supplied: - Small - to suit lemons, limes - Large - to suit oranges, grapefruit • Manufacture code: EXI	240V	0.18kW	195 x 340 x 380	5kg	\$460
	XCES0003	Large Reamer					\$32
	XCES1639	Small Reamer					\$28

TILTING BLENDER

W	LQS0025	Blender 25L • Suitable for all types of foods: soups, sauces, ice cream, juices, etc.	240V	1.118kW 1.5hp	1180 x 410 x 525	22kg	\$1,600
BRAZIL OF THE STATE OF THE STAT		3500 rpm 304 stainless steel container Blender tilts past 90° to easily pour out contents Manufacture code: LAR-25					

BENCHTOP DEHYDRATORS

ITALY	DCT1001	ATACAMA - Cube • 6 food grade ABS trays • 2600cm² drying surface • Body in painted steel and reinforced nylon • Anti-slip, anti-vibration rubber feet • Manual thermostat control • "Wideflow" technology ensures even drying across all trays • Manufacture code: F77000/CU/AUS	240V	0.5kW	260 x 350 x 270	4kg	\$400
ITALY	DCT2002	ATACAMA - Pro Deluxe • 6 stainless steel mesh trays with ABS frame • 5500cm² drying surface • Body in stainless steel and reinforced nylon • Anti-slip, anti-vibration rubber feet • Easy to read and operate digital display with electronic control • 5 "Auto" programmes for versatility • 1 fully customisable programme for specific drying functions • 1 delayed programme for deferred starting time • "Wideflow" technology ensures even drying across all trays • Manufacture code: F77000/DL/AUS	240V	0.5kW	260 x 500 x 270	5.5kg	\$720

FOOD DEHYDRATOR

	-						
	FDA1010	10 Tray Bench Top	240V	1kW	435 x 511 x 433	13.8kg	\$1,000
CHINA		10x large removable stainless steel racks each 430mm x 510mm 14000cm² drying surface Stainless steel body 12 hour timer Temperature range 35° – 75°C With infinity option Manufacture code: FK-02					




DEHYDRATING / BILTONG CABINETS



DEHYDRATING /	
BILTONG CABINET	Ç

DEHYDRATING / BILTONG CABINETS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	BCA0001	Biltong Cabinet – Small Full stainless steel body Adjustable temperature control Heater cannot be switched on without fan being in operation Efficient extraction fan for maximum air flow and uniform drying throughout cabinet Unit can cure 25kg of wet product at a time Chamber size: 500 x 450 x 910 Accessories supplied: 10 x stainless steel hanging rods 1 x stainless steel drip tray Manufacture code: BCB0245	240V	0.75kW	580 x 460 x 1080	43kg	\$1,400
SOUTH AFRICA							
SOUTH AFRICA	BCA1001	Biltong Cabinet – Large Glass window for product display Unit fitted with anti-bacterial ultraviolet lamp for product protection Locking door handle for security Adjustable thermostat Powerful extraction fan to ensure maximum air flow for uniform drying throughout Heater cannot be switched on without fan being in operation Unit can cure 100kg of wet product at a time Chamber size: 950 x 730 x 1750 Accessories supplied: 24 x stainless steel hanging rods 1 x stainless steel drip tray Manufacture code: BCB1250 FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS EX WAREHOUSE SYDNEY	240V	3kW 15A	1000 x 740 x 2015	120kg	\$4,600







BLENDERS

RIO BAR BLENDER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	BBN2255	Rio Bar Blender Powerful 1.6 peak HP motor Wave action jar with single stainless steel blade Durable and easy to use switches, sealed to ensure longevity High/low and pulse functions Safety sensor on lid triple lid seal Metal drive coupling Removable jar pad for easy cleaning Sure grip rubber feet Manufacture code: HBB255-AU	240V	1.2kW	216 x 190 x 410	4.5kg	\$580
CHINA	XBBN2001	1.4L Jug for BBN2255 BPA Free Complete Jug with Lid Suits BBN2255/BBN2255S Rio Blenders Manufacture code: 6126-455-CE					\$200
RIO BAR BLENDER V	vith ST	AINLESS STEEL JUG					
	BBN2255S	Rio Blender – Stainless Steel Powerful 1.6 peak HP motor Wave action jar with single stainless steel blade Durable and easy to use switches, sealed to ensure longevity High/low and pulse functions Safety sensor on lid triple lid seal Metal drive coupling Removable jar pad for easy cleaning Sure grip rubber feet Manufacture code: HBB255S-AU	240V	1.2kW	216 x 190 x 430	4.5kg	\$660
CHINA	XBBN2002	O.95L Jug for BBN2255S Stainless steel jug complete with Lid Suits BBN2255/BBN2255S Rio Blenders Manufacture code: 6126-255S-CE					\$260
FURY BLENDER							
3 YEAR WARRANTY ON PARTS 8 LABOUR*	BBD0550	Fury Blender • Wave action jug design • Simple manual paddle switches featuring HI – LO – PULSE and one touch start • Timer with auto shut off • 3 HP motor with all metal drive coupling • Sure grip rubber feet • 2L Stackable jug • Manufacture code: HBH550-AU	240V	2.2kW 3HP	178 x 203 x 457	5kg	\$1,320
(UV)	XBBN1001	Jug for BBD0550 • Manufacture code: 6126-650					\$300
TEMPEST ICE BLEND)FR	- manufacture code: 0120-030					
3 YEAR TY WARRANTY ON PARTS ON PARTS ON PARTS ON PARTS	BBT0650	Tempest Blender – Ice New wave action jug design Makes daiquiris in 12 seconds 2-speed, jump cycle and pulse Timer with auto shut-off He motor with all metal drive coupling Listackable jug Sure grip rubber feet Temperature gauge and special cool-down cycle prevents motor from burning out Manufacture code: HBH650-AU	240V	2.2kW 3HP	178 x 203 x 457	5.7kg	\$1,480
CHINA	XBBN1001	Jug for BBT0650 • Manufacture code: 6126-650					\$300



TEMPEST	FOOD
BLENDER	

	DLENDER	
S. M.	ARRANTY ARRANTS ON PARTS 8 LABOUR	
	8. ABOUT	
	CHINA	×

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BBF0600	Tempest Blender – Food • Wave action jug design • 3HP motor enables chefs to puree, emulsify, grind, chop, etc. • Variable speed control for products that need slower or faster blending eg. mayonnaise • Unique one touch chopping function for chopping solid ingredients • Slow pour filler cap to easily add liquid to sauces etc while blending • 2L stackable jug • Manufacture code:HBF600-AU	240V	2.2kW 3HP	178 x 203 x 457	5kg	\$1,480
XBBN1001	Jug complete for food blender					\$300

ECLIPSE BLENDER



BBE0755	Eclipse Blender	240V	2.2kW	210 x 290 x 470	7kg	\$2,500
	High performance blender New QuietBlend Technology Powerful 3HP motor Life time warranty on drive coupling and stainless steel blade Select from 100 pre-programmed cycles IN/ON counter model L Stackable jug Manufacture code: HBH755-AU		ЗНР			
XBBE1002	Spare Jug for Eclipse – 2L • Manufacture code: 6126-755					\$300

SUMMIT IN/ON COUNTER



In	or	on	counter	mode

CHINA

BBS0850	Summit Blender	240V	2.2kW	229 x 305 x 483	8.7kg	\$3,000
	Auto blend, one touch sensor blending		3HP			
	 Wave action jug 					

• Hundreds of pre-programmed cycles • Unique baffle keeps motor cool

• Manufacture code: 6126-650

by circulating air around motor and prevents water ingress

• Dual fans keep motor cool between blends

• USB port for sharing programmes; ideal for consistency in franchise

• Jar pad sensor turns motor off when jug not in place

• Tough and durable quiet shield

allowing one-handed operation
2L stackable jug
 Manufacture code: HBH850-AU

JUG FOR 'FURY', 'TEMPEST & 'SUMMIT' BLENDERS



E	BBS0850 Summit and BBD0550 Fury
•	2L stackable jug complete with lid
	Warranty on jugs is 3 months

• Manufacture code: 6126-650

| XBBF0600 | • Suits new BBT0650, BBF0600, BBS0850 & BBD0550

• 1.5L Jug

• Stainless Steel

XBBN1001 Suits BBT0650 Tempest,

• Manufacture code: 6126-HBF600S

Blender jugs are a consumable item and are not covered by the warranty on the motor. The manufacturer recommends replacing the jugs every 12 months. However this is a guide only and depends on usage, number of jugs in the system and washing methods. Jugs are dishwasher safe but NOT dishwasher proof. Washing in a dishwasher will significantly reduce the lifespan of the polycarbonate jug. Continuing to use jugs once the bearings are worn can result in damage to the motor which will void the warranty

\$360





\$840

\$540

	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
HAMILTON BEACH	1 TAMPE	R					
	XBBN9999	Tamper Tamper or muddling stick suitable for use with XBBN1001 or XBBE1001/2 Assists blender in effectively blending hard product like ACAI Manufacture code: BT650	N/A	N/A			\$64
EXPEDITOR – CUL	INARY B	LENDER					
EAR	HBF1100	Expeditor Culinary Blender 4L • Powerful 3.5HP motor	240V	2.61kW 3.5HP	226 x 378 x 481	9.5kg	\$4,000



Powerful 3.5HP motorLid interlock with safety micro switch • Unique chop function pulses blades to ensure optimum consistency• Dosing cup incorporated into lid Variable speed control • 4 preset timer keys • Custom programs provides automation for signature recipes • Ideal for use in hospitals, aged care facilities and any large commercial kitchen • Manufacture code: HBF1100S-CE

QUIET SHIELD FOR 'TEMPEST' BLENDERS



Suitable for new and old model XBBN0651 'Tempest' blenders • Manufacture code: SE2-HBH-650

NOTE: Blender <u>not</u> included

HAND	OPERATED
JUICER	

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
-------	---------------------	---------	-------	----------------	----	---------------------

N/A



|--|--|

N/A

178 x 230 x 495

4.3kg



MILKSHAKE MIXERS



MILKSHAKE MIXERS TRIPLE & SINGLE	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	XHMD0929 XHMD0930	Single Milkshake Mixer • Supplied with stainless steel cup • Sealed and permanently lubricated bearings • 3-speed settings and pulse function • Two-way motor activation with cup or pulse switch • Manufacture code: HMD200P-AU Optional Impellors • Frozen Dessert Impellor • Agitator for mixing in of pre- ground candies, biscuits, etc	240V	0.3kW	165 x 171 x 521	6.5kg	\$620 \$48 \$48
CHINA							
CHINA	HMD0400	Triple Milkshake Mixer • Supplied with 3 stainless steel cups • Sealed and permanently lubricated bearings • 3-speed settings and pulse function • Two-way motor activation with cup or pulse switch • Manufacture code: HMD400P-AU	240V	0.3kW per motor	318 x 229 x 521	15.5kg	\$1,800




PLANETARY MIXER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	CPM0800	Planetary Mixer 8L • 8 quart stainless steel bowl, capacity of 2kg flour per batch • All metal gears • Heavy duty stainless steel beater, dough hook, wire whisk and bowl with 2 handles, all supplied • Variable 7 speed dial and pulse; allows for speed changes while mixing • Tilt head • Die-cast aluminium body • BPA free plastic safety bowl guard with micro switch • Manufacture code: CPM800-AU	240V	1.5kW	350 x 430 x 400	13.2kg	\$1,640

BARISTA PLUS CREAM GUNS	Model	Product Description	Unit Size (mm)	Kg	List Price excl GST
	CGB0001	Cream Gun – 0.5L • Full steel head • Supplied with floret and decorating nozzles • Aluminium bulb holder	89 x 89 x 330	0.9kg	\$100
CHINA **	CGB0002	Cream Gun – 1L • Full steel head • Supplied with floret and decorating nozzles • Aluminium bulb holder	114 x 114 x 356	1.3kg	\$110


BARISTA PRO CREAM STAINLESS STEEL DISPENSERS

	CGB0003	Barista Pro – 0.5L Professional grade used by baristas and chefs worldwide Beautifully crafted, stainless steel construction Whipped cream lasts for up to 14 days in the refrigerator Create perfect fluffy and fresh whipped cream or add flavorings to make more unique creations Silicone head gasket Full Stainless Steel chrome charger with medical grade silicone grip and removable stainless steel piston for easy cleaning Decorator tips with stainless steel threads	89 x 89 x 305	1.1kg	\$140
CHINA	CGB0004	Barista Pro – 1L	108 x 108 x 356	1.3kg	\$160

CREAM CHARGERS



SODA CHARGERS







ITALY


DISHWASHERS






DERCOUNTER SSWASHER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
•••:••••»	DWA2040	Undercounter Glasswasher Internal clearance 270mm 2 cycles 1 min/2 min Double insulated door Rinse aid and detergent pump Digital temperature display Stainless steel wash arms Drain pump Stainless steel inlet hose Caleffi pressure control/ non return valve Basket size 355mm x 430mm 1 supplied Tank capacity 11L – Element 2kW Boiler capacity 3L – Element 2.4kW O.3 HP wash pump Inlet pressure 2 – 4 bar Water consumption 1.5L/cycle at 2 bar Manufacture code: ECO40	240V	2.5kW 15A	480 x 517 x 838 (with legs)	38kg	\$3,650
	DWA3340	Undercounter Glasswasher • Specifications as DWA2040 with water softener		2.5kW 15A	480 x 517 x 838 (with legs)	39kg	\$4,200

UNDERCOUNTER DISHWASHER



TOPLINE UNDERCOUNTER DISHWASHER









List Price

PASS THROUGH

DISHWASHER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
	DWA2000	Pass Through Dishwasher Internal clearance 420mm 2 Cycles 1 minute/3 minutes Rinse aid and detergent pump Digital temperature display Stainless steel wash arms Drain pump Rubber inlet hose Caleffi pressure control/ non return valve Basket size 500mm x 500mm 2 supplied Tank capacity 20L – Element 4kW Boiler capacity 10L – Element 9kW 1 HP wash pump Inlet pressure 2 – 4 bar Water consumption 1.5L/cycle at 2 bar Plug not supplied. Must be installed by a licensed electrician Manufacture code: EC01000	400V 3PH	9.8kW 14.2A	630 x 750 x 1491 Closed 630 x 750 x 1980 Open	130kg	\$8,600
ITALY	DWA2001	Pass Through Dishwasher • Single phase unit	240V 1PH	3.6kW 15A	630 x 750 x 1491 Closed 630 x 750 x 1980 Open	130kg	\$8,600

TOPLINE PASS THROUGH

TOPLINE PASS THROUGH DISHWASHER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	DWA2120	Topline Pass Through Dishwasher • Waterproof soft touch digital display • LED controls, with 4 cycles (1,2,3,10 minute) Suitable for 500 x 500 trays, supplied • Low water consumption 1.5L per cycle • Rinse aid and detergent pump • Tank capacity: 20L – element 4kW • Boiler capacity: 10L – element 9-4kW • Plug not supplied must be installed by a licensed electrician • Manufacture code: TOP1200E/E+/SE	400V 12.2A	9.8kW	745 x 845 x 1575 (745 x 845 x 2109 when open)	130kg	\$10,800



STAINLESS STEEL PRODUCTS

TROLLEYS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	TRS0003	Stainless Steel 3 Tier Trolley • Square tube frame 25mm x 25mm • Maximum carrying capacity: 120kg • Distance between shelves: 270mm • 4 castors, 2 lockable • Supplied in flat pack • Manufacture code: YC103B	N/A	N/A	855 x 535 x 930	13kg	\$240
CHINA	TRS0015	Stainless Steel 15 Tier GN Trolley • Square stainless steel tube frame 25mm x 25mm • 125mm high castors • 4 castors, 2 lockable • Supplied in flat pack • Weight limit per level: 20kg • Manufacture code: YC215M1	N/A	N/A	385 x 550 x 1735	18kg	\$400
	TRS1015	Stainless Steel Multi Use Trolley Compatible to suit 1/1 GN trays and 600 x 400mm baking trays and 70mm deep pizza trays Shelves are 75mm apart Supplied in flat pack 4 castors, 2 lockable Weight limit per level: 20kg Manufacture code: YC215LGB	N/A	N/A	460 x 645 x 1720	30kg	\$480
CHINA	TRS2015	Stainless Steel GN Trolley 2 x 15 Tier • Square stainless steel tube frame 25mm x 25mm • 125mm high castors • 4 castors, 2 lockable • Supplied in flat pack • Weight limit per level: 20kg • Manufacture code: YC215M	N/A	N/A	740 x 555 x 1735	30kg	\$600

STAINLESS STEEL PRODUCTS



PLATFORM TROLLEY
CHINA

LATFORM TROLLEY	Model	Description	Unit Size (mm)	Weight	List Price excl GST
INA **	TRS0609	Platform Trolley Fold down handle Stainless Steel construction Bearing weight 300kg Manufacture code: YC609	1000 x 600 x 900	10kg	\$300

ГK	TEK BASKETS
- 2	
	*
CHINA	

Model	Description	Unit Size (mm)	List Price excl GST
XGFG0001	Small stainless steel	163 x 336 (670 incl. handle) x 150	\$40
XGFG0002	Medium stainless steel	200 x 335 (660 incl. handle) x 150	\$50
XGFG0003	Large stainless steel	235 x 315 (630 incl. handle) x 150	\$60

DRAWERS	3
	U
GREECE	**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
DCI0004	4 Drawer Cabinet • AISI 304 18/8-10 Stainless Steel • Optional castors • Perfect as a vacuum sealer stand • Manufacture code: ESS752D	N/A	N/A	520 x 700 x 870	17kg	\$1,600

GRILL SCRAPERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
\sim	GBP0001	Stainless Steel Handle Wire Brush Griddle Scraper	N/A	N/A			\$100
MATERIALIE		Easily replaceable brush head Tough, durable and effective Hook for convenient storage Profiled, laser cut edge, suits most griddle profiles					
INDIA							
	XGBP0001	Replacement Brushes					\$10
SOUTH AFRICA							



BLACK BACK BAR FRIDGES IC



BLACK BACK BAR REFRIGERATORS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BBZ0200	2 Door, Glass, Back Bar Fully ventilated cooling system with easily accessible condenser filter Seamless quiet operation Matte black power coated finish Full door space with no bottom step, internal space 740mm high LED lighting per door Ambient temperature 38°C Temperature range 2°C - 8°C Supplied on removable castors with option of legs to drop height to 860mm Gas type R290 Supplied with anti-tipping shelves per door Self closing and fully reversible glass doors with locks fitted as standard Internal dimensions 1080 x 415 x 740 315L capacity Manufacture code:QBG200	240V	0.24kW	1460 x 535 x 900	92kg	\$3,200
S	CHINA					
BBZ0300	 3 Door, Glass, Back Bar Internal dimensions 1705 x 415 x 740 500L capacity Manufacture code: QBG300 	240V	0.373kW	2085 x 535 x 900	121kg	\$3,900
BBZ0400	4 Door, Glass, Back Bar • Internal dimensions 2160 x 415 x 740 • 670L capacity • Manufacture code: QBG400	240V	0.456kW	2540 x 535 x 900	151kg	\$4,600
	CHINA					



UPRIGHT REFRIGERATORS



STAINLESS STEEL UPRIGHT FRIDGES

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
GUC1737	Stainless Steel Upright	240V	0.43kW	737 x 815 x 1980	130kg	\$3,100



1 Door Fridge • 43°C ambient • On castors – 2 lockable, 2 free running • 2/1 GN pan or 2 x 1/1 GN per level • Digital controller • Fan forced cooling • Auto defrost 4 shelves • Temperature range -2- +4°C • Rounded internal corners for easy cleaning • Door gasket easy to remove and clean • 550L • Climate class 4/5/7 • 304 Grade stainless interior and exterior • High density 75mm thick foam insulation • Manufacture code: M-PW8U1F

240V

Shown on feet. Supplied on castors

GUC1140 Stainless Steel Upright 2 Door Fridge

М

L

• 43°C ambient			ı
• On castors – 2 lockable,			ı
2 free running			ı
• 2/1 GN pan or 2 x 1/1 GN per level			ı
Digital controller			ı
• Fan forced cooling			ı
Auto defrost			ı
• 4 Shelves per door			ı
• Temperature range -2- +4°C			ı
Rounded internal corners			ı
for easy cleaning			ı
Door gasket easy to remove			ı
and clean			ı
•1170L			ı
• Climate class 4/5/7			ı
• R290 gas			ı
• 304 Grade stainless interior and			ı
exterior			ı
High density 75mm thick foam			ı
insulation			ı
Manufacture code: M-PW8U2FF			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı
			ı

0.46kW

1400 x 815 x 1980

190kg

\$4,400

CHINA



UPRIGHT FREEZERS ICE

STAINLESS STEEL List Price Unit Size (mm) Model **Product Description** Voltage Kg **Power** excl GST **UPRIGHT FREEZERS** GUF2737 Stainless Steel Upright 240V 0.65kW 737 x 815 x 1980 130kg \$3,600 1 Door Freezer • 43°C ambient • On castors - 2 lockable, 2 free running • 2/1 GN pan or 2 x 1/1 GN per level . • Digital controller · Fan forced cooling Auto defrost 4 shelves • Temperature range: -18°C to -22°C • Rounded internal corners for easy cleaning Door gasket easy to remove and clean • 550L • Climate class 4/5/7 • R290 gas • 304 Grade stainless interior and exterior • High density 75mm thick foam insulation • Manufacture code: L-PW8U1F Shown on feet. Supplied on castors M CHINA





UNDERBAR FRIDGES



STEEL DOOR UNDERBAR REFRIGERATORS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCS71815	2 Door Underbar – 760mm Deep Stainless Steel Doors • 1815mm wide • 416L • Internal dimensions 1249 x 658 x 558mm • Manufacture code: M-PW7T2HH	240V	0.4kW	1815 x 760 x 850	146kg	\$3,800
BCS72476	3 Door Underbar – 760mm Deep Stainless Steel Doors 2476mm wide 637L Internal dimensions 1911 x 658 x 558mm Monoblock system with removable condenser filter for easy cleaning 304 grade stainless interior and exterior High density 75mm thick insulation Doors take 2 x 1/1 GN or 2/1 GN pan lengthways Corrosion resistant coating on evaporator coil Fan delay switch on doors to save energy Supplied on castors (legs optional) Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: M-PW7T3HHH	240V	0.4kW	2476 x 760 x 850	186kg	\$4,400





UNDERBAR FRIDGES IC



GLASS DOOR UNDERBAR REFRIGERATORS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCG71815	2 Door Underbar - 760mm Deep Glass Doors • 1815mm wide • 416L • Internal dimensions 1249 x 658 x 558mm • Manufacture code: M-PW7T2DD	240V	0.56kW	1815 x 760 x 850	145kg	\$3,900
BCG72476	3 Door Underbar – 760mm Deep Glass Doors • 2476mm wide • 637L • Internal dimensions 1911 x 658 x 558mm • Monoblock system with removable condenser filter for easy cleaning • LED Lighting • 304 grade stainless interior and exterior • High density 75mm thick insulation • Doors take 2 x 1/1 GN or 2/1 GN pan lengthways • Corrosion resistant coating on evaporator coil • Fan delay switch on doors to save energy • Supplied on castors (feet optional) • Rounded internal corners for easy cleaning • 43°C Ambient temperature • Self closing doors • R290 GAS • Supplied with 2 shelves per door • Manufacture code: M-PW7T3DDD	240V	0.56kW	2476 x 760 x 850	190kg	\$4,800







UNDERBAR FREEZERS



UNDERBAR SLIMLINE FREEZERS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BFS6955	 1 Door Slimline 660mm Deep Freezer 955mm wide 123L Internal dimensions 390 x 563 x 558mm Manufacture code: L-PW6T1H 	240V	0.54kW	955 x 660 x 850	89kg	\$2,600
BFS61420	2 Door Slimline 660mm Deep Freezer 1420mm wide 267L Internal dimensions 855 x 563 x 558mm Manufacture code: L-PW6T2HH	240V	0.605kW	1420 x 660 x 850	109kg	\$3,600
BFS61885	3 Door Slimline 660mm Deep Freezer • 1885mm wide • 420L • Internal dimensions 1320 x 563 x 558mm • Manufacture code: L-PW6T3HHH	240V	0.67kW	1885 x 660 x 850	153kg	\$4,400
BFS62350	4 Door Slimline 660mm Deep Freezer 2350mm wide 590L Internal dimensions 1785 x 563 x 558mm Monoblock system with removable condenser filter for easy cleaning 304 grade stainless interior and exterior Temperature range -18°C to -22°C High density 75mm thick insulation Doors take 1/1 GN pans widthways Corrosion resistant coating on evaporator coil Fan delay switch on doors to save energy Audible alarm on doors if left open for more than 3 minutes Supplied on castors (feet optional) Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: L-PW6T4HHHH	240V	0.85kW	2350 x 660 x 850	178kg	\$4,900





CHINA



 $\label{eq:conditional} \textbf{Double Gold Star Warranty - 2 year parts and labour.}$





PIZZA BARS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
HPB1152	 1 Door Pizza Bar 1152mm Wide 216L Internal dimensions: 587 x 658 x 558mm 5 x 1/3 size pans (not supplied) Manufacture code: M-PW10H 	240V	0.38kW	1152 x 760 x 1100 Removable Nylon Board increases depth to 830mm	135kg	\$4,600
HPB1815	2 Door Pizza Bar • 1815mm wide • 416L • Internal dimensions: 1249 x 658 x 558mm • 9 x 1/3 size pans (not supplied) • Manufacture code: M-PW20HH	240V	0.45kW	1815 x 760 x 1100 Removable Nylon Board increases depth to 830mm	170kg	\$6,000
HPB1815DD M	As per HPB1815 but supplied with 2 sets of drawers instead of doors					\$6,600
HPB2476	3 Door Pizza Bar 2476mm wide 656L Internal dimensions: 1911 x 658 x 558mm 12 x 1/3 size pans (not supplied) Monoblock system with removable condenser filter for easy cleaning Supplied on 150mm castors (feet optional) Nylon cutting board (increases overall depth to 830mm) Sliding polycarbonate pan covers Supplied with spacer bars for 1/6 and 1/9 size pans Removable well, for easy cleaning in places normally difficult to clean 304 grade stainless interior and exterior High density 75mm thick insulation Doors take 2 x 1/1 GN or 2/1 GN pan lengthways Corrosion resistant coating on evaporator coil Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: M-PW30HHH	240V	0.585kW	2476 x 760 x 1100 Removable Nylon Board increases depth to 830mm	220kg	\$7,000
HPB2476DDD	As per HPB2476 but supplied with 3 sets of drawers instead of doors	1				\$7,800



Double Gold Star Warranty – 2 year parts and labour.



INGREDIENT UNITS



REFRIGERATED

INGREDIENT UNIT	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
Dimensions 93 95 95 95 95 95 95 95 95 95 95 95 95 95	VRX1200	Refrigerated Ingredient Well Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 4 x ½ GN pans or 3 x ½ + 1 x ½ size, not supplied Dixell controller Adjustable feet Manufacture code: VRX1200/380	240V	0.19kW	1200 x 395 x 435	43kg	\$980
395 Inserts 1200 1500	VRX1500 ★★	Refrigerated Ingredient Well Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 6 x ½ GN pans or 5 x ½ + 1 x ½ size, not supplied Dixell controller Adjustable feet Manufacture code: VRX1500/380	240V	0.19kW	1500 x 395 x 435	48kg	\$1,140
988 1800 988 280 280 280 280 280 280 280 280 280 2	VRX1800	Refrigerated Ingrzedient Well Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 8 x ½ GN pans, not supplied Dixell controller Adjustable feet Manufacture code: VRX1800/380	240V	0.19kW	1800 x 395 x 435	51kg	\$1,350

REFRIGERATED STAINLESS STEEL INGREDIENT UNIT

VRX1200S	Refrigerated Ingredient Well	240V	0.19kW	1200 x 395 x 255	24kg	\$1,080
S	Specifications as above, no glass supplied					
VRX1500S	Refrigerated Ingredient Well	240V	0.19kW	1500 x 395 x 255	28kg	\$1,200
S	Specifications as above, no glass supplied					
VRX1800S	Refrigerated Ingredient Well	240V	0.19kW	1800 x 395 x 255	34kg	\$1,400
S	Specifications as above, no glass supplied					





BAR FRIDGE & FREEZER



** These units are fan forced and are not designed for silent environments such as office/home use**

UNDERBENCH FRIDGE & FREEZER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
0	FBC2201	Fridge Undercounter Stainless Steel Door Stainless steel exterior Reversible door Adjustable front feet, rear rollers R600a Climate class: 3 Auto defrost Digital control Dixell Door lock standard 3 Adjustable shelves 38°C ambient Holds 23 x 2L milk cartons Food safe plastic interior Volume - Gross: 170L, Net: 145L Interior dimension: 477mm(w) x 443mm(d) x 652mm(h) Step at back 130mm(d) x 230mm(h) Manufacture code: CRX2	240V	0.37kW	598 x 679 x 838	49kg	\$1,100
CHINA	FBCG2202	Fridge Undercounter Glass Door Stainless steel exterior double glazed Internal led light Reversible door, lock standard Adjustable front feet, rear rollers R600a Climate class: 3 Auto defrost Digital control Dixell 3 Adjustable shelves 30°c ambient Holds 23 x 2L milk cartons Food safe plastic interior Volume - Gross: 170L, Net: 145L Interior dimension: 477mm(w), 443mm(d), 652mm(h) Step at back 130mm(d) x 230mm(h) Manufacture code: CRXG2	240V	1.036kW	598 x 679 x 838	51kg	\$1,200
e •	FBF2203	Freezer Undercounter Stainless Steel Door Stainless Steel Exterior Reversible Door, Lock Standard Manual Defrost Required Adjustable Front feet, Rear rollers R290 Climate class: 3 Digital Control Dixell Frood Safe Plastic Interior Volume - Gross: 170L, Net: 145L Interior Dimension: 478mm(w), 635mm(d), 493mm(h) Manufacture code: CNX2	240V	0.13kW	598 x 679 x 838	51kg	\$1,200
CHINA	FBFG2204	Freezer Undercounter Glass Door Triple Glazed No Light Stainless Steel Exterior Manual Defrost Required Adjustable Front feet, Rear rollers R290 Climate class: 4 Digital Control Dixell Door Lock Standard Fixed Shelves 30°C Ambient Food Safe Plastic Interior Volume - Gross: 170L, Net: 145L Interior Dimension: 478mm(w), 635mm(d) 493mm(h) Manufacture code: CNXG2	240V	2.15kW	598 x 679 x 838	51kg	\$1,500

^{**} These units are fan forced and are not designed for silent environments such as office/home use**



GLASS DOOR UPRIGHT REFRIGERATORS



BEVERAGE COOLERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DFS0380	Single Door Display Fridge 380L 43°C ambient 0-10°C Fan cooling Auto defrost Self closing door 4 shelves LED light box with separate switches Lock and key Manual thermostat Digital display Light box dimensions: 602 x 223 Manufacture code: SL-P380WA Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.	240V	0.38kW	606 x 620 x 1940	78kg	\$1,500
CHINA	DFS1000	Double Door Display Fridge 1000L • 43°C ambient • 0-10°C • Fan cooling • Auto defrost • Self closing door • 5 shelves per door • LED light box with separate switches • Lock and key • Carel Controller • Digital display • Light box dimensions: 1123 x 223 • Manufacture code: SL-P1000WB-A Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.	240V	0.75kW	1130 x 720 x 2023	139kg	\$2,500



GLASS DOOR UPRIGHT FREEZERS ICE



List Price

DISPLAY FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
	DFS2315N	Single Door Display Freezer 315L 43°C ambient 0°C to -18°C operating temperature Internal dimensions 500 x 455 x 1380 Fan cooling Auto defrost Supplied with 4 shelves Embraco compressor Dixell controller Triple glazed glass door with heating wire Supplied with lock Internal LED light Flourescent light in light box Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.	240V	0.73kW	650 x 625 x 1986	132kg	\$2,900
CHINA	М						
CHINA	DFS2999N	Double Door Display Freezer 726L 43°C ambient 0°C to -18°C operating temperature Internal dimensions 1156 x 455 x 1380 Fan cooling Auto defrost Supplied with 5 shelves per door Embraco compressor Dixell controller Triple glazed glass doors with heating wire Supplied with lock Internal LED lights Flourescent light in light box Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.	240V	1.085kW	1306 x 625 x 1986	216kg	\$4,100



BLAST CHILLERS / FREEZERS



BLAST CHILLERS / FREEZERS			Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCE0004		4 Tray Blast Chiller 4 pairs of stainless steel guides (supplied) for 1/1 GN 10kg Blast Chilling from +90°C to +3°C by core probe or by time 7kg Shock freezing from +90°C to -18°C by core probe or by time Choice between HARD and SOFT cycles both for blast chilling and for shock freezing Automatic storage phase at cycle end Ambient temp 32°C R452A refrigerant gas Manufacture code: BAB000	240V	0.569kW	Internal Dimensions: 595 x 373 x 286	49kg	\$6,400
ITALY	BCE0005	■ 5 Tray Blast Chiller ■ 5 pairs of stainless steel guides (supplied) for 1/1 GN pans and 600 x 400 baking trays ■ 16kg Blast Chilling from +90°C to +3°C by core probe or by time ■ 12kg Shock freezing from +90°C to -18°C by core probe or by time ■ Choice between HARD and SOFT cycles both for blast chilling and for shock freezing ■ Automatic storage phase at cycle end ■ Ambient temp 38°C ■ R452A refrigerant gas ■ Manufacture code: BAC000	240V	0.75kW	760 x 706 x 857 Internal Dimensions: 660 x 402 x 360	108kg	\$8,000
ITALY	BCE0007	7 Tray Blast Chiller 7 pairs of stainless steel guides (supplied) for 1/1 GN pans and 600 x 400 baking trays 2 4kg Blast Chilling from +90°C to +3°C by core probe or by time 16kg Shock freezing from +90°C to -18°C by core probe or by time Choice between HARD and SOFT cycles both for blast chilling and for shock freezing Automatic storage phase at cycle end Ambient temp 38°C R452A refrigerant gas Manufacture code: BAD000	240V	1.2kW	780 x 798 x 1127 Internal Dimensions: 660 x 402 x 550	148kg	\$11,000
TALY	BCE2010	10 Tray Blast Chiller 10 pairs of stainless steel guides (supplied) for 1/1 GN pans and 600 x 400 baking trays 33kg Blast Chilling from +90°C to +3°C by core probe or by time 23kg Shock freezing from +90°C to -18°C by core probe or by time Choice between HARD and SOFT cycles both for blast chilling and for shock freezing Automatic storage phase at cycle end Ambient temp 38°C R452A refrigerant gas Manufacture code: BAE000	240V	2.0kW	780 x 798 x 1467 Internal Dimensions: 660 x 402 x 760	172kg	\$14,400



BLAST CHILLERS / FREEZERS



BLAST CHILLERS / FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	BCE2015	15 Tray Blast Chiller 15 pairs of stainless steel guides for 1/1 GN and 600 x 400 baking trays 50kg Blast Chilling from +90°C to +3°C by core probe or by time 35kg Shock freezing from +90°C to -18°C by core probe or by time Choice between HARD and SOFT cycles both for blast chilling and for shock freezing Automatic storage phase at cycle end Ambient temp 38°C R452A refrigerant gas Supplied without plug - must be installed by an electrician Manufacture code: BAF000	400V	3.3kW	780 x 798 x 1847 Internal Dimensions: 660 x 402x 1140	216kg	\$17,800
ITALY	BCE2020	20 Tray Blast Chiller 20 pairs of stainless steel guides for 1/1 GN and 600 x 400 baking trays 75kg Blast Chilling from +90°C to +3°C by core probe or by time 55kg Shock freezing from +90°C to -18°C by core probe or by time Choice between HARD and SOFT cycles both for blast chilling and for shock freezing Automatic storage phase at cycle end Ambient temp 43°C High Efficiency and low energy consumption Colour touch screen with a user friendly interface controller R452A refrigerant Professional Tray Range can be controlled remotely via a wifi connection Supplied without plug – must be installed by a licensed electrician Manufacture code: BBG000	400V	4.1kW	780 x 800 x 2202 Internal Dimensions: 660 x 402 x 1520	227kg	\$24,000
ITALY	BCE9320	20 Tray Blast Chiller - Remote Installation • Suitable for a range of trolleys; 2 x 1/1 GN, 1 x 2/1 GN, 1x600x800 • 120kg Blast Chilling from +90°C to +3°C by core probe or by time • 90kg Shock freezing from +90°C to -18°C by core probe or by time • Choice between HARD and SOFT cycles both for blast chilling and for shock freezing • Automatic storage phase at cycle end • Ambient temp 40°C • High efficiency and low energy consumption • Colour touch screen with user friendly interface controller • R452A refrigerant • Professional Tray Range can be controlled remotely via a wifi connection • Supplied without plug, must be installed by a licensed electrician, price does not include installation • Manufacture code: BEA000	400V	5.5kW	Room: 950 x 1360 x 2180 Internal Dimensions: 660 x 801 x 1860 Condensing Unit: 1352 x 702 x 891	454kg	\$44,000



GELATO/PASTRY STORAGE



GELATO STORAGE	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
Shown on feet. Supplied on castors	GEL2000	Gelato Storage Cabinet 875L Made from stainless steel AISI 304 Rounded corners for easy cleaning 60mm thick insulation Colour touch screen with a user friendly interface controller Automatic defrost and evaporation of condensate water Self closing door R452a Gas Supplied with 5 levels of shelves (5 pair of guides and 10 shelves) which can accommodate 30 x 5L ice cream containers. Extra shelves and guides available to increase capacity to 54 x 5L ice cream containers Can go down to -30°C at ambient temperature of 32°C or -12°C to -25°C at 40°C ambient temperature Manufacture code: AIL031/ICE 100 BTV	240V	1.2kW	790 x 1043 x 2050	165kg	\$10,000
ПАІУ	XGEL0001 XGEL0002	, , , , , , , , , , , , , , , , , , ,	es per level)		600 x 400		\$72 \$56



PASTRY FRIDGE

	PFE2000	Pastry Storage Fridge Temperature range-2°C to +10°C Supplied standard with 20 x 2/1 guides (or 2 x 1/1 per level) or 20 of 600 x 800 baking trays (or 2 x 600 x 400 baking trays per level) Optional conversion kit to take 406mm x 725mm (16" x 29") Baking trays (XRPE0001) HACCP function & temperature alarm management High to low humidity settings Ambient rated to 43°C Internal light, key lock	240V	0.83kW	790 x 1043 x 2050 (Internal dimensions: 660 x 870)	164kg	\$7,000
Shown on feet. Supplied on castors	L	Supplied on 150mm castors Manufacture code: ADL031 - PASTRY 100 TNBV					



RETARDER PROVERS ICE



RETARDER PROVER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
Shown on feet. Supplied on castors	RPE1790	Retarder Prover • Controlled fermentation by accurate management of temperature, humidity and time • Single 600 x 400 trays per level (20 levels at 48mm pitch or 18 levels are 72mm pitch) • Supplied with 20 pairs of guides • Temperature Range -10°C - +40°C • R290 refrigerant • Monoblock refrigerating unit with internal evaporator for accessibility • Must be connected to a 3/4" BSP water connection • If unit is in an area with hard water, we recommend installing a water filter to protect the components • Manufacture code: AFL021/BAKING CAB FL 70	240V 15A	1.7kW	790 x 743 x 2050	181kg	\$12,000

RETARDER PROVER


	RPE2790	Retarder Prover	240V	2.3kW	790 x 1043 x 2050	191kg	\$15,800
- Applie		Controlled fermentation by accurate management of temperature, humidity and time	15A				
		Supplied with kit for 406mm x 720mm (16" x 29") trays (1 per level)					
		• Can be converted without tools to take 2 of 600 x 400 trays per level					
		• Temperature Range -10°C – +40°C					
		R290 refrigerant					
		Monoblock refrigerating unit with internal evaporator for accessibility					
		Must be connected to a 3/4" BSP water connection					
		 If unit is in an area with hard water, we recommend installing a water filter to protect the components 					
J J		Manufacture code: AFK231/BAKING CAB GREEN G FL 100					
Shown on feet. Supplied on castors							
	L						
	RPE5790S	As above, supplied with stainless steel • Manufacture code: AFL031	door				\$14,400
TALY	XRPE4545	Conversion kit to take 18" trays, set of	8 blocks				\$240



DRY AGE MEAT CABINETS



ALL IN ONE DRY





CABINET	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DAE0701	Dry Age Meat Cabinet Single Door Suitable for meat 32°C Ambient Full control of temperature Standard with UV Light 0° to +10°C Full control of relative humidity 40%-90% RH 100kg product capacity No need for water connection Black glazed stainless steel Supplied with 3 shelves, 1 hook rail and 2 meat hooks Auto defrost	240V	1kW	750 x 850 x2080	168kg	\$13,000
ITALY		Self closing doors Manufacture code: AC9008					

DRY	AGE	MEAT	
CAB	INET	PANOI	RAMA

CABINET PANORAMA	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CABINET PANORAMA	DAE0702	Dry Age Meat Cabinet Single Door Panorama • Suitable for meat • Front and back glass display • 32°C Ambient • Full control of temperature • Standard with UV Light • 0° +10°C • Full control of relative humidity 40%-90% RH • 100kg product capacity	240V	1kW	750 x 815 x2080	184kg	\$15,000
ITALY	М	Self closing doors Auto defrost No need for water connection Black glazed stainless steel Supplied with 3 shelves, 1 hook rail and 2 meat hooks Manufacture code: AC9308					



DRY AGE MEAT CABINETS



List Price

ALL IN ONE DRY AGE CABINET



DRY AGE MEAT CABINET



DAE1501 **Dry Age Meat Cabinet Double Door**

- Suitable for meat
- 32°C Ambient
- Full control of temperature
- Standard with UV Light
- 0° +10°C
- Full control of relative humidity 40%-90% RH
- 200kg product capacity
- No need for water connection
- Glass door and LED lighting for food visual display
- · Black glazed stainless steel
- · Supplied with 6 shelves, 1 hook rail and 4 meat hooks
- External condensation pan
- · Automatic suction fan for air exchange
- Auto defrost
- Self closing doors L
 - · Key and lock standard

• Manufacture code: AC9018

DRY AGE MEAT CABINET PANORAMA

TTALY

TTALY

List Price Model **Voltage** Unit Size (mm) **Product Description Power** Kg excl GST 1.7kW 1500 x 815 x2080 \$24,000 240V 323kg

1.7kW

1500 x 850 x2080

308kg

\$20,000

240V



DAE1502 **Dry Age Meat Cabinet Double Door Panorama**

- Suitable for meat
- · Front and back glass display
- 32°C Ambient
- Full control of temperature
- Standard with UV Light
- 0° +10°C
- Full control of relative humidity 40%-90% RH
- 200kg product capacity
- No need for water connection
- Glass door and LED lighting for food visual display
- Black glazed stainless steel
- Supplied with 6 shelves, 1 hook rail and 4 meat hooks
- External condensation pan
- · Automatic suction fan for air exchange
- Auto defrost

L

- Self closing doors
- Key and lock standard
- Manufacture code: AC9318

Please note that prices for refrigeration are ex-warehouse Sydney and do not include freight.





STEEL DOOR SLIMLINE REFRIGERATORS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCS6955	Door Slimline – 660mm Deep Stainless Steel Doors 955mm wide 123L Internal dimensions 390 x 563 x 558mm Manufacture code: M-PW6T1H	240V	0.27kW	955 x 660 x 850	89kg	\$2,600
BCS61420	2 Door Slimline – 660mm Deep Stainless Steel Doors • 1420mm wide • 267L • Internal dimensions 855 x 563 x 558mm • Manufacture code: M-PW6T2HH	240V	0.35kW	1420 x 660 x 850	109kg	\$3,000
BCS61885	3 Door Slimline – 660mm Deep Stainless Steel Doors • 1885mm wide • 420L • Internal dimensions 1320 x 563 x 558mm • Manufacture code: M-PW6T3HHH	240V	0.465kW	1885 x 660 x 850	153kg	\$4,000
BCS62350	4 Door Slimline – 660mm Deep Stainless Steel Doors 2350mm wide 590L Internal dimensions 1785 x 563 x 558mm Monoblock system with removable condenser filter for easy cleaning 304 grade stainless interior and exterior High density 75mm thick insulation Doors take 1/1 GN pans widthways Corrosion resistant coating on evaporator coil Fan delay switch on doors to save energy Supplied on castors (feet optional) Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: M-PW6T4HHHH	240V	0.4kW	2350 x 660 x 850	178kg	\$4,600
			I.	I	·	A A







GLASS DOOR SLIMLINE REFRIGERATORS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCG61420	2 Door Slimline – 660mm Deep Glass Doors • 1420mm Wide • 267L • Internal dimensions 855 x 563 x 558mm • Manufacture code: M-PW6T2DD	240V	0.53kW	1420 x 660 x 850	118kg	\$3,500
BCG61885	3 Door Slimline – 660mm Deep Glass Doors • 1885mm wide • 420L • Internal dimensions 1320 x 563 x 558mm • Manufacture code: M-PW6T3DDD	240V	0.54kW	1885 x 660 x 850	148kg	\$4,200
BCG62350	4 Door Slimline – 660mm Deep Glass Doors 2350mm wide 590L Internal dimensions 1785 x 563 x 558mm Monoblock system with removable condenser filter for easy cleaning LED Lighting 304 grade stainless interior and exterior High density 75mm thick insulation Doors take 1/1 GN pans widthways Corrosion resistant coating on evaporator coil Fan delay switch on doors to save energy Supplied on castors (feet optional) Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: M-PW6T4DDDD	240V	0.56kW	2350 x 660 x 850	220kg	\$4,600





UPRIGHT REFRIGERATORS



UPRIGHT REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI1170	Single Door Upright Fridge – 654L European design and manufacture On castors Embedded controller Ambient temperature of 40 °C High quality AISI 304/18/8-10 stainless steel interior and exterior Internal corners rounded for ease of cleaning Self-closing door Reversible door Reyog gas Operating temp: -2 °C to 8 °C Gastronorm size - 2 x 1 size trays (lengthways) 60mm thick injected polyurethane insulation (CFC & HCFC free) 22 x 2/1 x 65mm deep pans per door capacity Supplied with 5 shelves per door Internal usable space 550 x 660 x 1250mm Manufacture code: CAP172/AUS	240V	0.56kW	720 x 870 x 2115 (body is 830mm deep and evaporator tray extends 40mm = 870mm total) Castors available to reduce height to 2085mm	145kg	\$4,200
GREECE	M						
	UFI1140	Double Door Upright Fridge - 1432L • European design and manufacture • On castors • Embedded controller • Ambient temperature of 40°C • High quality AISI 304/18/8-10 st/steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing door at 90° or less • R290 gas • Operating temp: -2°C to 8°C • Gastronorm size - 2 x 1 size trays (lengthways) • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 1/1 x 65mm deep pans per door capacity • Supplied with 5 shelves per door • Internal usable space 550 x 660 x 1250mm per door • Manufacture code: CEP2144/AUS	240V	0.75W	(body is 830mm deep and evaporator tray extends 40mm - 870mm total) Castors available to reduce height to 2085mm	224kg	\$6,800

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



UPRIGHT FREEZERS



UPRIGHT FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI2170	Single Door Upright Freezer - 654L • European design and manufacture • On castors • Embedded controller • Ambient temperature of 40°C • High quality AISI 304/18/8- 10 stainless steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing door • Reversible door • R290 gas • Operating temp: -22°C to -10°C • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 × 2/1 x 65mm deep pans per door capacity • Supplied with 5 shelves per door • Internal usable space: 550 x 660 x 1250mm • Manufacture code: CBP172/AUS	240V	0.58kW	720 x 870 x 2115 (body is 830mm deep and evaporator tray extends 40mm = 870mm total) Castors available to reduce height to 2105mm	147kg	\$5,200
GREECE	M						
	UFI2140	Double Door Upright Freezer - 1432L • European design and manufacture • On castors • Embedded controller • Ambient temperature of 40°C • High quality AISI 304/18/8- 10 stainless steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing doors • R290 gas • Operating temp: -22°C to -10°C • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 2/1 x 65mm deep pans per door capacity • Supplied with 5 shelves per door • Internal usable space: 550 x 660 x 1250mm per door • Manufacture code: CFP2144/AUS	240V	1.21kW	1440 x 870 x 2115 (body is 830mm deep and evaporator tray extends 40mm = 870mm total) Castors available to reduce height to 2105mm	236kg	\$8,000
GREECE	L						

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



UPRIGHT REFRIGERATORS



UPRIGHT REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI1170G	Single Glass Door Upright Fridge – 654L Stainless Steel AISI 304 18/8-10 interior and exterior Self closing door Internal LED light 32°C Ambient Embedded controller Rounded internal corners for easy cleaning R290 Gas On castors 60mm thick injected polyurethane insulation (CFC & HCFC free) 22 x 2/1 x 65mm deep GN pans per door capacity Supplied with 5 shelves Internal usable space 550 x 660 x 1250mm Operating temp -2°C to 8°C Glass door is not reversible Manufacture code: CAP172/GL/AUS	240V	0.56kW	720 x 910 x 2115 (Body is 820mm deep and evaporator tray extends 40mm = 860mm total) Handle is 45mm. Total depth including handle = 905mm Castors available to reduce height to 2085mm	162kg	\$4,600
GREECE	M						
	UF11140G	Double Glass Door Upright Fridge – 1432L Stainless Steel AISI 304 18/8-10 interior and exterior Self closing doors Internal LED light 32°C Ambient Embedded controller Rounded internal corners for easy cleaning R290 Gas On castors 60mm thick injected polyurethane insulation (CFC & HCFC free) 22 x 2/1 x 65mm deep GN pans per door capacity Supplied with 5 shelves per door Internal usable space: 550 x 660 x 1250mm per door Operating temp -2°C to 8°C Glass door is not reversible Manufacture code: CEP2144/GL/AUS	240V	0.79kW	1440 x 910 x 2115 (Body is 820mm deep and evaporator tray extends 40mm = 860mm total) Handle is 45mm. Total depth including handle = 905mm Castors available to reduce height to 2085mm	258kg	\$8,200
GREECE							

- All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.
- Glass door models supplied with narrow spaced shelving for drinks.
- Triple glazed treated glass to prevent condensation.

Double Gold Star Warranty - 2 year parts and labour.



UPRIGHT FREEZERS



UPRIGHT FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI2170G	Single Glass Door Upright Freezer – 654L Stainless Steel AISI 304 18/8-10 interior and exterior Self closing door Anti-fog membrane on glass Internal LED light 32°C Ambient Embedded controller Rounded internal corners for easy cleaning R290 Gas On castors 60mm thick injected polyurethane insulation (CFC & HCFC free) 22 x 2/1 x 65mm deep GN pans per door capacity Supplied with 5 shelves Internal usable space: 550 x 660 x 1250mm Glass door is not reversible Manufacture code: CBP172/GL/AUS	240V	0.66kW	720 x 860 x 2115 (Body is 820mm deep and evaporator tray extends 40mm = 860mm total) Handle is 45mm. Total depth including handle = 905mm Castors available to reduce height to 2085mm	162kg	\$5,400
GREECE	М						
	UFI2140G	Double Glass Door Upright Freezer – 1432L • Stainless Steel AISI 304 18/8-10 interior and exterior • Self closing doors • Anti-fog membrane on glass • Internal LED light • 32°C Ambient • Embedded controller • Rounded internal corners for easy cleaning • R290 Gas • On castors • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 × 2/1 × 65mm deep GN pans per door capacity • Supplied with 5 shelves per door • Internal usable space: • 550 × 660 × 1250mm per door • Glass door is not reversible • Manufacture code: CFP2144/GL/AUS	240V	1.26kW	1440 x 860 x 2115 (Body is 820mm deep and evaporator tray extends 40mm = 860mm total) Handle is 45mm. Total depth including handle = 905mm Castors available to reduce height to 2085mm	286kg	\$9,800
GREECE	L						

- All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.
- Glass door models supplied with narrow spaced shelving for drinks.
- Triple glazed treated glass to prevent condensation.




SLIMLINE FRIDGES



SLIMLINE REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI1170SL	Slimline Fridge 1 Door-560L Stainless steel door European design and manufacture On castors Embedded controller Ambient temperature of 40°C Internal corners rounded for ease of cleaning Self-closing door Reversible doors R290 gas Operating temp -2°C to 8°C Supplied with 5 shelves per door Internal dimensions: 600 x 570 x 1550 Manufacture code: CAP172/SL/AUS	240V	0.46kW	720 x 768 x 2115	135kg	\$4,200
GREECE GREECE	UFI1140SL	Slimline Fridge 2 Door-1227L Stainless steel door Anticorrosive protection on the evaporators Self closing doors Embedded controller Ambient temperature of 40 °C Supplied with 5 shelves per door Heavy duty construction from 304 stainless steel interior and exterior Operating temp -2 °C to 8 °C Supplied on castors Internal dimensions: 1320 x 570 x 1550 Manufacture code: CEP2144/SL/AUS	240V	0.75kW	1440 x 768 x 2115	201kg	\$6,000

ADDITIONAL SHELVES - Not suitable for Slimline Units






SLIMLINE FREEZERS



SLIMLINE FREEZERS



PATISSERIE KIT - Not suitable for Slimline Units

XUFI6010	Kit to enable fridge/freezer to store 600 x 400 baking trays		4 . 9kg	\$400
XUITOUTO	Kits suit single or 2 door models. For 2 door unit, 2 kits are required Kits are supplied without guides. These need to be ordered separately. You will need 11 sets for 75mm gap			



GREECE



ULTRA SLIMLINE UNDERBENCH FRIDGES

Fridge

Fridge

UBI6224



ULTRA SLIMLINE FRIDGES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UBI6134	Ultra Slimline 600mm Deep Fridge • 600mm Deep • Embedded controller • Heavy duty stainless steel interior and exterior 304 • Doors equipped with return mechanism for angles less than 90° • Anticorrosive protection on the evaporators • Automatic defrost • 0°C to +10°C • Ambient +43°C • Supplied on castors • Manufacture code: PMRP99/AUS	240V	0.34kW	1345 x 600 x 890	115kg	\$3,800
	UBI6179	Ultra Slimline 600mm Deep	240V	0.34kW	1790 x 600 x 890	142kg	\$4,400

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.

240V

0.45kW

2240 x 600 x 890

\$5,800

172kg

• Manufacture code: PMRP999/AUS

• Manufacture code: PMRP9999/AUS

Ultra Slimline 600mm Deep



Double Gold Star Warranty - 2 year parts and labour.



ULTRA SLIMLINE UNDERBENCH FRIDGES



FI

LOWBOY JNDERBENCH FRIDGES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UBI71790LB	Embedded controller Heavy duty stainless steel interior and exterior 304 Designed with height suitable for placing cooking equipment on Suitable for 100mm deep 1/1 GN pans Automatic defrost Supplied with telescopic guides on all drawers 0°C to +10°C Ambient 43°C Supplied on castors Manufacture code: PWDP333/AUS	240V	0.34kW	1790 x 700 x 660	164kg	\$5,400
GREECE	UBI72240LB ★★	Low Boy Underbench Fridge • Manufacture code: PWDP3333/AUS	240V	0.34kW	2240 x 700 x 660	204kg	\$6,600





UNDER BAR DRAWER FRIDGES

UNDER DAR DRAWER I RIDGES								
**	UBD2000	1 Door 2 Drawers Fridge • Manufacture code: PNRP29/AUS	240V	0.34kW	1345 x 700 x 890	133kg	\$4,800	
	UBD4000	1 Door 4 Drawers Fridge • Manufacture code: PNRP229/AUS	240V	0.34kW	1790 x 700 x 890	155kg	\$5,800	
GREECE	UBD6000	1 Door 6 Drawers Fridge European design & manufacture On castors Digital controller Ambient temperature of 43 °C Stainless steel interior/exterior Internal corners rounded for ease of cleaning Fits gastronorm trays in drawers and door up to 150mm deep Manufacture code: PNRP2229/AUS	240V	0.45kW	2240 x 700 x 890	212kg	\$7,000	

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



UBD2000 shown

Double Gold Star Warranty – 2 year parts and labour.



UNDERBENCH FRIDGES



UNDERCOUNTER FRIDGE STAINLESS STEEL DOORS

Model		Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BI7134	Stainless steel un • Manufacture code:	dercounter fridge 1345mm PNRP99/AUS	240V	0.35kW	1345 x 700 x 890	106kg	\$3,800
BI7179	Stainless steel un • Manufacture code:	dercounter fridge 1790mm PNRP999/AUS	240V	0.35kW	1790 x 700 x 890	133kg	\$4,800
BI7224	Stainless steel un • Manufacture code:	dercounter fridge 2240mm PNRP9999/AUS	240V	0.45kW	2240 x 700 x 890	162kg	\$6,000
	All above models 700mm Deep Suitable for 1/1 G Embedded contro Heavy Duty Stainl Self closing doors Automatic Defrost 0°c To +10°C Ambient of 43°C	N pans ller ess Steel Interior And Exterior 304					
GREECE	• Supplied On Casto	ors					
	M						
	М			Sho	wn on legs, supplied on casto	ors	
	M UBI7179 L			the Control of the Co	ENSMALE SERVICE SERVIC		

Double Gold Star Warranty – 2 year parts and labour.Please note that prices for refrigeration are ex-warehouse Sydney and do not include freight.



UNDERBENCH FRIDGES



UNDERCOUNTER FRIDGE GLASS DOORS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST		
JBI7134G	Glass door undercounter fridge 1345mm • Manufacture code: PNRP99/GL/AUS	240V	0.35kW	1345 x 700 x 890	106kg	\$4,000		
JBI7179G	Glass door undercounter fridge 1790mm • Manufacture code: PNRP999/GL//AUS	240V	0.35kW	1790 x 700 x 890	133kg	\$5,400		
JBI7224G	Glass door undercounter fridge 2240mm • Manufacture code: PNRP9999/GL//AUS	240V	0.45kW	2240 x 700 x 890	162kg	\$6,600		
	All above models feature: • 700mm Deep • Suitable for 1/1 GN pans • Embedded controller • Heavy Duty Stainless Steel Interior And Exterior 304 • Self closing doors • Automatic Defrost • 0°cTo +10°C • Ambient of 43°C							
GREECE	Supplied On Castors							
			Shown on	legs, supplied on castors				
UBI7179G Shown on legs, supplied on castors								
				Shown	UBI72			

Double Gold Star Warranty – 2 year parts and labour.



UPRIGHT DISPLAY FRIDGES



List Price

1 DOOR

FRIDGE	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
CHINA	NDA0625	420L Single Door Fridge Internal dimensions: 560 x 580 x 1545 Gross volume: 500L Net volume: 420L Temperature range 0°C to 6°C Self-contained ventilated cooling system Inner vertical LED lights Double glazed glass door Dixell digital controller Automatic defrost 5 shelves per door R290 Gas Supplied on castors Ambient rating at 32°C	240V	0.38kW	680 x 730 x 2080	115kg	\$2,200

2 DOOR FRIDGE

3 DOOR

FRIDGE

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

240V

0.56kW

1250 x 730 x 2080

1875 x 730 x 2080

230kg

\$3,400

\$4,800

260kg

**	
CHINA	^*

NDA1250 810L Double Door Fridge

- Internal dimensions: 1130 x 580 x 1545
- Gross volume: 1010L Net volume: 810L
- Temperature range 0°C to 6°C
- Self-contained ventilated cooling system
- Inner vertical LED lights
- Double glazed glass door • Dixell digital controller
- Automatic defrost
- 5 shelves per door
- R290 Gas

L

L+

- · Supplied on castors
- Ambient rating at 32°C

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

240V

0.85kW

** CHINA

NDA1875 1260L Triple Door Fridge

- Internal dimensions: 1757 x 580 x 1545
- Gross volume: 1570L Net volume: 1260L
- \bullet Temperature range 0°C to 6°C
- · Self-contained ventilated cooling
- Inner vertical LED lights
- Double glazed glass door
- Dixell digital controller
- Automatic defrost
- 5 shelves per door • R290 Gas
- Supplied on castors
- Ambient rating at 32°C

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

Double Gold Star Warranty - 2 year parts and labour.

Please note that prices for refrigeration are ex-warehouse Sydney and do not include freight.



UPRIGHT DISPLAY FREEZERS



1	DOOF	?
FI	REEZE	R

FREEZER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
CHINA	NDA2625	420L Single Door Freezer Internal dimensions: 560 x 580 x 1545 Gross volume: 500L Net volume: 420L Temperature range -16°C to -22°C Self-contained ventilated cooling system Inner vertical LED lights Triple glazed anti-fog glass door Dixell digital controller Automatic defrost 5 shelves per door R290 Gas Supplied on castors Ambient rating at 32°C	240V	0.775kW	680 x 730 x 2080	130kg	\$3,100

2 DOOR FREEZER

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

	NDA2150	810L Double Door Freezer • Internal dimensions: 1130 x 580 x 1545 • Gross volume: 1010L Net volume: 810L • Temperature range -16°C to -22°C • Self-contained ventilated cooling system • Inner vertical LED lights • Triple glazed anti-fog glass door • Dixell digital controller • Automatic defrost • 5 shelves per door • R290 Gas • Supplied on castors • Ambient rating at 32°C	240V	1.52kW	1250 x 730 x 2080	230kg	\$5,800
CHINA **	L						

3 DOOR FREEZER

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

	NDA2875	• Internal dimensions: 1755 x 580 x 1545 • Gross volume: 1570L Net volume: 1260L • Temperature range -16°C to -22°C • Self-contained ventilated cooling	240V	2.15kW	1875 x 730 x 2080	260kg	\$8,000
CHINA	L+	system Inner vertical LED lights Triple glazed anti-fog glass door Dixell digital controller Automatic defrost 5 shelves per door R290 Gas Supplied on castors Ambient rating at 32°C					

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.



UNDERBAR REFRIGERATION



SI IMI INF

(Model numbers now show (H) to identify the upgraded range with Hydrocarbon Gas)

SLIMLINE UNDERBARS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
*	UBS6120(H)	Slimline Under Bar (1½ Stainless Steel Doors) 1200mm – 295L	240V	0.41kW	1200 x 660 x 900	110kg	\$3,400
5-1-	UBS6180(H)	Slimline Under Bar (2½ Stainless Steel Doors) 1800mm – 480L	240V	0.41kW	1800 x 660 x 900	130kg	\$3,800
	UBS6240(H)	Slimline Under Bar (3½ Stainless Steel Doors) 2400mm – 693L • 2 lockable, 2 free running castors • Stainless steel countertop • Stainless steel back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.41kW	2400 x 660 x 900	160kg	\$4,400
SOUTH AFRICA		- Dixell controller					

UNDERBAR ~ **STAINLESS STEEL DOORS**

★ UB	BS1800(H)	Stainless Steel Under Bar (2½ St/Steel Doors) 1800mm – 610L	240V	0.48kW	1800 x 760 x 900	145kg	\$3,900
SOUTH AFRICA	BS2400 (H)	Stainless Steel Under Bar (3½ St/Steel Doors) 2400mm – 886L • 2 lockable, 2 free running castors • Stainless steel countertop • Stainless steel back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.56kW	2400 x 760 x 900	175kg	\$4,500

UNDERBAR ~ GLASS DOORS

CHDERDAR GLAGO DOCKO										
*	UBG1200(H)	Under Bar (1½ Glass Doors) 1200mm – 360L	240V	0.42kW	1200 x 760 x 900	115kg	\$3,500			
	UBG1800 (H)	Under Bar (2½ Glass Doors) 1800mm – 610L	240V	0.5kW	1800 x 760 x 900	145kg	\$4,100			
	UBG2400 (H)	Under Bar (3½ Glass Doors) 2400mm – 886L • 2 lockable, 2 free running castors • LED illuminated • Stainless steel countertop, back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.59kW	2400 x 760 x 900	175kg	\$4,600			
SOUTH AFRICA		• Dixett controller								

BACK BARS

	UBG6180 (H)	Back Bar 1800mm – 535L • 610mm deep	240V	0.58kW	1800 x 610 x 985	165kg	\$4,400
SOUTH AFRICA	UBG6240 (H)	Back Bar 2400mm – 763L • 610mm deep • 2 shelves per door (can hold 3 rows of stubbies per door) • Castor height 90mm	240V	0.64kW	2400 x 610 x 985	185kg	\$5,600

Extended Gold Star Warranty – 2 year parts, 1 year labour.



UNDERBAR REFRIGERATION



		_	_	_	
DI	77	A .	D	A	RS
		4	ĸ	4	K.3

PIZZA BARS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
★	UBP1800	Pizza Bar (2½ Doors) 1800mm – 440L	240V	0.9kW	1800 x 840 x 1100	150kg	\$6,600
Note:These units do not come with pans	UBP2400	Pizza Bar (3 ¹ / ₂ Doors) 2400mm - 630L Stainless steel front back & sides Stainless steel interior Stainless steel fridge doors Insulated night lids 2 lockable, 2 free running castors Rack for working on trays Air over top cooling Spacers for diff. config. of pans 9 x 1/3 inserts - 1800mm 12 x 1/3 inserts - 2400mm 35°C ambient at 70% RH	240V	1.02kW	2400 x 840 x 1100	180kg	\$8,200

CASTORS FOR UNDERBARS & PIZZA BARS

	XUBS0028	Small Castors with Brakes These castors reduce the overall height of the fridges from 900mm to 870mm in order to fit under a counter Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range		Actual overall castor height 100mm	\$28
3	XUBS0034	Small Castors with no Brakes • Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range		Actual overall castor height 100mm	\$24
	XUBS0031	Tiny Castors with Brakes These castors reduce the overall height of the fridges from 900mm to 847mm in order to fit under a counter Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range		Actual overall castor height 76mm	\$28
	XUBS0030	Tiny Castors with no Brakes • Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range		Actual overall castor height 76mm	\$24




COUNTERTOP FRIDGE / FREEZER



COUNTER TOP ICE CREAM FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	CFT0002	Ice Cream Freezer Piccolo Takes 2 x 6.5 or 7.7L ice cream containers O ° C to -18° C R290 gas Body in ABS Copper evaporator Silent operation Low energy consumption Easy to clean ECO insulation CFC free 30° C ambient temperature Pans not included Manufacture code: PICCOLO	240V	0.18kW	505 x 680 x 400	25kg	\$3,080
ITALY	CFT0004	Ice Cream Freezer Baby • Takes 4 x 5L ice cream containers • 0 ° C to -18 ° C • R290 gas • Body in ABS • Copper evaporator • Silent operation • Low energy consumption • Easy to clean • ECO insulation CFC free • 30 ° C ambient temperature • Pans not included • Manufacture code: BABY	240V	0.35kW	925 x 505 x 620	32kg	\$3,800

COUNTER TOP INGREDIENT FRIDGE



SUSHI DISPLAY FRIDGES



				BARCELONA			
	SDS1448	Sushi Display Fridge with Cross Fin Coil	240V	0.2kW	1438 x 395 x 245	50kg	\$3,200
	S	6 x third size containers included (40mm deep) Manufacture code: 9842LA6S					
	SDS1776	Sushi Display Fridge with Cross Fin Coil	240V	0.2kW	1788 x 390 x 245	65kg	\$4,000
And a supplemental and a supplem	S	Electronic thermostat with digital display Rapid cool down time 8 x third size containers included (40mm deep) Tilting front glass for easy cleaning Manufacture code: 9842LA8S					
SPAIN							





JEWELLERY CAKE DISPLAY - 2 TIER

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NDSJ2730	Jewellery Cake Display 2 Tier • Cold 900mm wide • 190L • Manufacture code: NLR730V	240V	0.86kW	900 x 680 x 1000	153kg	\$3,800
NDSJ2740	Jewellery Cake Display 2 Tier • Cold 1200mm wide • 260L • Manufacture code: NLR740V	240V	1.07kW	1200 x 680 x 1000	190kg	\$4,600
NDSJ2750	Jewellery Cake Display 2 Tier • Cold 1500mm wide • 325L • Manufacture code: NLR750V	240V	1.09kW	1500 x 680 x 1000	222kg	\$5,100
NDSJ2760	Jewellery Cake Display 2 Tier • Cold 1800mm wide • 395L • Manufacture code: NLR760V	240V	1.29kW	1800 x 680 x 1000	255kg	\$5,500
	All above cold models feature: Cool white LED strip lighting Black brushed #304 stainless steel body Easily removable front and side stainless steel panels Easily accessible cooling system and controller for simple cleaning and maintenance Removable condenser filter for easy cleaning 1 level frosted glass shelf with stainless steel base shelf R290 gas ITO Heated tempered glass front, top and sides Ambient 32°C at 82% RH Unit can be run as ambient display by turning on lights only Ventilated cooling system Auto defrost Operating temperature 2°C ~ 8°C Shelf load capacity 30kg					





CHINA





COLD 3 TIER SQUARE CAKE DISPLAYS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST		
NDSV3720	Square Glass Display 3 Tier • Cold 600mm wide • 150L • Unit has front and rear vents • Manufacture code: NR720V	240V	0.62kW	600 x 680 x 1200	140kg	\$3,800		
NDSV3730	Square Glass Display 3 Tier • Cold 900mm wide • 285L • Manufacture code: NR730V	240V	0.89kW	900 x 680 x 1200	174kg	\$4,000		
NDSV3740	Square Glass Display 3 Tier • Cold 1200mm wide • 385L • Manufacture code: NR740V	240V	1.1kW	1200 x 680 x 1200	215kg	\$4,800		
NDSV3750	Square Glass Display 3 Tier • Cold 1500mm wide • 485L • Manufacture code: NR750V	240V	1.12kW	1500 x 680 x 1200	254kg	\$5,400		
NDSV3760	Square Glass Display 3 Tier • Cold 1800mm wide • 585L • Manufacture code: NR760V	240V	1.32kW	1800 x 680 x 1200	291kg	\$5,800		
	All above cold models feature: Cool white LED strip lighting Black brushed #304 stainless steel body Easily removable front and side stainless panels Easily accessible cooling system and controller for simple cleaning and maintenance Removable condenser filter for easy cleaning 2 levels frosted glass shelves with stainless steel base shelf R290 gas	 ITO Heated tempered glass front, top and sides Ambient 32°C at 82% RH Unit can be run as ambient display by turning on lights only Ventilated cooling system Auto defrost Operating temperature 2°C ~ 8°C Shelf load capacity 30kg 						

HOT 3 TIER DISPLAYS

NDHV3720	3 Tier Hot Display	240V	0.62kW	600 x 680 x 1200	106kg	\$3,000
**	Wire shelving • 150L • Temperature range 40°C to 75°C Manufacture code: H-NR720V					
NDHV3730	3 Tier Hot Display	240V	0.74kW	900x680x1200	122kg	\$3,400
**	• Wire shelving • 285L • Temperature range 40°C to 75°C • Manufacture code: H-NR730V					
NDHV3740	3 Tier Hot Display	240V	0.855kW	1200x680x1200	139kg	\$3,750
**	• Wire shelving • 385L • Temperature range 40°C to 75°C • Manufacture code: H-NR740V					





CHINA

Double Gold Star Warranty – 2 year parts and labour.





COLD 4 TIER CAKE DISPLAYS


Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NDSV4720	Square Glass Display 4 Tier • Cold 600mm wide • 190L • Unit has front and rear vents • Manufacture code: NSR720V	240V	0.67kW	600 x 680 x 1350	155kg	\$3,900
NDSV4730	Square Glass Display 4 Tier • Cold 900mm wide • 355L • Manufacture code: NSR730V	240V	0.91kW	900 x 680 x 1350	196kg	\$4,200
NDSV4740	Square Glass Display 4 Tier • Cold 1200mm wide • 480L • Manufacture code: NSR740V	240V	1.1kW	1200 x 680 x 1350	239kg	\$4,800
NDSV4750	• Cold 1500mm wide • 605L • Manufacture code: NSR750V	240V	1.14kW	1500 x 680 x 1350	280kg	\$5,500
NDSV4760	• Cold 1800mm wide • 735L • Manufacture code: NSR760V	240V	1.34kW	1800 x 680 x 1350	319kg	\$6,400
	All above cold models feature: Cool white LED strip lighting Black brushed #304 stainless steel body Easily removable front and side stainless panels Easily accessible cooling system and controller for simple cleaning and maintenance Removable condenser filter for easy cleaning 3 levels frosted glass shelves with stainless steel base shelf R290 gas	 ITO Heated tempered glass front, top and sides Ambient 32°C at 82% RH Unit can be run as ambient display by turning on lights only Ventilated cooling system Auto defrost Operating temperature 2°C ~ 8°C Shelf load capacity 30kg 				

HOT 4 TIER DISPLAYS

NDHV4720	4 Tier Hot Display • Wire shelving • 190L • Manufacture code: H-NSR720V	240V	0.66kW	600 x 680 x 1350	131kg	\$3,200
NDHV4730	4 Tier Hot Display • Wire shelving • 355L • Temperature range 40°C to 75°C • Manufacture code: H-NSR730V	240V	0.8kW	900x680x1350	145kg	\$3,500
NDHV4740	4 Tier Hot Display Wire shelving • 480L • Temperature range 40°C to 75°C Manufacture code: H-NSR740V Manufacture code: H-NSR740V	240V	0.935kW	1200x680x1350	156kg	\$3,850











SALAD / CAKE DISPLAYS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST	
DSS3830	Salad/Cake Display – GN Pans • 3 Tier salad/cake display 900mm • 415L • Supplied with 6 x 1/1 clear GN pans (2 per level) • Supplied with 2 levels of frosted glass shelves and stainless steel base shelf • Manufacture code: DSS0830	240V	0.72kW	900 x 830 x 1350	210kg	\$5,000	
DSS3840	Salad/Cake Display – GN Pans • 3 Tier salad/cake display 1200mm • 560L • Supplied with 9 x 1/1 clear GN pans (3 per level) • Supplied with 2 levels of frosted glass shelves and stainless steel base shelf • Manufacture code: DSS0840	240V	0.953kW	1200 x 830 x 1350	257kg	\$6,000	
DSS3850	Salad/Cake Display – GN Pans 3 Tier salad/cake display 1500mm 705L Supplied with 12 x 1/1 clear GN pans (4 per level) Supplied with 2 levels of frosted glass shelves and stainless steel base shelf Manufacture code: DSS0850	240V	0.963kW	1500 x 830 x 1350	297kg	\$7,000	
DSS3860 **	Salad/Cake Display – GN Pans • 3 Tier salad/cake display 1800mm • 850L • Supplied with 15 x 1/1 clear GN pans (5 per level) • Supplied with 2 levels of frosted glass shelves and stainless steel base shelf • Manufacture code: DSS0860	240V	1.158kW	1800 x 830 x 1350	338kg	\$8,000	
	All above cold models feature: Cool white LED strip lighting Black brushed #304 stainless steel body Easily removable front and side stainless steel panels Easily accessible cooling system and controller for simple cleaning and maintenance	 Removable condenser filter for easy cleaning R290 gas ITO Heated tempered glass front, top and sides Ambient 32°C at 82% RH Ventilated cooling system Auto defrost Operating temperature 2°C ~ 8°C 					
*							

HOT DISPLAY

NDSSH3830	Hot Display to match DSS Range 900 • Supplied with wire racking • Can take 1/1 gastronroms to match DSS3830 • Black brushed #304 stainless steel body	240V	1.21kW	900 x 830 x 1350	190kg	\$4,000
NDSSH3840	Hot Display to match DSS Range 1200 • Supplied with wire racking • Can take 1/1 gastronroms to match DSS3840 • Black brushed #304 stainless steel body	240V	1.52kW	1200 x 830 x 1350	230kg	\$4,400





REFRIGERATED DRAWER DISPLAYS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DSD0001	Drawer Display Single – 97L Black brushed #304 stainless steel interior and exterior Triple glazed ITO safety glass with heater 1/3 HP compressor R290 gas Rear sliding drawer with illuminated base Maximum loading height of drawer 300mm Manufacture code: P720VT1	240V	0.79kW	600 x 700 x 1200	119kg	\$3,200
CHINA	DSD0002	Drawer Display Double – 197L Black brushed #304 stainless steel interior and exterior Triple glazed ITO safety glass with heater 1/3 HP compressor R290 gas 2 x Rear sliding drawers with illuminated base Maximum loading height of drawer 300mm Manufacture code:P740VT2	240V	1.04kW	1200 x 700 x 1200	200kg	\$5,000
CHINA	M						

REFRIGERATED DRINK DISPENSERS ~ STIRRER TYPE

CHINA	JDA2001	Single Bowl Drink Dispenser Clear food grade 12L polycarbonate bowl (removable for cleaning) Stirrer makes it suitable for milk based products and juice with pulp Internal motor sealed to prevent liquid ingress Chassis and panels all stainless steel Manufacture code: COROLLA-1S	240V	0.29kW	230 x 430 x 640	20kg	\$800
CHINA	JDA2002	Ouble Bowl Drink Dispenser Clear food grade 2 x 12L polycarbonate bowl (removable for cleaning) Stirrer makes it suitable for milk based products and juice with pulp Internal motor sealed to prevent liquid ingress Chassis and panels all stainless steel Manufacture code: COROLLA-2S	240V	0.37kW	430 x 430 x 640	28kg	\$1,200





COUNTERTOP DISPLAY – COLD	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
*	DGV0530	Countertop Showcase	240V	0.44kW	900 x 540 x 820	112kg	\$2,800
	S	Digital electronic thermostat, auto defrost, defogging function 304 stainless steel interiors LED strip lighting Low noise Temp diff. among shelves 1°-2°C Ambient temp at 32°C, R.H 82% 140L R290 gas 2°C - 8°C Modern style and design Gastronorm size Manufacture code: NA530V					
	DGV0540	Countertop Showcase • 190L • Manufacture code: NA540V	240V	0.54kW	1200 x 540 x 820	132kg	\$3,200
*)	DGV0550	Countertop Showcase • 240L	240V	0.65kW	1500 x 540 x 820	155kg	\$3,600
CHINA	М	Manufacture code: NA550V					

COUNTERTOP DISPLAY - HOT

**	DGHV0530	Hot Countertop Showcase • 140L • Temperature range 40°C to 75°C • Wire shelving • Manufacture code: H-NA530V	240V	0.76kW	900 x 540 x 820	90kg	\$2,400
	DGHV0540	Hot Countertop Showcase • 190L • Temperature range 40°C to 75°C • Wire shelving • Manufacture code: H-NA540V	240V	0.8kW	1200 x 540 x 820	110kg	\$2,600
*; CHINA	DGHV0550	Hot Countertop Showcase • 240L • Temperature range 40°C to 75°C • Wire shelving • Manufacture code: H-NA550V	240V	0.84kW	1500 x 540 x 820	130kg	\$2,950





ICE CREAM / GELATO DISPLAYS



GELATO DISPLAY FREEZER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DSI0530	Countertop Showcase Freezer 4 x ¹ / ₃ size GN pans 100mm deep (4 x clear polycarbonate supplied) Perfect for scoop or prepacked ice cream Heated front glass Auto defrost 140L Grade 304 Stainless Steel LED strip lighting 30 °C ambient temperature Not suitable for overnight storage Manufacture code: F-A530V	240V	0.45kW	900 x 540 x 790	108kg	\$3,600
	DSI0540	Countertop Showcase Freezer 5 x ¹ / ₃ size GN pans 100mm deep (5 x clear polycarbonate supplied) 190L Manufacture code: F-A540V	240V	0.49kW	1200 x 540 x 790	130kg	\$4,200
	DSI0550	Countertop Showcase Freezer 7 x ¹ / ₃ size GN pans 100mm deep (7 x clear polycarbonate supplied) 240L Manufacture code: F-A550V	240V	0.54kW	1500 x 540 x 790	152kg	\$4,600
CHINA							

240V

0.89kW

1200 x 700 x 1150

178kg

\$5,700

GELATO DISPLAY



SG1200	Gelato Display – 6 Flavours
	Suitable for special 5L gelato
	pans (not supplied)
	360 x 165 x 120mm
	• #304 Black brushed stainless

steel body
• ITO coated frameless glass

- viewing pane
- Rear sliding doors
- Fan cooled
- White LED lighting
- Auto defrost
- Not suitable for overnight storage
- Manufacture code: PCE120-G



Please note that prices for refrigeration and displays (hot or ambient) are ex-warehouse Sydney and do not include freight.



ICE CREAM MACHINES



ICE CREAM MACHINES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
*	IMM0001	L1 Mini Capacity: 0.7kg per batch Stirrer speed: 80rpm Production: up to 2kg/h* Manufacture code: MINI	240V	0.2kW	270 x 450 x 300	18kg	\$1,600
ITALY	S						
*	IMM0002	• Capacity: 1.5kg per batch • Stirrer speed: 76rpm • Production: up to 4.5kg/h* • Manufacture code: STELLA	240V	0.25kW	510 x 350 x 310	31kg	\$2,000
ITALY	IMM0003	L3 Giardino Capacity: 2.5kg per batch Stirrer speed: 72rpm Production: up to 8kg/h* Manufacture code: GIARDINO	240V	0.56kW	620 x 420 x 430	62kg	\$5,600
ITALY	S						







LI Mini IMM0001

L2 Stella IMM0002

L2 Giardino IMM0003



Extended Gold Star Warranty – 2 year parts, 1 year labour.

Please note that prices for refrigeration are ex-warehouse Sydney and do not include freight.

^{*}Production capacity is a guide only and can vary depending on sugar content, alcohol content, ambient temperature and other factors.



ICE CREAM MACHINES



ICE CREAM MACHINES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	IMM0003R	L3R Club Capacity: 2.5kg per batch Stirrer speed: 72rpm Production: up to 8kg/h* Manufacture code: CLUB	240V	0.56kW	420 x 450 x 850	65kg	\$5,800
ITALY	IMM0004	• Capacity: 3.5kg per batch • Stirrer speed: 76rpm • Production: up to 12kg/h* • Manufacture code: CONSUL	240V	1.1kW	440 x 600 x 850	105kg	\$8,200



L3R Club IMM0003R



L4 Consul IMM0004



Extended Gold Star Warranty – 2 year parts, 1 year labour.

Please note that prices for refrigeration are ex-warehouse Sydney and do not include freight.

^{*}Production capacity is a guide only and can vary depending on sugar content, alcohol content, ambient temperature and other factors.




VACUUM SEALERS – CHAMBER MODELS



OUT-OF-CHAMBER VACUUM SEALERS

Model Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
---------------------------	---------	-------	----------------	----	------------------------


use with channel bags only (VBC)



VACUUM SEALERS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST	
-------	---------------------	---------	-------	----------------	----	------------------------	--

use with regular bags (VBP) or (VBS) Cooking Bags











VACUUM SEALERS

ITALY

VACUUM SEALERS - CHAMBER MODELS



VACIUM CEALEDO	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
VACUUM SEALERS							
DGA 30 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	VM00030	Digital panel, waterproof and scratch resistant 10 editable programs Smart vacuum sensor 8m³/h pump Chamber size 334 x 351 x 190h mm Sealing bar 310mm length Manufacture code: IDEA 30	240V	0.6kW	425 x 504 x 398	35.3kg	\$5,000
ITALY	VM00040	IDEA 40 • Digital panel, waterproof and scratch resistant • 10 editable programs • Smart vacuum sensor • 16m³/h pump • Chamber size 438 x 444 x 190h mm • Sealing bar 410mm length • Manufacture code: IDEA 40	240V	0.8kW	531 x 600 x 461	61kg	\$6,400

CHAMBER MODELS use with regular bags (VBP) or (VBS) Cooking Bags VM00018 240V 1.2kW 582 x 574 x 461 \$9,800 74kg Vacuum Sealer Commercial - VM 18 • 25m³ pump • Chamber size: 448 x 440 x 185 • Sealing bar size: 420mm Manufacture code: VM18 Gas flush as optional extra \$1,000 • Sloping shelf for liquids XVM02073 \$135 (optional) ITALY VM00053 Vacuum Sealer 240V 1.2kW 607 x 692 x 433 96kg \$14,000 Commercial - VM 53 • 25m³ pump • Chamber size: 556 x 492 x 175 • Dual sealing bars 520mm each down left and right sides of chamber • Manufacture code: VM53





VACUUM SEALERS CHAMBER MODELS

Model Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
---------------------------	---------	-------	----------------	----	------------------------

use with regular bags (VBP) or (VBS) Cooking Bags



VM00020	Vacuum Sealer Commercial - VM 20	400V 3Ph	1.5kW	772 x 682 x 1034	168.5kg	\$22,400	
	60m³ pump Chamber size: 650 x 535 x 200 Sealing bar size: 2 x 505mm Dual bars Standard with gas flush Standard with soft air Supplied without plug- needs to be installed by licensed electrician Manufacture code: VM20						

VACUUM SEALERS

Model Product Descri	tion Voltage	Power	Unit Size (mm)	Kg	List Price excl GST	
----------------------	--------------	-------	----------------	----	------------------------	--

240V

240V

0.7kW

0.9kW

use with regular bags (VBP) or (VBS) Cooking Bags 415 x 603 x 460

531 x 614 x 461

46.3kg

61.9kg

\$6,400

\$7,800



VM00031 Idea 31 Vacuum Sealer • Digital panel, waterproof and scratch resistant

• 10 editable programs

• Possibility to add gas (MAP)

• Smart vacuum sensor

• 12m3/h pump

• Chamber size 434 x 343 x 195h mm

• Sealing bar 315mm length

• Manufacture code: IDEA 31



VM00041 Idea 41 Vacuum Sealer

• Digital panel, waterproof and scratch resistant

• 10 editable programs

• Possibility to add gas (MAP)

• Smart vacuum sensor

• 20m3/h pump

• Chamber size 440 x 448 x 190h mm

• Sealing bar 415mm length

• Manufacture code: IDEA 41

use with regular bags (VBP) or (VBS) Cooking Bags

VACUUM SEALERS CHAMBER MODELS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST

ITALY

VM00042 Hi Line

• 20m³ p

• Chambe

Sealing

• 5" Touc 12 prep setting

 Custor vacuum


• Manufa

Idea 42	240V	0.9kW	531 × 614 × 461	61.9kg	\$9,600
pump ber size: 440 x 448 x 190h ug bar size: 400mm uch Smart interface with eprogramed Chef program gs unize and save up to 10 m programs facture code: HI LINE 42					





CHANNEL BAG ROLLS



VACUUM BAGS

CODE	VACUUM BAG SIZES	Pkts. p/carton	Price per pkt of 100
VBP1422	140 x 220mm	10	\$12.60
VBP1823	180 x 230mm	10	\$14.00
VBP2025	200 x 250mm	10	\$18.00
VBP2030	200 x 300mm	10	\$24.00 up to 1.0lt
VBP2535	250 x 350mm	10	\$36.00 up to 1.5lt
VBP3045	300 x 450mm	5	\$54.00 up to 4.0lt
VBP4060	400 x 600mm	5	\$88.00 up to 6.0lt
	CHANNEL BAG SIZES		

For use in Chamber Models 20/70 – 90µ Polyamide/Polyethylene Maximum temperature: 70°C for a duration up to 2 hours - 100°C for a duration up to 15 minutes.

	CHANNEL BAG SIZES		
VBC1623	160 x 230mm	25	\$23.00
VBC1530	150 x 300mm	20	\$27.50
VBC2025	200 x 250mm	18	\$30.00
VBC2030	200 x 300mm	16	\$39.00
VBC2535	250 x 350mm	12	\$52.00
VBC2545	250 x 450mm	7	\$76.00
VBC3040	300 x 400mm	8	\$90.00

For use in Out-of-Chamber Models $20/80-100\mu$ Polyamide/Polyethylene Maximum temperature: 70°C for a duration up to 2 hours - 100°C for a duration up to 15 minutes

COOKING BAG SIZES		
150 x 200mm	10	\$16.50
200 x 300mm	10	\$33.00
250 x 350mm	10	\$48.00
300 x 400mm	5	\$66.00
	150 x 200mm 200 x 300mm 250 x 350mm	150 x 200mm 10 200 x 300mm 10 250 x 350mm 10

For use in Chamber Model machines 15/60 – 72µ
Polyamide/Polypropylene
for Sous Vide can handle up
to 121° C , 85° C for a duration of up to
72 hours, up to 100° C for a duration of
up to 4 hours and heat treatment such
as pasteurisation or steam sterilization
within 121° C for 30 minutes



- 1.1 The Terms of Trade govern all orders placed by the Applicant and apply to and form part of any contract for the supply of Goods by the Company to the Applicant.
- 1.2 These Terms of Trade replace any previous terms and conditions of trade.
- 2.1 No quotation given by the Company to the Applicant shall constitute an offer.
- 2.2 Orders must be placed by purchase order issued by the Applicant. Any order from the Applicant for the supply of Goods shall not be binding on the Company until accepted by the Company.
- 2.3 Orders must be accompanied by necessary ordering information as requested by the Company.
- 2.4 The prices for the Goods may be varied to the Company's general prices in effect at the requested date of delivery of the Goods notwithstanding any prior orders or sales order acceptances in respect of the Goods.
- 2.5 Prices given in any quotation are applicable to that quotation only and will not apply in any other instance.
- 2.6 Quotations are valid for a period of 30 days from the date of issue by the Company, unless otherwise agreed in writing.
- 2.7 Unless expressly included, the prices given in any quotation, price list or any Invoice and the consideration for any supply under or in connection with the Terms of Trade, do not include GST.
- 2.8 Prices for the Goods will be as stated in each Invoice and are subject to change without notice.
- 3. These Terms of Trade apply to the Applicant and to the Company in respect of Goods ordered by the Applicant. Any terms and conditions set out in the Applicant's order deviating from or inconsistent with these Terms of Trade will not bind the Company notwithstanding any statement by the Applicant in its order that its terms and conditions shall prevail over these Terms of Trade. No variation or modification or substitution of these Terms of Trade shall be binding on the Company unless specifically accepted by the Company in writing.
- 4. The Company accepts no liability for Goods supplied by any third party who has not purchased the Goods directly from the Company.
- 5.1 In relation to deliveries within the Company's nominated metropolitan distribution areas, for orders over \$250.00 (exclusive of GST), the Company shall arrange for the Goods to be delivered F.I.S., except for refrigeration and display cabinets hot or cold.
- 5.2 The Company is not liable for any claims for non fulfilment or late delivery of Goods or for any loss or damage (including consequential loss or damage) suffered by the Applicant arising from delay in delivery or a failure to deliver. The Applicant shall accept and pay for the Goods notwithstanding late delivery.
- 5.3 The Applicant shall upon placing its order advise the Company of the nominated delivery point and requested delivery date.
- 5.4 Unless otherwise agreed by the Applicant and the Company, the Company shall be entitled to deliver the Goods in one or more lots. Where delivery of the Goods is effected by way of part delivery, the Company shall be entitled to invoice the Applicant for pro rata progress payments in respect thereof.
- 5.5 Notwithstanding the Applicant's inability to accept delivery of the Goods, the Company shall be deemed to have delivered the Goods in accordance with these Terms of Trade.
- 5.6 All claims by the Applicant in relation to delivery quantities or loss or damage to the Goods must be made within 7 days of delivery of the Goods, time being of the essence.

 Any claims made outside this time frame will not be recognised by the Company.
- 6. Unless otherwise agreed by the Company in writing, all Goods will be supplied on a cash before delivery basis.
- 6.2 The extension of credit to the Applicant by the Company shall be at the absolute discretion of the Company, which discretion may be varied from time to time, and where extended unless otherwise advised in writing by the Company, the Company requires cash payment in full by the last Business Day which is 30 days following the date of the Invoice. A letter signed by a director of the Company will be sufficient evidence as to the terms of credit applicable to the Applicant at any point in time.
- 6.3 In the event that payment for any Invoice has not been received by the Company within 30 days of Invoice, the Company may, in its discretion:
 - (a) immediately cease any extension of credit; and/or
 - (b) charge the Applicant interest on overdue amounts, such interest to be calculated daily on the balance outstanding; and/or
 - (c) charge to the Applicant all administration and other costs incurred by the Company in relation to collection of outstanding amounts owed by the Applicant to the Company.
- 6.4 The Applicant may not withhold payment or make any deductions from any amount owing without the Company's prior written consent, which consent may be withheld in its absolute discretion.
- 6.5 The Company will forward a statement monthly to those Applicants granted an extension of credit pursuant to clause 6.2.
 - (a) legal and equitable ownership of the Goods;
 - (b) to enter the Applicant's premises or the premises of any associated company or agent where the Goods are located) without liability for trespass or any resulting damage and retake possession of the Goods; and
 - (c) to keep or resell any of the Goods pursuant to clause 8.6(b).
- The Applicant must, so long as the Company is entitled to the property in the Goods, store the Goods so that they are clearly identifiable as the property of the Company.
- 6.7 In the event that the Goods are resold by the Applicant, it will be deemed to have done so as agent for the Company and only on the following terms:
 - (a) on such disposal or dealing, the Applicant transfers all rights to the proceeds of that disposal or dealing to the Company absolutely;
 - (b) the Applicant as bailee and fiduciary of the Goods must hold the proceeds of any sale or dealing of the Goods (to the extent of any liability to the Company in respect of the Goods) in trust for the Company;
 - (c) the Applicant must keep separate records of any sale of the Goods and must maintain the proceeds in a separate account; and
 - (d) the Applicant must account to the Company for any proceeds from such Goods and must direct any purchasers of the goods to pay the proceeds to the Company.
- 6.8 If payment for the Goods is not made by the Applicant by the due date specified by the Company to the Applicant then the Applicant must return the Goods to the Company on demand. If the Applicant does not return the Goods to the Company within 48 hours of receipt of the demand, the Company shall be entitled to enter upon the Applicant's premises at any time to do all things necessary to recover the Goods. The Applicant shall be liable for all costs associated with the exercise by the Company of its rights under this clause which shall be repayable on demand.

COMPANY'S WARRANTY

- 7.1 The Goods distributed by the Company are guaranteed against defective workmanship and materials for a period of 12 months from the date of purchase, the Company's obligations pursuant to this express warranty being limited to the repair or replacement of the defective Goods or materials at its option and subject to the terms and conditions stated in the warranty card attached to the Goods. Glass and lamps are not included in this warranty. RCD tripping due to moisture absorption by Tubular Heating Elements is not considered a warranty fault. Hinges, rubber seals or gears acting a sacrificial component to protect motors, are wear and tear items and are not covered by warranty.
- 7.2 Any item that can be picked up and put into a normal vehicle, is covered by a back to base warranty. This means the end user needs to return it (freight pre-paid) to either the place where it was purchased from, or our closest appointed service agent, or back to our head office. A call out for refrigeration and other non portable equipment is covered by an on site warranty during the hours of 8am-5pm Monday to Friday only. Travel costs for on site warranty are limited to 50km from our nearest appointed service agent and are reachable by road.
- 7.3 Except as provided in this clause, the Company shall not be liable for any loss or damage, whether direct or indirect (including consequential losses or damage) arising out of any breach of contract by the Company or any negligence of the Company, its employees or agents.
- 7.4 To the extent permitted by law all implied conditions and warranties are expressly excluded.
- 7.5 The Company will not be liable in respect of any claims for parts damaged in transport, misused by the Applicant or its authorised parties or modified in any way without the approval of the Company.
- 7.6 Any repairs or replacement of defective Goods or materials pursuant to the warranty set out in this clause, must be authorised by a director of the Company prior to any action being taken. The Company reserves the right to reject a warranty claim if it is not completely satisfied with the circumstances under which such fault or defect occurred.
- 7.7 Nothing in these Terms of Trade shall be read or applied so as to exclude, restrict or modify or have the effect of excluding, restricting, modifying any condition warranty guarantee right or remedy implied by law (including the Trade Practices Act 1974 (Commonwealth)) which by law cannot be excluded, restricted or modified.
- 7.8 This warranty does not extend to cover loss of profits or damage to other equipment.
- 7.9 Warranty does not cover products which have been subject to misuse, neglect, unauthorised alteration, incorrect installation, power surges, accident, use of inappropriate chemicals for cleaning, flooding, fire or acts of God.



- 7.10 Failure to honour payments for a notice or non warranty call out by end user, will result in immediate voiding of warranty on that item.
- 7.11 On site warranty covers repairs on site. If customer does not permit repair on their premises, they are responsible for freight to and from site.

8. APPLICANT'S WARRANTY AND INDEMNITY

- 8.1 The Applicant acknowledges and warrants to the Company that as at the date of entry into a contract to purchase the Goods, the Applicant is not insolvent nor has he committed any act of bankruptcy or, being a company, knows of no circumstances which would entitle a debenture holder or unsecured creditor to appoint a receiver to petition for winding up of the Applicant or exercise any other rights over or against the Applicant's assets.
- 8.2 Without prejudice to any other rights the Company may have against the Applicant, the Applicant shall indemnify the Company for and save it harmless from any loss, damage or expense incurred by the Applicant as a result of the Applicant:
 - (a) cancelling any order (or part thereof) for the Goods; or
 - (b) breaching these Terms of Trade.

9. DEFAULT

Should the Applicant fail to make payment for any Goods supplied by the Company on the dates due for payment or commit a breach of any term of the sale or, being a natural person, commit an act of bankruptcy or, being a corporation, an act or omission enabling the appointment of an administrator, scheme manager, trustee, official manager, receiver, receiver and manager, liquidator or any other person authorised to enter into possession or assume control of any property of the Applicant pursuant to a mortgage or other security, then:

- (a) the right of the Applicant to sell the Goods in the ordinary course of business or otherwise immediately terminates without the need for the Company to provide written confirmation; and
- (b) the Company may without prejudice to any other rights it may have, do any or all of the following:
 - (i) immediately withdraw any credit facilities which may have been extended to the Applicant and require immediate payment of all moneys accrued or owing to the Company.
 - (ii) withhold any further deliveries of Goods or performance of service required under the contract;
 - (iii) in respect of Goods already delivered, enter onto the Applicant's premises to recover and resell same for its own benefits;
 - (iv) suspend and/or terminate performance of any other contracts which the Company has with the Applicant.

10. GOODS RETURNED

- 10.1 The Applicant shall inspect the Goods immediately upon delivery and if the Goods are damaged or not otherwise in conformity with the contract relating to their supply shall give written notice to the Company of the details in respect thereof within 7 days of the date of delivery.
- Subject to clause 10.3, any Goods the subject of a notice under clause 10.1 shall be left in the state and condition in which they were delivered until such time as the Company or its duly authorised agent has inspected the Goods, such inspection to be carried out within a reasonable time after notification by the Applicant. If the Goods are not so left in the state and condition in which they were delivered, the Applicant shall be deemed to have accepted the Goods and shall pay the purchase price for the Goods to the Company.
- 10.3 Upon receipt of a notice under clause 10.1, the Company will advise a return authorisation number and the mode of transport (clause 10.2) acceptable to the Company. Any Goods returned to the Company will be at the Applicant's entire risk as to loss or damage. In relation to Goods returned to the Company, the Applicant undertakes to follow the Company's instructions, prepay the freight and clearly mark the freight with the return authorisation number advised by the Company.
- 10.4 Deliveries not complying with clause 10.3 will not be accepted by the Company.
- 10.5 Subject to clauses 10.1 and 10.3, valid claims for incorrectly sent Goods will be credited in full. A 20% restocking fee will apply to all Goods returned against orders correctly executed. The Company reserves the right to charge for any cost incurred in such execution.
- 10.6 Subject to clause 10.1 acceptance of the Goods shall be deemed for all purposes to have taken place when delivery has occurred.
- 10.7 In the case of a non-standard manufacture, where a "Confirmation of Non-standard Items" form has been signed, and where orders have been correctly executed, no returns will be accepted.
- 10.8 The Company will charge an additional restocking fee for goods returned out of the original packing.

11. DISPUTES

- 11.1 Any disputes between the parties arising from the performance of the provisions of these Terms of Trade must be settled through friendly consultation by the parties.

 All disputes arising in respect of these Terms of Trade which are not resolved within 30 days of first arising will be finally settled under the Rules of Conciliation and Arbitration of the International Chamber of Commerce by a single arbitrator appointed in accordance with the said Rules. The place of arbitration will be Sydney New South Wales. The procedural law applicable to the arbitration will be that of New South Wales. The decision of the arbitration is final and binding upon both parties.
- 11.2 During the period in which the dispute is being resolved, the parties must continue to perform all of the provisions of these Terms of Trade which are not under dispute and which are able to be performed by the parties.

12. SEVERABILITY

All provisions contained in these Terms of Trade shall be construed so as not to be invalid, illegal or unenforceable in any respect but if any such provision on its true interpretation is illegal, invalid or unenforceable that provision may, at the option of the parties, be read down to such extent as may be necessary to ensure that it is not illegal, invalid or unenforceable and as may be reasonable in all circumstances so as to give it a valid operation of the partial character. In the event that any such provision or part thereof cannot be so read down, such provision shall be deemed to be void and severable and the remaining provisions thereof shall not in any way be affected or impaired thereby.

13. FORCE MAJEURE

The Company shall not be liable for non-fulfilment or late delivery should actual delivery of the Goods or any parts be delayed in consequence of unforeseen events such as strikes, unforeseen breakdown, of machinery (save where caused by improper maintenance or operation by untrained personnel), suspension of electricity or other relevant power supply, riots, war, robbery, civil commotion, adverse non foreseeable weather conditions, disaster caused by fire and/or water, action of government or port authority, delay of vessel, rail-road embargoes, inability to obtain transportation facilities or due to a failure of an original equipment manufacturer to supply components by the due date.

14. APPLICABLE LAW

These Terms of Trade shall be governed by and construed in accordance with the laws in force in the State of New South Wales, Australia and the parties submit to the non-exclusive jurisdiction of the Courts of that State.

15. DEFINITIONS

The following words have the following meaning:

"Applicant" means the person or entity purchasing the Goods from the Company.

"Business day" means a day other than a Saturday or Sunday when trading banks in Sydney are open for general banking business.

"Company" means INTERNATIONAL CATERING EQUIPMENT Pty Ltd ABN 29 079 648 918.

"F.I.S." means free into store as referred to in the Incoterms.

"F.O.B." means free on board as referred to in the Incoterms.

"Goods" means all Goods ordered by the Applicant from time to time and supplied by the Company under these Terms of Trade and includes any services forming part of the supply of Goods.

"6ST" means goods and services tax or similar value added tax levied or imposed in Australia pursuant to the GST law or otherwise on a supply.

"GST Act" means A New Tax System (Goods and Services Tax) Act 1999 (Commonwealth).

"GST Law" has the same meaning as in the GST Act.

"Incoterms" means the International Rules for the Interpretation of Trade Terms, ICC Publishing S.A., Paris 2000 edition.

"Invoice" means an invoice sent by the Company to the Applicant for payment of the Goods supplied to the Applicant at the request of the Applicant.

"Terms of Trade" means the terms and conditions of trade as set out above.



GASTRONORM SIZES	UNITS
GN1/9: 108 x 176 mm	1 HP = 0.7457 kW
GN1/6: 176 x 162 mm	1 kW = 1.341 HP
GN1/4: 265 x 163 mm	1 Quart = 0.946352 Lt
GN1/3: 325 x 176 mm	1 Litre = 1.056689 Qt
GN1/2: 325 x 265 mm	
GN2/3: 354 x 325 mm	
GN1/1: 530 x 325 mm	
GN2/1: 650 x 530 mm	

CONVERSION TABLES

LENGTHS					
CENTIMETRES	MILLIMETRES	INCHES			
1	= 10	= 0.394			
2	= 20	= 0.737			
3	= 30	= 1.181			
4	= 40	= 1.575			
5	= 50	= 1.969			
6	= 60	= 2.362			
7	= 70	= 2.756			
8	= 80	= 3.150			
9	= 90	= 3.543			
10	= 100	= 3.937			
11	= 110	= 4.331			
12	= 120	= 4.721			

TEMPERATURES				
°F	°C			
225	105			
250	120			
275	130			
300	150			
325	165			
350	180			
375	190			
400	200			
425	220			
450	230			
475	245			


MEASUREMENTS	
16 tablespoons	= 1 cup
12 tablespoons	= 3/4 cup
10 tablespoons	= 2/3 cup
8 tablespoons	= 1/2 cup
6 tablespoons	= 3/8 cup
5 tablespoons	= 1/3 cup
4 tablespoons	= 1/4 cup
2 tablespoons	= 1/8 cup
2 tablespoons + 2 teaspoons	= 1/6 cup
1 tablespoon	= 1/16 cup
2 cups	= 1 pint
2 pints	= 1 quart
3 teaspoons	= 1 tablespoon
48 teaspoons	= 1 cup
250ml	= 1 cup
180ml	= 3/4 cup
120ml	= 1/2 cup
60ml	= 1/4 cup
15ml	= 1 tablespoon
5ml	= 1 teaspoon

WEIGHTS		
1 g	= 1,000 mg	= 0.0353 oz
1 kg	= 1,000 g	= 2.2046 lb
1t	= 1,000 kg	= 0.9842 ton
1 oz	= 437.5 grains	= 28.35 g
1 lb	= 16 oz	= 0.4536 kg
1 ton	= 20 cwt	= 1.1016t

DISCLAIMER

Whilst every effort is made to bring to you accurate pictures and measurements, errors can and do occur, as well as suppliers can change specification/s. For any product that fabrication is required we would suggest that you contact our offices and confirm dimensions as being correct with anyone of the sales advisors.





Exclusive distributor of:







































International Catering Equipment Pty Ltd