

## **QUOTES**



It often takes more courage to change one's opinion than to stick to it. *Geoffrey F. Abert* 

Judging a person does not define who they are. It defines who you are.  $\it Wayne\ Dyer$ 

 ${\bf I}$  am not what happened to me,  ${\bf I}$  am what  ${\bf I}$  choose to become. Carl Jung

You only have to do a very few things right in your life so long as you don't do too many things wrong. Warren Buffett

Focus is a matter of deciding what things you're not going to do.  $\ensuremath{\textit{John Carmack}}$ 

We should be rigorous in judging ourselves and gracious in judging others. *John Wesley* 

The true test of character is not how much we know how to do, but how we behave when we don't know what to do.  $John\ Holt$ 

There are two kinds of people, those who do the work and those who take the credit. Try to be in the first group; there is less competition there. *Indira Gandhi* 

There is a difference between a dream and a goal. A dream is a gift you want to be given. A goal is something you work to achieve.

Brian Knapp

We judge ourselves by our intentions. And others by their actions. Stephen Covey

Never give up on what you really want to do. The person with big dreams is more powerful than one with all the facts. *H. Jackson Brown Jr.* 

The fool wonders, the wise man asks. *Benjamin Disraeli* 

I've seen how you can't learn anything when you're trying to look like the smartest person in the room. Barbara Kingsolver

If someone is going down the wrong road, he doesn't need motivation to speed him up. What he needs is education to turn him around.  $Jim\ Rohn$ 

Don't Believe Everything You Think! Robert Fulghum





### Introduction

Welcome to volume 19 of the ICE catalogue. Although we have kept the same format and design of the catalogue, we have some exciting new additions to the range which we hope will provide an increase in sales opportunities for our dealer network. An electronic soft copy of the catalogue is available for download on our website.

### **Logistics And Warehousing**

We currently hold stock of all 6 models of the NDA range of supermarket refrigeration and freezers, in our Sydney warehouse, as well as third part logistics warehouses in Melbourne and Brisbane. This will hopefully make these units even more competitive as they are available to be collected without a freight charge, or delivered at local freight rates.

### Website login to distributor area

We encourage all dealers and their staff to register in our distributor area on our website. This gives you access to be able to instantly check live stock, as well as receive freight quotes for single or multiple items to any post code in Australia. Some refrigeration, as well as a few of the very large items, are still not on this quoting system, so please email freight@internationalcatering.com.au if your selected item is not available.

### Freight matrix for refrigeration

The freight matrix has proven to be nice and easy to manage, and as we did in the previous catalogue, all items that are not FIS to dealers, are marked with a S, M, L or L+. These codes refer back to the freight matrix, which will then provide the freight charge to your warehouse depending on where you are located.



### **New products**

We have added some exciting new products to the range, some of which are shown below. These are all marked with the NEW symbol in the catalogue.





Vacuum Sealer Commercial

Sous Vide Circulator

Stick Blender

150kg Platform Trolley Scale

Bun Divider/Rounder

<b>SECTION 1</b>	Pressure Fryer		
	Pressure Fryer	Anvil	5
<b>SECTION 2</b>	Ambient Displays		
	Single Tier, Two Tier	SAYL	6,7
SECTION 3	Cooking Equipment		
		A NI\/T I	
	Toasters		
	Jaffle Maker		
	Vertical Toaster		
	Sandwich Press		
	Conveyor Pizza Oven		
	Griddle Plates Electric		
	Induction Cookers/Warmers		
	Deep Fryer Electric		
	Waffle Bakers		
	Convection Ovens		
	Proving Cabinet Pizza Oven		
	Chicken Rotisserie		
	Stove Top Electric		
	Sauce Warmers		
	Warming Cupboard		
	Banquet Cart		
	Pie Warmers Multi Function Warmer		
	Salamander		
	Adjustable Heat Lamps		
	Benchtop Heat Lamps		
	Banquet Cart Ust		
	Banquet Cart Hot Pasta Machines		
CECTION 4	5 (0 )		
SECTION 4	Food Preparation		
	Rowzer Plus		
	Mycook		
	Sous Vide Circulator		
	Planetary Mixer		
	Pizza Trays and Trolleys		
	Stick Blenders	HAMILTON BEACH	31
	Slicers		
	Spiral Mixers		
	Bakery Spiral Mixers		
	Forked Mixers		
	Pastry Sheeters		
	Bun Dividers	MECNOSUD	36
	Dough Dividers	MECNOSUD	38
	Meat Mincers	TRE SPADE/ANVIL	39
	Tomato Sqeezer		
	Food Processor	ANVIL	40
	Planetan, Miyers	A NI\/TI	7.1



## **SECTION 4** Food Preparation

	Scales	VITRAS	. 42
	Tomato Slicer		
	Cheese Slicers	. NEMCO	. 44
	Flowering Onion Slicer	. NEMCO	. 44
	Slicers		
	Choppers	. NEMCO	. 45
	Griddle Scraper	NEMCO	. 45
	Lettuce Cutters	NEMCO	. 46
	Onion Slicer	. NEMCO	. 46
	Wedgers	MECNOSUD	46
	Vegetable Noodler		
	Citrus Juicers		
	Centrifugal Juicers	.CEADO	. 47
	Cold Press Juicer		
	Citrus Juicer		
	Tilting Blender	. SKYMSEN	. 48
	Dehydrators		
	Biltong Cabinets	•	
	Sausage Fillers		
SECTION 5	Blenders		
	Blenders	. HAMILTON BEACH 51,52	2.53
	Hand Operated Juicer		
	Milkshake Mixers		
	Cream Guns		
	Chargers		
SECTION 6	Ware Washing	ADJED	5.6
	Glasswasher		
	Undercounter Dishwashers		
	Pass Through Dishwashers	ADLER	5/
SECTION 7	Stainless Steel Products		
	Trolleys	58	, 59
	Fryer Baskets		
	11VCI Daskets		59
	Grill Scrapers		
SECTION 8			
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers	TECNOCRIO	. 60
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers	TECNOCRIO	. 59 . 60 . 60
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers Sushi Displays	TECNOCRIOSAYL	. 60 . 60 . 61
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers	TECNOCRIOSAYL	. 60 . 60 . 61
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers Sushi Displays	TECNOCRIOSAYLANVIL	. 60 . 60 . 61 . 62
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers	TECNOCRIOSAYLANVILANVIL	. 60 . 60 . 61 . 62 . 63
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers	TECNOCRIO	. 60 . 60 . 61 . 62 . 63
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers Sushi Displays	TECNOCRIO	. 60 . 60 . 61 . 62 . 63 . 64
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers Sushi Displays	TECNOCRIO	. 60 . 60 . 61 . 62 . 63 . 64 . 65
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers	TECNOCRIO	. 60 . 60 . 61 . 62 . 63 . 64 . 65 , 67
SECTION 8	Refrigeration  Counter Top Ice Cream Fridge/Freezers	TECNOCRIO	59 60 60 61 62 63 64 65 ., 67

	Ice Cream Machines	MUSSO	85
	Underbar Fridges	ANVIL	86
		ANVIL	
	Blast Chillers/Freezers	EVERLASTING	88,89
	Dry Age Meat Cabinets	MEATICO by EVERLASTIN	G 90,91
	Retarder Provers	EVERLASTING	92
	Gelato Storage Freezer	EVERLASTING	93
	Pastry Fridge	ANVIL	93
	Hot/Cold Displays	94,95,96,9	7,98,99
	Juice Dispensers	ANVIL	99
	Ice Cream/Gelato Displays	ANVIL	100
SECTION 8	Vacuum Sealers & Bags		
	Out of Chamber Vacuum Sealers	ORVED	101
		ORVED 101,2	
		ORVED	
			105
NEW P	RODUCTS INDEX		
		ANVIL	5
	Sauce Warmers	ANVIL	16
	Sous Vide Circulator	HAMILTON BEACH	29

Stick Blender...... HAMILTON BEACH.....

Bun Divider...... MECNOSUD......

Scales......VITRAS.....

Easy Tomato Slicer...... NEMCO......

Triple Juice Dispenser...... ANVIL...... ANVIL.....

Vacuum Sealers...... ORVED......

31

36

42

43

99

102

 Upright Fridges/Freezers
 INOMAK
 76,77,78,79,80

 Underbench Fridges
 INOMAK
 81,82,83,84



# PRESSURE FRYER ICE

PRESSURE FRYER	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
CHINA	APF0800	Electric Pressure Fryer  25L oil capacity tank  Ideal for all fast food outlets that serve large volumes of fried food  Digital control panel, 10 product menus with option for time, temperature and warning alarms  Stainless steel construction  Supplied with 100 filter papers  Easy to clean fully welded oil tank with built in oil filter pump system  Safe start up with the melt cycle programme  Programmable reminders for oil changing and cleaning  Two baskets supplied: one open and one multi-level  Plug not supplied. Must be installed by licensed electrician  Manufacture code PFE800	400V 3PH	13.5kW	545 x 1000 x 1218	165kg	\$14,800
	XAPF0001	Open basket					\$360
	XAPF0004	Multi level basket					\$840







## **AMBIENT DISPLAYS**



<b>AMBI</b>	<b>ENT</b>
NICPI	ZYC

AMBIENT DISPLAYS	Model	Product Description	Unit Size (mm) L x D x H	Kg	List Price excl GST
	ADS0010	Ambient Display – Two Tier  • Elegant, neat, classy and hygienic ambient displays for muffins, biscuits and other items not requiring refrigeration  • Rear sliding perspex doors  • Tempered glass  • Supplied in kit form  • Easy to assemble  • Manufacture code: EP36S	550 x 390 x 375	10kg	\$600
	ADS0020	Ambient Display – Single Tier • Manufacture code: EP20M	920 x 330 x 200	13kg	\$460
	ADS0025	Ambient Display - Single Tier • Manufacture code: EP20S	555 x 330 x 200	10kg	\$400
	ADS0036	Ambient Display – Two Tier • Manufacture code: EP36M	920 x 390 x 375	24kg	\$600
	ADS1200	Ambient Display – Single Tier • Manufacture code: EP20B	1200 x 330 x 200	26kg	\$600
	ADSC0840	Ambient Display – Curved • Manufacture code: E4	840 x 380 x 170	15kg	\$700
SPAIN	ADSC1190	Ambient Display – Curved • Manufacture code: E6	1190 x 380 x 170	20kg	\$800







ADS1200







ADS0036 ADS0010



ADSC0840



ADSC1190





- High power 1000W output - Motivated stirrer fan for even heating - Lay clean sealed in ceramic base - Variable power output to suit delicate menu Items - Dual Interfock door sarfety - switch - Internal dimensions: - 327% 2000 3 346H - Capacity 231  - MWA1400 - MWA1400 - MWA1400 - Loop preset programs - Full Stafinless Steel internal and - external construction - Easy clean ceanic base - Variable power output - Internal dimensions: - 370W 3850 X 230H - Capacity 36L  - CHINA  - MWA1800 - MWA	MICROWAVES	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
- 1900W power consumption - 1400W power output - 1000 preset programs - Full stainless steel internal and external construction - Eazy clean creamic base - Variable power output - 1,000W power consumption - 1,0	CHINA	MWA1000	High power 1000W output     Motorised stirrer fan for even heating     Easy clean sealed in ceramic base     Variable power output to suit delicate menu items     Dual interlock door safety switch     Internal dimensions:     327W x 200D x 346H	240V	1.55kW	511 x 311 x 432	14.7kg	\$900
- 3000W power consumption - 1800W power output (IEC705) - Full stainless steel internal and external construction - Easy clean cramic base - Twin motorised stirrer fan - Dual magnetron technology - Variable power output (10-100%) - Defrost programming - 100 preset programming - 3 stage heating function - Stackable - Internal dimensions: - 330W x 3100 x 175H - Capacity: 18L  MWA2100  Heavy Duty Microwave 2100W - High power 2100W output - Dual magnetron technology for faster and more even heating - Up to 100 preset programs - Removeable air filter - Self diagnostic programming - Twin motorised stirrer fans for even heating - Up to 100 preset programs - Removeable wave guide cover - Easy clean reaneweable wave guide cover - Easy clean removeable wave - Guide cover - Easy clean removeable wave - Guide cover - Easy clean removeable wave - Una interlock door safety	CHINA	MWA1400	1900W power consumption     1400W power output     100 preset programs     Full stainless steel internal and external construction     Easy clean ceramic base     Variable power output     Internal dimensions:     370W x 385D x 230H	240V	1.9kW	553 x 488 x 343	20.2kg	\$1,300
High power 2100W output     Dual magnetron technology for faster and more even heating     Up to 100 preset programs     Removeable air filter     Self diagnostic programming     Twin motorised stirrer fans for even heating     LED interior lighting     Easy clean removeable wave guide cover     Easy clean sealed in ceramic base     Variable power output to suit delicate menu items     Dual interlock door safety	C SCHOOL	MWA1800	3000W power consumption     1800W power output (IEC705)     Full stainless steel internal and external construction     Easy clean ceramic base     Twin motorised stirrer fan     Dual magnetron technology     Variable power output (10-100%)     Defrost programming     100 preset programmable touch pad     Multiple quantity programming     3 stage heating function     Stackable     Internal dimensions:     330W x 310D x 175H	240V		420 x 563 x 340	31.6kg	\$1,920
switch • Internal dimensions: 330W x 310D x 175H • Capacity 18L	**	MWA2100	High power 2100W output     Dual magnetron technology for faster and more even heating     Up to 100 preset programs     Removeable air filter     Self diagnostic programming     Twin motorised stirrer fans for even heating     LED interior lighting     Easy clean removeable wave guide cover     Easy clean sealed in ceramic base     Variable power output to suit delicate menu items     Dual interlock door safety switch     Internal dimensions:     330W x 310D x 175H	240V		420 x 563 x 340	31.6kg	\$2,100





PANINI PRESS	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H)	Kg	List Price excl GST
	TSS2000	Panini Press – Single Ribbed Top / Flat Bottom • Manufacture code: GH-811PD-MKS	240V	2.2kW	410 x 378 x 205 including handle	22kg	\$540
CHINA	TSS2001	Panini Press – Single Flat Top / Flat Bottom  • Cooking surface 340mm x 225mm  • Manufacture code: GH-811PB-MKS	240V	2.2kW	410 x 378 x 205 including handle	22kg	\$540
	TSS3000	Panini Press – Double Ribbed Top/Flat Bottom  Cooking surface 480mm x 225mm Nanocoated plates Independent heat controls for each side Spring loaded top plate to suit any food thickness Heat resistant handle Heavy duty cast iron plates Self balancing top plate Stainless steel body Thermostatically controlled heat up to 300°C Removable drip tray Height clearance when open 520mm Manufacture code: GH-813C-MKS	240V	3.08kW 15A	570 x 378 x 205 including handle	35kg	\$840
CHINA	TSS3001	Panini Press – Double Flat Top / Flat Bottom • Manufacture code: GH-813D-MKS	240V	3.08kW 15A	570 x 378 x 205 including handle	35kg	\$840

## **CONVEYOR TOASTER**

	CTK0001	Conveyor Toaster 2 Slice	240V	2.2kW	367 x 761 x 424	17kg	\$920
CHINA		Ideal for breakfast buffets, coffee shop, take-aways, etc Front and rear discharge chutes S5mm usable height above conveyor Z50mm wide conveyor Adjustable belt speed Standby function for energy saving Manufacture code: CTK0001					
	CTK0002	Conveyor Toaster 3 Slice	240V	2.2kW	474 x 769 x 428	18kg	\$1,200
CHINA		Ideal for breakfast buffets, coffee shop, take-aways, etc Front and rear discharge chutes S5mm usable height above conveyor S50mm wide conveyor Adjustable belt speed Standby function for energy saving Manufacture code: CTK0002					





JAFFLE MAKER	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
CHINA	JMA0001	Jaffle Maker  • Nanocoated plates  • Temperature range: 50°C to 240°C  • Generous sandwich area: 130mm W x 150mm D  • Removable drip tray  • Manufacture code: JMA001	240V	1.55kW	382 x 271 x 236	8.8kg	\$500

## **VERTICAL TOASTER**

	-						
SOUTH AFRICA	VCT1001	Vertical Toaster     Heavy duty stainless steel conveyor belt system     Low noise operation     Variable heating control from 50°C − 300°C     Slim design − small footprint     Adjustable for various bun thicknesses     2.2kW element and an aluminum energy efficient heating plate     Single feed design     Low energy consumption     Precision cartridge bearing shafts     22 Buns per minute     Includes 1 x teflon sheet     Now supplied with a heat shield cover for a touch safe surface temperature     Manufacture code: VTA0101	240V	2.2kW	702 x 327 x 568	29kg	\$3,000
	XVCT0001	Teflon sheet to suit					\$48

## **SANDWICH PRESS**

SOUTH AFRICA	TSA1009	Sandwich Press Flat Plate  Cast aluminium plates For toasted sandwiches Can be used for grilling burgers, tomatoes, etc Cooking surface: 330 x 355mm Adjustable lid prevents squashing of thick sandwiches and foccacias Manufacture code: TSA1309-ICE	240V	2.2kW	355 x 466 x 327	12.5kg	\$700
Unit not included	XTSA9999	Teflon sheet and clips to suit TSA1009					\$40




## **GRIDDLES & TOASTERS**



CONV	<b>EYOR</b>
<b>PIZZA</b>	<b>OVEN</b>

CONVEYOR PIZZA OVEN	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
	P0K0003	Conveyor Pizza Oven 1PH  • Maximum temperature 300°C  • Full digital controls for heat and speed  • Perfect for pizza, defrosting ready made food, reheating, etc  • Powerful cooling fan to help aid exterior surface cooling  • Heavy duty 350mm wide stainless steel conveyor belt  • Clearance height max. 70mm  • Switch between right to left or left to right operation  • Plug not supplied.  Must be installed by a licensed electrician  • Manufacture code: HX-15 (1PH)	240V	6.7kW 28A	1499 x 575 x 436	54kg	\$3,000
CHINA	P0K0004	Conveyor Pizza Oven 3PH  • 3-phase version  • Plug not supplied.  Must be installed by a licensed electrician  • Manufacture code: HX-15 (3PH)	400V 3PH	9.3A/PH	1499 x 575 x 436	54kg	\$3,000

### **GRIDDLE PLATE ELECTRIC**





## **INDUCTION COOKERS**




# INDUCTION WARMER/COOKER

Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
ICW2000	Induction Warmer/Cooker  Perfect for use in place of chaffing fuel. For use with chaffing dishes, for chocolate tempering, keeping sauces warm or any other warming application  Cooking circle 220mm Schott Ceran hob Stainless steel framed body Touch control, safety lock Timer, LED display (0-180 minutes) 1-10 power levels 1-10 temperature setting Temperature range: 60°C-240°C Electronic overheating protection Maximum weight: 15kg	240V	2kW 10A	330 x 383 x 66	4.5kg	\$280



CHINA



### **INDUCTION COOKERS**

	1	i e			1		
CHINA	ICD3500	Double Induction Cooker  • Stainless steel body  • Touch control with safety lock  • Each plate is controlled separately  • Front plate is 500-1800W  • Back plate is 500-1700W  • Temperature range 60 °C - 240 °C  • Electronic overheating protection  • Plate diameter :225mm  • Power cord size 1300mm long  • Maximum weight: 15kg	240V	3.5kW 15A	300 x 580 x 65	6kg	\$550
CHINA	ICL3500	Large Induction Cooker  • Stainless steel body  • Touch control  • Timer and LED display 0-180 mins  • 1 – 10 power levels 500-3500W  • 1 – 10 temperature settings  • Temperature range 60 ° C – 240 ° C  • Suitable for large pots.  • Plate diameter: 290mm  • Power cord size 1300mm long  • Maximum weight: 40kg	240V	3.5kW 15A	440 x 550 x 130	9kg	\$700
CHINA	ICK3501	Prop-in Induction Cooker Powerful 3.5kW Temperature range 60*-240*C Electronic overheat protection Stainless steel body and frame, metal bottom Touch panel and control knob adjustments (below or above counter) Maximum weight: 30kg	240V	3.5kW 15A	360 x 380 x 125 Size of cut-out 330w x 350d	7kg	\$650





DEEP FRYER ELECTRIC	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
SOUTH AFRICA	FFA0001	Reset switch and extra safety thermostat     Hinged element box for easy lifting of elements     Removable stainless steel tank with carrying handles for easy cleaning     5L oil capacity     Complete with night lid     Manufacture code: FFA2001-ICE	240V	2.4kW	282 x 470 x 288	7kg	\$440
	FFA0002	Reset switch and extra safety thermostat     Hinged element box for easy lifting of elements     Removable stainless steel tank with carrying handles for easy cleaning     Allows for separation of foods and allows flexible and economical use. i.e. use both	240V	2 x 2.4kW Supplied with 2 x 10A plugs	577 x 470 x 288	13kg	\$840

pans when busy and only one

2 x 5L oil capacity
Complete with night lids
Manufacture code: FFA2002-ICE

when quiet

### **WAFFLE BAKERS**

SOUTH AFRICA

CHINA	WBA1001	Waffle Baker – Belgian Single  2 x 500W high power heating elements  Programmable heat and time settings  Stainless steel construction  Digital display  Timer alarm with buzzer  180° Rotating plates  Diameter of waffle 190mm  Manufacture code: WB-03	240V	1kW	255 x 515 x 286	12kg	\$900
CHINA	WBA1002	Waffle Baker – Belgian Double  4 x 500w high power heating elements Programmable heat and time settings Stainless steel construction Digital display Timer alarm with buzzer 180° Rotating plates Diameter of waffle 190mm Manufacture code: WB-03-2	240V	2kW Supplied with 2 x 10A plugs	520 x 530 x 286	23kg	\$1,700





CONVECTION OVENS	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
SOUTH AFRICA	COA1001	Convection Oven  Stainless steel exterior and interior Rounded interior corners for easy cleaning The oven is fitted with one fan and a custom designed baffle plate. This ensures that excellent temperature distribution is achieved providing a reliable baking uniformity and a product which is perfectly baked on both sides Supplied with a bake timer and interior light Operating temperature: 50°C - 300°C Easily removable inner glass for cleaning Supplied with 3 chrome shelves Chamber dimensions: 350 x 260 x 218mm Runner space 40-70mm Manufacture code: COA1001-ICE	240V	1.2kW 10A	477 x 524 x 428	16kg	\$840
SOUTH AFRICA	COA1003	Convection Oven – Prima  10Amp power, ideal for caterers 4 shelves supplied as standard Cooking chamber size: 460 x 370 x 350mm Shelf size: 440 x 320mm Timer and bake function Interior light Heat setting: 50°C - 300°C Dual fan system for even heat distribution Manufacture code: COA1003-ICE	240V	2.4kW 10A	602 x 652 x 596	36kg	\$1,600
SOUTH AFRICA	COA1004	Convection Oven – Prima Pro with grill function  10Amp power, ideal for caterers 4 shelves supplied as standard Cooking chamber size: 460 x 370 x 325mm Shelf size: 440 x 320mm Timer, grill and bake function Interior light Heat setting: 50°C - 300°C Dual fan system for even heat distribution Grill and Bake functions cannot be used simultaneously Manufacture code: COA1004-ICE	240V	2.4kW 10A	602 x 652 x 596	37kg	\$1,820
SOUTH AFRICA	COA1005	Convection Oven – Grande Forni  Heat setting: 50°C - 300°C  Stainless steel interior & exterior  Manual steam injection for humidity, which allows browning of pastry and bread products  industrial heavy-duty reversing fan motors  - Interior light  Cooking chamber size: 700 x 495 x 355mm  Takes 4 full size gastronorm pans or 4 baking trays (600 x 400mm)  4 shelves supplied as standard  Manufacture code: COA1005-ICE	240V	3.2kW 15A	835 x 800 x 596	70kg	\$3,200







# **STANDS**

STANDS FOR OVENS		Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
SOUTH AFRICA	COR0001	Stand for Oven  • Suits COA1003, COA1004 and POA1001			600 x 540 x 900		\$400
	COR0005	Stand for Oven  • Suits COA1005  • Stainless steel construction  • Takes 8 shelves  • Easy assembly			845 x 650 x 900		\$440

## **PROVING CABINET**



### **PIZZA OVEN**








### CHICKEN ROTISSERIE

SOUTH AFRICA





SOUTH AFRICA	STA0001	Single Boiling Top • Plate diameter - 230mm • Manufacture code: STA0001-ICE	240V	2kW	333 x 508 x 225	8kg	\$320
SOUTH AFRICA	STA0002	Double Boiling Top  Rapid heat-up time  Six stage heat switch for simmering and boiling  Rear splash guard prevents blockage of ventilation slots  Diameter of plates:  Small - 190mm Large - 230mm  Manufacture code: STA0002-ICE	240V	3.2kW 15A (2kW & 1.2kW)	580 x 508 x 225	12kg	\$440

SAUCE WARMERS	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
CHINA	SWA0001	Sauce Warmer - Single  Sealed well features a heating control, indicator light  Holds 1 x 700ml bottle to warm sauces, toppings, or dressings  Durable stainless steel; use on top of the counter or as a drop-in unit with angled controls  Easy-to-use master on/off switch  Controls adjust between 30-85 °C to maintain the ideal serving temperature	240V	0.08kW	251 x 178 x 323	2.4kg	\$340
CHINA	SWA0002	Sauce Warmer - Double  Sealed well features a heating control, indicator light  Holds 2 x 700ml bottles to warm sauces, toppings, or dressings  Durable stainless steel; use on top of the counter or as a drop-in unit with angled controls  Easy-to-use master on/off switch  Controls adjust between 30-85 °C to maintain the ideal serving temperature	240V	0.16kW	300 x 355 x 330	3.8kg	\$560
	XSWA9999	Sauce Bottle  High quality 3 piece sauce bottle - First in First out feature  BPA free Heat resistant	700ml				\$24




## **HOT CUPBOARDS**



WARMING CUPBOARD	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST	
CHINA	HCA0001	Single Door  • Full stainless steel double wall construction with adjustable shelf positioning  • Can hold up to 60 x 360mm sized plates  • Temperature control  • Temperature range: 30°C to 85°C  • Internal Dimensions: 390mm D x 420mm W  • Manufacture code: PWK0001	240V	0.75kW	450 x 485 x 850	30kg	\$700	
CHINA	HCA0002	Pouble Door     Full stainless steel double wall construction with adjustable shelf positioning     Internal Dimensions: 390mm D x 700mm W     Can hold up to 120 x 360mm sized plates     Temperature control     Temperature range: 30°C to 85°C     Manufacture code: PWK0002	240V	1.2kW	750 x 450 x 850	42kg	\$1,100	
	XHCA000	8S	Shelf to sui	t HCA0001 (3	340 x 405mm)		\$36	
	XHCA0008L			Shelf to suit HCA0002 (340 x 705mm)				
	XHCA999	9	Shelf clips t	o suit HCA00	001 & HCA0002		\$4 each	

## **BANQUET CART**







MULTI-FUNCTION WARMER	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H)	Kg	List Price excl GST
SOUTH AFRICA	CDA1003	Chip Warmer  Top and bottom heating elements Retains cooked food's taste and appearance Holds 15kg chips for 15 minutes Excellent for fast food operators Removable interior for easy cleaning Robust and reliable incolloy element: impervious to grease and fat Stainless steel perforated spiked tray for use as carving station Complete with 1/1 65mm GN Pan Manufacture code: CDA1003-ICE	240V	1.9kW	346 x 681 x 596	16kg	\$700

## **SALAMANDER**

	SAA0002	Robust stainless steel construction Ideal for defrosting, gratinating, grilling, browning, etc. Supplied with one removable grid Top heat only Independent heat control of left and right hand side	240V	3kW 15A	600 x 510 x 528	45kg	\$1,260
CHINA		Manufacture code: EB-600-MKSI					

## **PIE WARMER**

SOUTH AFRICA	PWK0007	Pie Warmer Mini (12–18 pies)  All stainless steel construction  Supplied with three fixed shelves  Rear hinged toughened glass door  Front fixed glass window  Removable crumb tray  Humidity pan  Illuminated signage panel in front  Adjustable thermostat 50°-80°C  Manufacture code: PWK0007-ICE	240V	0.75kW	353 x 393 x 604	13.7kg	\$600
SOUTH AFRICA	PWK1007	Pie Warmer (36–48 pies)  • Ideal for holding up to 15 pizza boxes  • Supplied with 4 shelves  • Removable crumb tray  • Display lighting  • Humidity pan for keeping product moist  • Fixed front window  • Blank decal for branding sticker  • Adjustable thermostat 50°-80°C  • Manufacture code: PWA1007	240V	1.5kW	453 x 503 x 644	30kg	\$680



# ADJUSTABLE HEAT LAMPS



EUROPEAN HEAT LAMPS	Model	Product Description	Power	Kg	List Price excl GST
ITALY	HLS1250	Heat Lamp Henri  Modern aluminium design Length adjustable: 600 - 1300mm Teflon coated 250W globe protects food if glass shatters Standard E27 screw in fitting globe On/off switch on lamp shade Shade diameter: 190mm Supplied without plug. Must be installed by a licensed electrician	0.25kW	0.7kg	\$480
ITALY	HLS2250	Heat Lamp Bonnie  Copper finish Specs as above (see Heat Lamp Henri) Shade diameter: 225mm Supplied without plug. Must be installed by a licensed electrician	0.25kW	1.1kg	\$600
ITALY	HLS3250	Heat Lamp Clyde  Chrome finish Specs as above (see Heat Lamp Henri) Shade diameter: 225mm Supplied without plug. Must be installed by a licensed electrician	0.25kW	1.1kg	\$600

### **ECONOMY MODEL HEAT LAMPS**

	HLK0001	Heat Lamp – Rannio	0.25kW	1kg	\$200
CHINA *		Silver grey powder coated finish Length adjustable: 500mm - 1800mm Teflon coated 250W globe protects food if glass shatters Standard E27 screw in fitting globe On/off switch on lamp shade Shade diameter: 228mm Supplied without plug. Must be installed by a licensed electrician			

### **PREMIUM HEAT LAMPS**

I INCINION HEALT EAN					
CHINA CHINA	HLP0001	Chrome Finish  Metal Plating Overall length adjustable 500mm – 1800mm Shade diameter 228mm Standard E27 screw in fitting globe with Teflon coating Supplied without plug. Must be installed by a licensed electrician	0.25kW	1kg	\$220
CHINA CHINA	HLP0002	Copper Finish  • Metal Plating  • Overall length adjustable 500mm – 1800mm  • Shade diameter 228mm  • Standard E27 screw in fitting globe with Teflon coating  • Supplied without plug. Must be installed by a licensed electrician	0.25kW	1kg	\$220
CHINA CHINA	HLP0003	Space Grey Finish Powder coated Overall length adjustable 500mm – 1800mm Shade diameter 228mm Standard E27 screw in fitting globe with Teflon coating Supplied without plug. Must be installed by a licensed electrician	0.25kW	1kg	\$220



# **ADJUSTABLE HEAT LAMPS**

VENUS HEAT LAMPS	Model	F	Product Description			Kg	List Price excl GST
	HLD0001B HLD0001C HLD0001S HLD0001W	<ul> <li>Supplied with suit all our he</li> <li>Adjustable fr</li> <li>Lamp cover is</li> </ul>	Black, Copper, Silver ar h a 250W Teflon coated eatlamp range om 500mm to 1800mm s 216mm x 156mm hout plug. Must be inst	globe to	0.25kW	ALL VENUS LAMPS 1kg	\$240 each
CHINA	HLD00 (Bla	01B ack)	HLD0001C (Copper)	HLD0001S (Silver)	HLD0001W (White)		

### **MARS HEAT LAMPS**

HLDO HLDO	Available in Black, Copper, Silver and White     Supplied with a 250W Teflon coated globe to	0.25kW	ALL MARS LAMPS 1kg	\$280 each
CHINA	ILD0002B HLD0002C HLD0002S (Silver)	HLD0002W (White)		

### **SATURN HEAT LAMPS**

HLD0003B HLD0003C HLD0003DC HLD0003S	ALL SATURN LAMPS  • Available in Black, Copper, Dark Copper and Silver  • Supplied with a 250W Teflon coated globe  • Adjustable from 500mm to 1800mm  • Lamp cover is 249mm x 275mm  • Supplied without plug. Must be installed by a licensed electrician	0.25kW	ALL SATURN LAMPS 1kg	\$260 each
HLD0003B (Black)	HLD0003C HLD0003DC (Dark Copper)	HLD0003S (Silver)		

# BENCHTOP HEAT LAMPS ICE

BENCHTOP HEAT LAMPS	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
CHINA	HLB0001	Single Benchtop Heat Lamp  Iron chrome plated shade in a platinum colour  Supplied with a 250W Teflon coated globe per shade  Supplied with a 10A plug  Adjustable from 595mm to 750mm  Independent on/off switch	240V	0.25kW	360 x 450 x 500	3.1kg	\$200
CHINA	HLB0002	Double Benchtop Heat Lamp  Iron chrome plated shade in a Platinum colour  Supplied with a 250W Teflon coated globe per shade  Supplied with a 10A plug  Adjustable from 595mm to 750mm  Independent on/off switch for each light	240V	0.5kW	360 x 450 x 600	4.3kg	\$260
	HLB0003	Triple Benchtop Heat Lamp  Iron chrome plated shade in a Platinum colour  Supplied with a 250W Teflon coated globe per shade  Supplied with a 10A plug  Adjustable from 625mm to 895mm  Independent on/off switch for each light	240V	0.75kW	1100 x 450 x 700	6.4kg	\$400
CHINA	HLB0004	Quadruple Benchtop Heat Lamp  Iron chrome plated shade in a Platinum colour  Supplied with a 250W Teflon coated globe per shade  Supplied with a 10A plug  Adjustable from 625mm to 895mm  Independent on/off switch for each light	240V	1kW	1200 x 450 x 700	7.6kg	\$460
CHINA	HLB0005	Quintuple Benchtop Heat Lamp  Iron chrome plated shade in a Platinum colour  Supplied with a 250W Teflon coated globe per shade  Supplied with a 10A plug  Adjustable from 625mm to 895mm  Independent on/off switch for each light	240V	1.25kW	1300 x 450 x 700	9.4kg	\$540



## **BANQUET CARTS**



#### **BANQUET CART** Unit Size (mm) List Price Model **Product Description** Voltage **Power** Kg LxDxH excl GST COLD BCC0016 **Banquet Cart Cold** 240V 0.43kW 781 x 885 x 2000 \$4,800 125kg 10A • 16 Level Refrigerated Unit Used to transport food safely from the kitchen to the banquet •Temperature range -2° to +4°C • 3451 • GN pan designed • 16 levels, 2/1 GN per level • 304 grade stainless steel exterior and interior • Built in handles on all four sides for easy mobility • Heavy duty, non-marking swivel and braked castors for easy mobility and positioning • Round corner design for easy cleaning • Door open over 90° allows for easy loading/unloading and use • Self closing doors prevent loss

of temperature and reduce energy consumption

+ FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS EX WAREHOUSE SYDNEY

43°C ambient
Circulation fans for even temperature and quick cooling
Automatic reset cut-out switch prevents overheating
Manufacture code: P16SF

М

# **BANQUET CART HOT**





## **PASTA MACHINES**



### More dies available upon request

PASTA MACHINES	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H)	Kg	List Price excl GST
ITALY	PMB0001	Manual Pasta Extruder  Traditional pasta extruder  Patented design since 1875  Tube holds 480g pasta dough  Supplied with a choice of 4 dies and a wooden bench  Can be attached to a flat work bench instead of wooden bench if desired  Classic cast brass pasta tube and lacquered iron finish  Manufacture code: TG000B	N/A	N/A	510 x 130 x 130	4.6kg	\$1,100
ITALY	PMB0002	Lillodue Automatic Pasta Machine  Small automatic pasta extruder  Perfect for domestic or light commercial use  1kg flour capacity  Producing 3kg per hour in extrusion  Constructed with removable components for easy cleaning  Supplied with a 4 piece die pack  Manufacture code: Lillodue P2  Supplied Dies for PMB0002  #6 2mm Spaghetti die  #20 7mm Fettuccine  #30 7.5mm Rigatoni  Adjustable lasagne sheet	240V	0.37kW	250 x 530 x 250	23kg	\$5,200
ITALY	PMB0035	Pasta Machine PM35  Produces various types of fresh pasta. A practical, robust & simple to use machine  Compact bench top commercial pasta extruder  Perfect for small restaurants, noodle bars etc  3.5kg flour capacity  Producing 9kg pasta per hour in extrusion  Removable auger and mixer for easy cleaning  Supplied with a choice of two 4 piece die packs  Manufacture code: PM35V230  Supplied Dies for PMB0035  Cutter system for short pasta Then choice of: Pack 1  #6 2mm Spaghetti  #20 7mm Fettucine  #36 7.5mm Rigatoni  Adjustable lasagne sheet  OR Pack 2  #34 35mm Rigatoni (smooth)  #43 Cocciolette  #49 Fusilli  #50 Casarecce	240V	0.55kW	560 x 400 x 540	60kg	\$13,000



## **PASTA MACHINES**



## More dies available upon request

PASTA MACHINES	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H)	Kg	List Price excl GST
ITALY	PMB0050	Pasta Machine PM50 Produces various types of fresh pasta. A practical, robust & simple to use machine Compact bench top commercial pasta extruder Perfect for small restaurants, noodle bars etc Skg flour capacity Producing 13kg pasta per hour in extrusion Removable auger and mixer for easy cleaning Supplied with a choice of two 4 piece die packs Manufacture code: PM50M  Supplied Dies for PMB0050 Cutter system for short pasta Then choice of: Pack 1 #20 7mm Fettucine #36 7.5mm Rigatoni Adjustable lasagne sheet OR Pack 2 #34 35mm Rigatoni (smooth) #43 Cocciolette #49 Fusilli #50 Casarecce	240V	0.75kW	680 x 420 x 550	70kg	\$14,800
ITALY	PMB0080	Pasta Machine PM80 1PH  Produces various types of fresh pasta. A practical, robust and simple to use machine  Commercial pasta machine  Suits larger restaurants, noodle bars, small wholesale manufacturers  Skg flour capacity  Producing 15/17kg pasta p/h in extrusion  Removable auger and mixer for easy cleaning  Supplied with a 4 piece die pack, cutter system for short pasta and stand with fan  Manufacture code: PM80M  Supplied Dies for PMB0080  Cutting system for short pasta  Stand with Ventilator  #5 1.75mm Spaghetti  #20 7mm Fettucine  #37 10.5mm Penne  Adjustable lasagne sheet	240V	1.1kW	500 x 700 x 1270	130kg	\$20,000





## **PASTA MACHINES**





## More dies available upon request

		Fiore die			•		
PASTA MACHINES	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
	PMB1080	Produces various types of fresh pasta. A practical, robust and simple to use machine Commercial pasta machine Suits larger restaurants, noodle bars, small wholesale manufacturers Skg flour capacity Producing 15/17kg pasta p/h in extrusion Removable auger and mixer for easy cleaning Supplied with a 4 piece die pack, cutter system for short pasta and stand with fan Manufacture code: PM80T	400V 3PH	1.1kW	500 x 700 x 1270	130kg	\$20,000
ITALY		Supplied Dies for PMB1080  Cutting system for short pasta Stand with Ventilator #5 1.75mm Spaghetti #20 7mm Fettucine #37 10.5mm Penne Adjustable lasagne sheet					
	PMB1096	Produce various types of fresh pasta. A practical, robust and simple to use pasta machine Commercial pasta extruder Suits larger restaurants, noodle bars and small wholesale manufacturers Reflour capacity Producing 25/30kg pasta p/h in extrusion Removable auger and mixer for easy cleaning Features a water cooling system on extrusion tube Supplied with a 4 piece die pack, cutter system for short pasta and stand with fan Manufacture code: PM96T  Supplied Dies for PMB1096 Cutting system for short pasta Stand with Ventilator #5 1.75mm Spaghetti #20 7mm Fettucine	400V 3PH	1.5kW	500 x 720 x 1350	140kg	\$23,600
ITALY		#37 10.5mm Penne     Adjustable lasagne sheet					
ITALY	RMB0090	Ravioli Maker  • 90mm wide double pasta sheet ravioli machine with interchangeable moulds  • Automatic commercial ravioli maker produces different ravioli shapes and dose the amount of filling required  • Shapes available: 70 x 60 and 35 x 35  • Supplied with choice of ravioli moulds  • Stainless steel construction  • Producing 50 to 150 ravioli per minute  • Manufacture code BE90	240V	0.18kW	440 x 450 x 660	44kg	\$14,000




## **PASTA LUNGA**






# **SFOGLIA**







## **PASTA CORTA**





## **FOOD PROCESSORS**

## taurus

ROWZER PLUS	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
SPAIN	R0W0001	Rowzer Plus Frozen Food Processor	240V	1.0kW	395 x 190 x 475	18kg	\$9,600
	XR0W1001	Beaker with lid - 4 Pack	N/A			\$288	



#### **Rowzer Plus Frozen Food Processor**

The Rowzer Plus provides the perfect texture and temperature. The attractively-designed, compact food processor will enable you to create a wide range of ice-creams and sorbets easily, quickly and processes only the portions desired.

The advanced design of its blades together with a high-pressure air circulation system will allow the creation of new and unique frozen textures

- Easy to disassemble, easy to clean and robust
- The Rowzer Plus has 2 motors and a stainless steel container beaker with a capacity of up to one litre of frozen ice-cream
- High quality aluminium body
- · Supplied with six stainless steel containers with lids
- 1L capacity (maximum fill volume 800ml)
- Ideal food temperature -22°C
- Blade speed 2000 rpm
- Easy to read LCD screen

### **MYCOOK**

-#:	MYT0001	MyCook 1.8 Food Processor	240V	1.8kW	350 x 270 x 290	7.8kg	\$1,860
SPAIN							



#### MyCook

The MyCook 1.8 food processor has the most innovative cooking technology that concentrates the features of several appliances into just one. With a unique and exclusive induction system My Cook is able to reach 120°C.

Its innovative system enables you to cook quickly, prepare several processes at the same time and produce a great deal of recipes, regardless of their difficulty.

- Turbo speed to cut, chop and shred faster even with the hardest ingredients
- Knead function for bread dough, bakery, pastry and pizza
- Slow cooking speed, which controls blades speed smoothly and brings temperature up to 120°C
- Supplied with one stainless steel jar (2L working capacity) with a high-strength carbon stainless steel blade, paddle to whip or stir food without crushing it, removable rubber spatula -resistant to high temperatures
- · Optional steamer and strainer baskets





# **SOUS VIDE**

SOUS VIDE CIRCULATOR	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
CHINA	HSV1000	Sous Vide Circulator  1200 watt pump keeps up to 30 litres of water at an even, consistent temperature  Heats up to 95° C  IPX7 construction prevents malfunction if accidentally dropped in water  Adjustable timer lets you select up to 99 hours  Displays temperature in tenths of a degree in Fahrenheit or Celsius  Manufacture code: HSV1000-AU	240V	1.2kW	89 x 190 x 324	2kg	\$980

240V

1.5kW

350 x 430 x 400



13.2kg

## **PLANETARY MIXER**



CPM0800 Planetary Mixer 8L

- 8 quart stainless steel bowl, capacity of 2kg flour per batch
- All metal gears
   Heavy duty stainless steel beater, dough hook, wire whisk and bowl with 2 handles, all supplied
- Variable 7 speed dial and pulse; allows for speed changes while
- mixing
   Tilt head
- Die-cast aluminium body
- BPA free plastic safety bowl guard with micro switch
- Manufacture code: CPM800-AU

\$1,440





## **PIZZA TRAYS & TROLLEYS**

PIZZA TRAYS & TROLLEYS	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
INOLLETS							
	PTG0070	70mm Deep Pizza Tray  Stackable pizza tray 70mm deep Material made of PE (polyethylene) Food safe Resistant to temperatures from -40°C to +80°C and up to 120°C during washing Dishwasher safe Internal height 55mm deep	N/A	N/A	600 x 400 x 70	1.3kg	\$32
ITALY							
	PTG0100	100mm Deep Pizza Tray  Stackable pizza tray 100mm deep Material made of PE (polyethylene)  Food safe Resistant to temperatures from -40°C to +80°C and up to 120°C during washing Dishwasher safe Internal height 85mm deep	N/A	N/A	600 x 400 x 100	1.5kg	\$36
ITALY							
ITALY	PTG0133	Perforated Pizza Tray  • 100mm deep  • Material, made of PE (polyethylene)  • Lid to suit is PTG9999 suitable on (polyethylene)  • Food safe  • Resistant to temperatures from -40°C to +80°C and up to 120°C during washing  • Dishwasher safe  • Internal height 85mm	N/A	N/A	600 x 400 x 100	1.1kg	\$40
ITALY	PTG9999	Pizza Tray Lid  • Suitable for use with both 70mm deep and 100mm deep pizza trays  • Material made of PE (polyethylene)  • Food safe  • Resistant to temperatures from -40°C to +80°C and up to 120°C during washing  • Dishwasher safe	N/A	N/A	600 x 400 x 10	0.9kg	\$24
ITALY	PTG1111	Pizza Tray Trolley  • ABS material  • Made to move stacked pizza trays	N/A	N/A	615 x 415 x 170	3.7kg	\$180



# STICK BLENDERS ICE

STICK BLENDERS	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
CHINA	IMH0228  ★★	Stick Blender  230mm shaft (9")  Up to 11L  Ideal for preparing smaller food batches  Powerful 250W motor  Variable speed dial provides greater control over the texture of sauces, purees, soups and emulsions  Easy to use ergonomic design provides maximum blending control  Easy lock, unlock shaft securely locks in place and detaches with a twist for easy clean up  Variable speed dial  2.4m long yellow power cord for high visibility  Manufacture code: HMI009-AU	240V	0.25kW	530 x 89 x 140	2.6kg	\$540
	<b></b>						
	IMH0355	BigRig Stick Blender 14"  • 355mm shaft  • Up to 53L  • Manufacture code: HMI014-AU	240V	1kW	820 x 216 x 140	6.2kg	\$1,080
	IMH0406	BigRig Stick Blender 16"  • 406mm shaft • Un to 87!	240V	1kW	880 x 216 x 140	6.3kg	\$1,200

	**	355mm shaft     Up to 53L     Manufacture code: HMI014-AU	2400	INW	020 x 210 x 140	0.2kg	<b>\$1,000</b>
	IMH0406	BigRig Stick Blender 16"  • 406mm shaft  • Up to 87L  • Manufacture code: HMI016-AU	240V	1kW	880 x 216 x 140	6.3kg	\$1,200
	IMH0457  ★★	BigRig Stick Blender 18"  • 457mm shaft  • Up to 121L  • Manufacture code: HMI018-AU	240V	1kW	930 x 216 x 140	6.4kg	\$1,400
CHINA	IMH0533	BigRig Stick Blender 21"  • 533mm shaft  • Up to 158L  • Manufacture code: HMI021-AU	240V	1kW	1000 x 216 x 140	7kg	\$1,680
CHINA	XIMH0007	Whisk attachment to suit all models					\$640
i I T ~	XIMH0008	355mm shaft complete					\$500
	XIMH0009	406mm shaft complete					\$550
	XIMH0010	457mm shaft complete					\$600
the ten ten ten	XIMH0011	533mm shaft complete					\$700

### All above models feature:

• Sealed and removable stainless steel shaft • Stainless steel shaft with ergonomic grip • Interchangeable shaft and whisk as an optional accessory • Stainless steel blade with guard for quick blending/chopping / pureeing/ emulsifying • Variable speed dial • Comes with power base and wall mount hanger • Blending speed 3000 rpm to 15,000 rpm • 2 Years Warranty



## **SLICERS - BELT DRIVEN**

## SLICERS – BELT DRIVEN



Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
SLL0200	Slicer 195mm Domestic  Removable sharpener  Domestic or light commercial	240V	0.11kW	300 x 430 x 292	11kg	\$600
	use only • 1 year warranty for domestic use • 3 month commercial warranty • Made in Italy • Manufacture code: LUCY20GL					



## **SLICERS – BELT DRIVEN**

	MSA3220	220mm Slicer Gravity fed slicer Blade diameter: 220mm Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Medium duty construction Cut capacity: 160 x 190mm Blade speed: 420 rpm Maximum slice thickness: 10mm Manufacture code: MSA0220	240V	0.2kW	457 x 280 x 368	13kg	\$780
	MSA3250	250mm Slicer Gravity fed slicer Blade diameter: 250mm Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Medium duty construction Cut capacity: 170 x 190mm Blade speed: 420 rpm Maximum slice thickness: 10mm Manufacture code: MSA0250	240V	0.32kW	483 x 280 x 368	15kg	\$880
CHINA	MSA3300	300mm Slicer  Gravity fed slicer Blade diameter: 300mm Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Medium duty construction Cut capacity: 240 x 150mm Blade speed: 370 rpm Maximum slice thickness: 17mm Manufacture code: MSA0300	240V	0.42kW	610 x 343 x 457	24kg	\$1,400
CHINA	MSA5300	Heavy duty Slicer Gravity fed slicer Blade diameter: 300mm Six pole motor Safe blade removal tool Belt driven blade Not suitable for cheese or wet products i.e lettuce and tomatoes Cut capacity: 240 x 150mm Blade speed: 370 rpm Maximum slice thickness: 17mm Manufacture code: MSA5300	240V	0.42kW	613 x 368 x 422	29kg	\$2,000







List Price

Unit Size (mm)

### **FIXED HEAD FIXED BOWL M**

ITALY

<b>/IXER</b>	Model	Product Description	Voltage	Power	Lx Dx H	Kg	excl GST
	SMM0005	Fixed Head Fixed Bowl  5kg finished product 3kg dry flour Bowl 7L  Bowl, hook, shaft and safety guard all stainless steel Single phase / single speed Bowl speed 10rpm Spiral speed 100rpm Manufacture code: PK5M	240V	0.37kW	540 x 260 x 527 Bowl Size 237 x 160	33kg	\$1,850

### TILTING HEAD REMOVABLE BOWL









FIXED HEAD & BOWL – ECONOMY	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
ITALY	SMM9925	Economy Model 20kg  Fixed head/bowl  20kg finished product  12.5kg dry flour  Bowl 33L / Timer  Bowl, hook, shaft all stainless steel  Supplied with castors  Bowl speed 10rpm  Spiral speed 100rpm  Mininimum water to flour ratio is 50%  Manufacture code: IM25	240V	1.1kW	762 x 430 x 770  Bowl Size 400 x 260	95kg	\$3,200
ITALY	SMM9944 ★ ★	Economy Model 38kg  Fixed head/bowl  Bowl 50L  38kg finished product  25kg dry flour  Bowl, hook, shaft all stainless steel  Supplied with castors  Bowl speed 10rpm  Spiral speed 100rpm  Mininimum water to flour ratio is 50%  Bowl size 500 x 270  Manufacture code: IM44	240V	1.1kW	860 x 530 x 790 Bowl Size 500 x 270	110kg	\$4,600
	SMM9960	Economy Model 60kg  • 60kg finished product  • 40kg dry flour  • Bowl 75L	400V 3PH	2.6kW/ 3.4kW	575 x 1020 x 1010 Bowl Size 550 x 370	250kg	\$9,200




is 50%

Manual timerThree phase 2 speed

Bowl, hook and shaft all st/steel
Supplied on castors with 2 front lockable levelling feet
Bowl speed: 12rpm/24rpm
Spiral speed: 68rpm/140rpm
Mininimum water to flour ratio

 Plug not supplied. Must be installed by licensed electrician
 Manufacture code: IM60D



ITALY









#### **BAKERY SPIRAL MIXERS**



	Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
	SMM1060	Spiral Mixer 60kg  • 60kg Finished product  • 40kg flour  • 100L bowl  • Manufacture code: SP60	400V 3PH	Spiral motor 1.5kW/3kW Bowl motor 0.55kW	630 x 1180 x 1312 Tool speed: 98/198rpm Bowl speed:21rpm	370kg	\$15,600
	SMM1080	Spiral Mixer 80kg  • 80kg finished product  • 50kg flour  • 130L bowl  • Manufacture code: SP80	400V 3PH	Spiral motor 3kW/5.2kW Bowl motor 0.75kW	730 x 1305 x 1460  Tool speed: 112/224rpm  Bowl speed:16rpm	510kg	\$17,200
	SMM1130	Spiral Mixer 130kg  130kg finished product 80kg flour 200L bowl Manufacture code: SP130	400V 3PH	Spiral motor 3kW/5.2kW Bowl motor 0.75kW	830 x 1355 x 1460 Tool speed: 112/230rpm Bowl speed:16rpm	580kg	\$22,000

#### All above models:

- Dual motors, 1 for the bowl and one for the hook
   Dual automatic timers
   Pulse rotation of bowl for easy unloading

- Reversible bowl
- 2 speeds
- Stainless steel safety guard and head plate cover above spiral
  Minimum water to flour ratio is 50%

- Plug not supplied. Must be installed by qualified electrician

#### **FORKED MIXERS**



	SMF0025	Forked Mixer 25kg  • Single phase single speed  • 30L bowl  • 25kg finished dough  • 15kg bag of flour  • Manufacture code: FC25M	240V	1.1kW	870 x 560 x 890 Bowl 10rpm Fork 30rpm	140kg	\$8,000
	SMF0035	Forked Mixer 35kg  • 3 phase 2 speed  • 40L bowl  • 35kg finished product  • 20kg bag of flour  • Manufacture code: FC35D	400V 3 Phase	0.75kW/ 1.1kW	885 x 590 x 890 Bowl Low 6rpm High 10rpm Fork Low 20rpm High 30rpm	145kg	\$9,000
	SMF0080	Forked Mixer 80kg  • 3 phase 2 speed  • 93Lt bowl  • 80kg finished product  • 50kg flour (2 bags)  • Manufacture code: FC80D	400V 3 Phase	1.1kW/ 1.5kW	1025 x 744 x 1110 Bowl Low 6rpm High 10rpm Fork Low 20rpm High 30rpm	290kg	\$15,600

#### All above models:

- Minimum water to flour ratio is 50%
- All rotating parts on ball bearings
- Stainless steel frame
- Plug not supplied. Must be installed by qualified electrician



#### **PASTRY SHEETERS**





#### **PASTRY SHEETER -BENCH TOP**

•	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	PSM0570	Pastry Sheeter	240V	0.55kW	1520 x 920 x 700	160kg	\$9,200
		Ideal for rolling all types of pastries, puff pastry, croissants, pasta dough, etc. Roller length 500mm Tables 700mm (each side) Variable speed Folding arms for storage (820mm high) - 3-36mm dough thickness			(Body 380mm x 780mm, feet inset 50mm each. Will sit on 700mm deep bench)		



#### **PASTRY SHEETER - FLOOR MODEL**

PSM6120	Pastry Sheeter  • Ideal for rolling all types of pastries, puff pastry, croissants, pasta dough etc  • 0-50mm Dough thickness  • Chromium plated rollers  • Roller length 600mm  • Roller diameter 80mm  • 3 Phase single speed  18.5m/s inlet; 28.8m/s outlet  • Tables 1316mm each side  • Easy to dismantle scrapers for quick and easy cleaning  • Upon delivery, supplied in crate. Arms need to be lifted and assembled in position  • Plug not supplied. Must be installed by licensed electrician	400V 3PH	0.75kW	3290 x 1170 x 1060	260kg	\$12,200
ITALY	<ul><li>installed by licensed electrician</li><li>Manufacture code: SF600-120</li></ul>					

#### **BUN DIVIDER/ROUNDER**



#### BDM0030 Manually Operated Bun Divider/Rounder

- 30 round portion buns
- All in one unit presses, cuts and rounds
- Supplied with 3 x food grade plates (polyethylene PETG)
- Stainless steel knives
- Min. ball weight 40g
- Max. ball weight 135g
  Maximum chamber capacity 4kg
- Plug not supplied. Must be installed by licensed electrician
- Manufacture code: DR30M

400V 0.75kW 604 x 605 x 1970 230kg \$15,400 3PH

#### **AUTOMATIC BUN DIVIDER**



#### BDM0015A Automatic Bun Divider

- · Automatic machine with hydraulic movement
- 15 divisions
- Minimum ball size 15 balls of 150g each (2.25kg dough)
  Maximum ball size 15 balls of
  350g (5.25kg dough)
  Bowl capacity 5.3kg
  Head diameter 400mm

- Equipped with PLC programmer and button for cleaning knives
- Capable of setting up to 10 work programs
- Supplied with 3 plates, food grade PETG Stainless steel knives
- Plug not supplied. Must be installed by licensed electrician
- Manufacture code: DR15A

400V	0.75kW	653 x 653 x 1465	350kg	\$29,000
3PH				





# DOUGH DIVIDERS ICE

DOUGH DIVIDER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	DBM0800	Ouickly rounds portions of dough from 30g to 800g     Supplied with teflon coated aluminum auger for traditional dough, hydrated dough (maximum 65%) and pastry     Easy to use, clean and maintain     Manufacture code AR800M-TE	240V	0.37kW	436 x 738 x 838	73kg	\$9,600
MECNOSUD	DDM0220	Dough Divider  Dough Divider with a rectangular 20 division tank 20 divisions at 80 x 200mm Skg to 17kg dough capacity Blades automatically ascend to divide the dough while in operation Lateral plates guarantee easy access to facilitate cleaning of the internal mechanism Comfortable handle on the lid for easy operation Ideal for bakeries looking at automating the dough dividing process Supplied without plug - must be installed by a licensed electrician Manufacture code: DV20	400V 3PH	1.5kW	585 x 800 x 1693	230kg	\$14,800
ITALY	DDM0220T	Dough Divider with Cutting Grids  3 functions in the same machine Hydraulic dough divider with 20 divisions Divider/Moulder for bread ready to be baked Press for butter and food dough Additional features include: Teflon coated head cover Flour basin Flour anti-spatter Divider/Moulder attachment Supplied without plug - must be installed by a licensed electrician Manufacture code: DV20T	400V 3PH	1.5kW	585 x 800 x 1732	280kg	\$18,800









DOUGH ROLLERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	DRM0031	Dough Roller 30cm Single Pass  Dough portions of 80g - 210g  Includes foot pedal Safety guard Stainless steel body Manufacture code: DL30M	240V	0.375kW 0.5HP	420 x 450 x 350	27kg	\$1,600
ITALY	DRM0030	Dough Roller 30cm  • Dough portions of 80g - 210g  • Includes foot pedal  • Safety guards  • Stainless steel body  • Manufacture code: DL30	240V	0.375kW 0.5HP	420 x 450 x 650	35kg	\$2,150
ITALY	DRM0040	Dough Roller 40cm  Dough portions of 80g - 400g  Includes foot pedal Safety guards Stainless steel body Manufacture code: DL40	240V	0.375kW 0.5HP	520 x 450 x 712	45kg	\$2,300
ITALY	DRM1040	Dough Roller 40cm Parallel  Dough portions of 100g - 700g  Includes foot pedal  Safety guards  Stainless steel body  Manufacture code: DL40P	240V	0.375kW 0.5HP	520 x 450 x 750	45kg	\$2,400





							Ì
MEAT MINCER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
2	MNS0008	Meat Mincer - No. 8	240V	0.3kW	320 x 200 x 430	10kg	\$640
The state of the s		Capacity approx. 30kg per hour     Supplied with 6mm plate     Manufacture code: F11850Y/I				· · · <b>3</b>	,,,,,
ITALY	XMPE0804 XMPE0808 MNF8010 MNF8020 XMNS0091	Accessories available  • 4.5mm plate  • 8mm plate  • 10mm sausage funnel  • 20mm sausage funnel  • Sausage spacer					\$24 \$24 \$8 \$8 \$8
TOMATO SQUEEZER							
ПАЦУ	TSE0004	Tomato Squeezer  • Size 4  • Tinner cast iron body and auger • Stainless steel hopper and collector  • Stainless steel filter • Motor power 300W • Worm revolutions: 160rpm • Manufacture code: F17400J/I	240V	0.3kW	330 x 580 x 300	10.5kg	\$720
ITALY	TSE1004	Tomato Squeezer Attachment  • To suit MNS0008  • Manufacture code: F17430/I	N/A	N/A	280 x 365 x 340	5kg	\$340
MEAT MINCER	,						
ITALY	MNS0022	Meat Mincer – No. 22  Powerful 600W motor  80rpm Forward and reverse Hot forged tin plated steel worm Approx 160kg per hour, depending on type and quality of meat, using 8mm plate Stainless steel base and motor cover Manufacture code: F19500/AUS	240V	0.6kW	240 x 505 x 430	18kg	\$990
	MNS1022	Tenderiser Option for NO. 22 Mincer • Manufacture code: F95650/PRO					\$650
MEAT MINCER							•
ITALY	MNS2222	Meat Mincer No. 22 S/Steel  • Supplied with 8mm plate  • Mincing body, worm, screw ring, plate, self-sharpening knife, hopper and structure in stainless steel  • Motor power output 1100W (1.5HP)  • Worm revolutions: 120rpm  • Output: 180kg/h  • Manufacture code: F02200/PR0	240V	1.1kW	530 x 270 x 450	26.5kg	\$2,100
<b>HEAVY DUTY MEAT</b>	MINCE	R				<b>Ø</b> F	וחחור
TAIWAN	MGT3012	Heavy Duty Meat Mincer No. 12     Stainless Steel safety guard     130kg per hour capacity     Supplied with sausage filler funnel and spacer     Supplied with 4.5mm, 6mm, 9mm and 12mm plates     Supplied with 3 knives:     1 x 3 blade, 1 x 2 blade and     1 x 4 blade     Forward and reverse functions     Allow to cool after 1 hour of continuous use	240V	0.56kW 0.75HP	600 x 260 x 310	23kg	\$1,480



## **PROCESSOR & BLADES**



FOOD PROCESSOR	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
Includes 7 blades  BRAZIL	FPA0007	Food Processor Pro  Stainless steel and cast aluminum structure  O.5HP  To discs included: Slicing 1mm, Slicing 3mm, Slicing 5mm, Slicing 5mm, Shredding 5mm and Shredding 8mm  Ejector disc included  Feeding mouths for different sized produce and continual operation  Compact and powerful, 250kg/h output  Manufacture code: PA7	240V	0.375kW	590 x 290 x 520	25.1kg	\$3,400

#### **FOOD PROCESSOR BLADES**

Note: The Slicing, Grating and Julienne Discs fit old and new model (PA7 and PAIE). The Dicing Grids are not interchangeable

BRAZIL		FPE0001 FPE0002 FPE0003 FPE0005 FPE0008 FPE0010	Veg/Cut Disc - Slicing 1mm (E1) Veg/Cut Disc - Slicing 2mm (E2) Veg/Cut Disc - Slicing 3mm (E3) Veg/Cut Disc - Slicing 5mm (E5) Veg/Cut Disc - Slicing 8mm (E8) Veg/Cut Disc - Slicing 10mm (E10	\$160
BRAZIL		FPZ0003 FPZ0005 FPZ0008	Veg/Cut Disc - Shredding 3mm (Z3) Veg/Cut Disc - Shredding 5mm (Z5) Veg/Cut Disc - Shredding 8mm (Z8)	\$160
BRAZIL		FPV0001	Veg/Cut Disc - Parmesan (V)	\$160
BRAZIL	(0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	FPH0001 FPH0003 FPH0007 FPH0010 FPH0014	Veg/Cut Disc - Julienne 1mm (H1) Veg/Cut Disc - Julienne 3mm (H3) Veg/Cut Disc - Julienne 7mm (H7) Veg/Cut Disc - Julienne 10mm (H10) Veg/Cut Disc - Julienne 14mm (H14)	\$180
BRAZIL		FPD0008PR0 FPD00010PR0 FPD00014PR0 FPD00020PR0	Veg/Cut Disc - Cubing Grid 8mm (GC8PRO)  Veg/Cut Disc - Cubing Grid 10mm (GC10PRO)  Veg/Cut Disc - Cubing Grid 14mm (GC14PRO)  Veg/Cut Disc - Cubing Grid 20mm (GC20PRO)  This grid has t used together an 'E' slicing by the self-cubing Grid 20mm (GC20PRO)	with
		FPP0001	Ejector Disc	\$36



#### 10 QUART

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
PMA1010	10 Quart Mixer with Timer  • 5 fixed speeds • 0.8HP air cooled motor • Direct drive gear driven transmission • Long life gear box • Grease packed ball bearing • Guard fitted with safety micro-switch • Gears and shafts made of heat treated alloy steel • 3 attachments supplied: whisk, hook and paddle • VOLUME GUIDE: Mashed Potatoes: 1.5kg Waffle/Pancake Mix: 2.L Pound Cake Mix: 2.5kg Bread/Roll Dough: 1.3kg (800g flour + 500mL water) • Speeds: 193/296/354/438/496 rpm	240V	0.65kW	350 x 450 x 530	22kg	\$2,000

240V

400V

3PH

0.37kW

#### **20 QUART**

TAIWAN



#### PMA1020 20 Quart Mixer with Timer

- 3 fixed speeds with easy speed shifting
- Direct drive gear driven transmission
- Long life gear box
- · Grease packed ball-bearing · Safety guard stainless steel
- Gears and shafts made of heat treated alloy
- steel
- 0.5HP motor3 attachments supplied: whisk, hook and paddle
- VOLUME GUIDE:

Mashed Potatoes: Waffle/Pancake Mix: Pound Cake Mix: 10kg
Bread/Roll Dough: 3kg
(2kg flour + 1L water)
• Speeds: 130/259/473 rpm 10kg

#### **40 QUART**



#### PMA1040 40 Quart Mixer with Timer

- 3 fixed speeds with easy speed shifting • Powerful 1.5HP air cooled motor
- Direct drive 100% gear driven transmission
- Safety guard stainless steel
- 1.5HP motor 3 attachments supplied: whisk, hook and paddle
- VOLUME GUIDE

Mashed Potatoes: 13kg Waffle/Pancake Mix: 16L Pound Cake Mix: 20kg Bread/Roll Dough: 10kg Speeds: 127/261/478 rpm 20kg 10kg

Flexible Option for purchase of 20 Quart accessories to enable smaller batches. Options include; Bowl, Whisk, Hook & Beater

#### 240V 1.125kW 610 x 660 x 1215 238kg \$9,200

1039 x 708 x 1430 455kg

\$18,000

417 x 486 x 802

100kg

\$4,200

#### **60 OUART**



#### PMA3060 **60 Quart Mixer with Timer**

- Gear driven
- Stainless steel safety guard • 4 Speeds with easy speed shifting
- 3HP motor
  3 attachments supplied; whisk, hook and paddle and additional bowl dolly
- VOLUME GUIDE:
- · Mashed Potatoes: 18kg
- Waffle/Pancake: 22L Pound cake mix: 25kg
- Dough: 27kg (18kg dry flour, 12L water)
   Speeds: 436/ 248/148/84 rpm
- Supplied without plug, must be installed by a licensed electrician





SCALES	Model	Product Description	Unit Size (mm)	Kg	List Price excl GST
CHINA	PSC0022	5kg Small Scale  5kg maximum weight in 1g increments  Small 150 x 150mm platform size  Counting, ZERO/CAL/TARE functions  Large LCD screen with white backlight  Operating time over 4 weeks when fully charged  Built in 3.7V/4AH rechargeable battery. AC/DC power supply/charger (USB Type A)  Manufacture code: TP-5-ZC022W	215 x 160 x 50	0.8kg	\$96
CHINA	PSC7330	Portion Scale  • 30kg maximum weight in 1g increments • Stainless steel double pan design • Waterproof keypad • Speedy weighing & stable reading within 1 second • LCD with white backlight • Built in 4V/4Ah rechargeable battery • AC/DC power supply/charger • Counting function • Operating time over 4 weeks when fully charged • Low voltage display & overcharge protection • Manufacture code: ACS-30-ZC78	300 x 340 x 120	3.5kg	\$300
FRONT	PSC9502	Dual Display 30kg Waterproof Portion Scale  30kg maximum weight in 1g increments Stainless steel double pan design Waterproof keypad Dual display Speedy weighing and stable reading within 1 second LCD with white backlight Operating time over 200 hours once fully charged Low voltage display and overcharge protection Built in 4V/4AH rechargeable battery. AC/DC power supply/charger Manufacture code: ACS-ZC502W	305 x 250 x 107	3.5kg	\$320
CHINA	PSC9215	150kg Platform Trolley Scale  150kg scale with stainless steel platform Platform dimensions: 320 x 420mm Units: kg, divisions of 50g. Maximum load 150kg, minimum load 1kg LCD indicator screen with green backlight Waterproof keyboard with 6 keys Use for counting and simple weighing Suitable for use in temperatures 0°C to 40°C at <85% RH 200 hours of use when fully charged Manufacture code: TCS-ZC61Z	615 x 320 x 657	8.5kg	\$540





TOMATO SLICER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	NTS0045	• Save time, labour & workspace • 60% less space than others • Razor sharp blades cut with trouble free precision • Unique self-lubricating track material that resists misalignment problems that cause nicks and broken blades • Manufacture code: 55600-1	N/A	N/A	360 x 160 x 170	4kg	\$960
	XNTS4661	Spare Blade for 4.5mm 13 Wires  • Manufacture code: 466-1					\$120
*	NTS0060	Fasy Tomato Slicer ¼" 6mm     6mm/14 Blades     Enclosed cartridge with pretensioned blades – no need to adjust     Save time, labour and workspace 60% less space than others     Manufacturer code: 55600-2			360 x 160 x 170	4kg	\$960
USA	XNTS4662	Spare Blade for 6mm 10 Wires • Manufacture code: 466-2					\$120
NEW!	NTS1045	Easy Tomato Slicer 2 %16" 4.5mm  4.5mm/14 Blades  Enclosed cartridge with pretensioned blades – no need to adjust  Save time, labour and workspace  60% less space than others  Razor sharp blades cut with trouble free precision  Unique self-lubricating track material that resists misalignment problems that cause nicks and broken blades  Manufacture code: 56600-1	N/A	N/A	190 x 467 x 238	4kg	\$1,180
HCV	XNTS5661	Blade cartridge to suit NTS1045  • Manufacture code: 566-1					\$240
USA EW!	NTS1060	Easy Tomato Slicer 2 1/4" 6mm     6mm Cut/11 Blades     Enclosed cartridge with pretensioned blades – no need to adjust     Save time, labour and workspace     60% less space than others     Razor sharp blades cut with trouble free precision     Unique self-lubricating track material that resists misalignment problems that cause nicks and broken blades     Manufacture code: 56600-2	N/A	N/A	190 x 467 x 238	4kg	\$1,180
USA	XNTS5662	Blade cartridge to suit NTS1060  • Manufacture code: 566-2					\$240
UJN	N. Fr			1			







CHEESE SLICER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
USA	NCC0002	Easy Cheeser 3/4" – 18mm  9/4" cube cut Labour saving Time saving (cubes a 2kg cheese block in 75 seconds vs. 20 minutes by hand) Consistent cut size for portion control Stainless steel cutting wires operator replaceable Sturdy aluminium construction Manufacture code: 55300A	N/A	N/A	318 x 172 x 336	2kg	\$780
USA	NCC0003	Easy Cheeser 3/4" x 3/8" – 18mm x 9mm  • Easily interchangeable cut size arms (3/4" and 3/8")  • Labour saving • Time saving (cubes a 2kg cheese block in 75 seconds vs. 20 minutes by hand)  • Consistent cut size for portion control  • Stainless steel cutting wires operator replaceable  • Sturdy aluminium construction  • Manufacture code: 55300A-2	N/A	N/A	318 x 172 x 336	2kg	\$1,080
USA	NCC0004	Easy Cheeser Mozzarella 5/16"  - 8mm  • Cutting bow can be easily removed for cleaning and the stainless steel cutting wires are replaceable  • Consistent cut size for portion control  • Easy to disassemble for cleaning  • Stainless steel cutting wires easily replaceable  • Manufacture code: 55300A-516D	N/A	N/A	318 x 165 x 101	2kg	\$920

#### **EASY FLOWERING ONION CUTTER**

	NF00001	Create the perfect signature snack or garnish     Load a peeled onion and pull the lever     All cast aluminum and stainless steel construction     Ergonomic handle and lever action     Wide base and non-slip suction feet     Stainless steel blades     Manufacture code: 55700	N/A	N/A	350 x 290 x 430	7.3kg	\$2,000
USA							





SCOOPER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
USA	NTS55875	Easy Tomato Scooper/Corer     Removes tomato stems in one movement     Increases life of tomato slicer blades by reducing damage cause by hard stems/cores     Manufacture code: 55875	N/A	N/A			\$8

### **SLICER**

	NES0001	Easy Slicer	N/A	N/A	280 x 200 x 400	4kg	\$1,700
		The one slicer you need to make fast, easy work of fruits and veg Unique adjustable blade provides full range of slicing options from 1.6mm to 12.7mm in thickness Manufacture code: 55200AN					
USA	NES1001	Portable Base Table  • Suits Easy Slicer NES0001  • Manufacture code: 55816	N/A	N/A	500 x 340 x 60	3kg	\$400

#### **CHOPPERS**

CHOI I ERO							
I	NEC0002	Easy Chopper II  • %" x %" (9mm x 9mm) square cut  • Manufacture code: 56500-2	N/A	N/A	250 x 250 x 512	4kg	\$1,020
	NEC0003	• ½" x½" (12mm x 12mm) square cut • Manufacture code: 56500-3	N/A	N/A	250 x 250 x 512	4kg	\$980
USA	NEC0004	Easy Chopper II  • 1/4" x 1/4" (6mm x 6mm) square cut  • Manufacture code: 56500-1	N/A	N/A	250 x 250 x 512	4kg	\$980

#### **GRIDDLE SCRAPER**

	NEG0001	Ergonomically designed to put more pressure on the blade with less effort.     Heavy duty cast aluminium body, stainless steel blades     Manufacture code: 55825	N/A	N/A	400 x 150 x 100	2kg	\$172
USA	XNEG55607-6	Spare Blades – 6 Pack					\$72






#### **LET**


TTUCE CUTTER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
	NEL0001	Easy Lettuce Cutter  • %" (9mm) slices  • Clean cut prevents lettuce browning on the edges  • No crushing or bruising of product  • Manufacture code: 55650-CS	N/A	N/A	325 x 450 x 500	8kg	\$2,080
	NEL0002	• ½" (12mm) x ½" (12mm) square cut • Manufacture code: 55650-3	N/A	N/A	325 x 450 x 500	8kg	\$2,080
	NEL0003	• ¾" (19mm) x ¾" (19mm) • Manufacture code: 55650-6	N/A	N/A	325 x 450 x 500	8kg	\$2,080

#### **ONION SLICER**


USA



#### **WEDGER**



#### **EASY VEGETABLE NOODLER**







CITRUS JUICERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	CEH0098	Citrus Juicer – Hand Operated  • Supplied with 2 size reamers  • All parts that come into contact with food are easily removable and dishwasher safe  • Safety cut-out on motor to prevent overheating  • 1400rpm  • Manufacture code: S98	240V	0.25kW	190 x 300 x 380	6.5kg	\$800
ITALY	CEL1098	Citrus Juicer – Lever Operated  • Stainless steel reamer and basket  • Lever handle for more efficient juicing and higher yield  • All food contact parts are stainless steel and dishwasher safe  • Microswitch for handle located at the back, not below motor, to prevent liquid damage  • 1400rpm  • Manufacture code: SL98	240V	0.3kW	190 x 300 x 360	8.5kg	\$1,320

#### **CENTRIFUGAL JUICERS**

CENTRIFUGAL JUICEI							
3 YEAR WARRANTY 10 YEARS ON MOTOR	CJC0500	Centrifugal Juicer – Medium Duty  Compact, lightweight and exceptionally quiet  Easy to disassemble and clean, due to magnetic system, no tools required  All food contact parts are dishwasher safe  The midiameter feed chute  Ideal for medium size operations – 120L/H  Manufacture code: ES500	240V	0.7kW	242 x 485 x 512	14.4kg	\$2,700
3 YEAR WARRANTY 10 YEARS ON MOTOR  ITALY	CJC0700	Centrifugal Juicer – Heavy Duty  • Easy to disassemble and clean, due to magnetic system, no tools required  • All food contact parts are dishwasher safe  • Unique double feed chute for different shape product 50mm and 75mm diameter  • Ideal for high turnover operations doing more than 10kg of produce per day - 160L/H  • 3000rpm  • Manufacture code: ES700	240V	0.8kW	290 x 538 x 512	19.2kg	\$4,500
3 YEAR WARRANTY 10 YEARS ON MOTOR  ITALY	CJC0900	Centrifugal Juicer Super Heavy Duty  Suitable for both on counter and through counter use Easy to disassemble and clean, due to magnetic system, no tools required All food contact parts are dishwasher safe Unique double feed chute for different shape product 50mm and 75mm diameter Ideal for high turnover operations doing more than 20kg of produce per day - 180L/H 3000rpm Manufacture code: ES900	240V	1kW	290 x 538 x 530	23kg	\$5,400





Unit Size (mm)

**List Price** 

# COLD PRESS JUICER

Model

JUICER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
3 YEAR WARRANTY 10 YEARS ON MOTOR  ITALY	CPJ0150	Cold Press Juicer  Optimal juice yield, richness, and consistency are achieved through the precise angling of the auger and the advanced design of the mesh filter  Innovative anti – block mesh filter and powerful motor make it perfect for continuous juicing  Simple twist drum cup to prevent dripping  Supplied with 2 jugs, 1 for pulp and 1 for juice  Easy to disassemble and clean  All food contact parts are dishwasher safe  Extremely silent operation  70rpm  60mm diameter feed chute  Manufacture code: CP150	240V	0.4kW	180 x 400 x 465	15.5kg	\$4,400

Voltage

Power

**Product Description** 



## **CITRUS JUICER**

BRAZIL	CES0001	Citrus Juicer  1750rpm motor  2 size reamers supplied:  Small - to suit lemons, limes  Large - to suit oranges, grapefruit  Manufacture code: EXI	240V	0.18kW	195 x 340 x 380	5kg	\$440
	XCES0003	Large Reamer					\$32
	XCES1639	Small Reamer					\$28

#### **TILTING BLENDER**

	LQS0025	Blender 25L  Suitable for all types of foods: soups, sauces, ice cream, juices, etc.  3500rpm  304 stainless steel container Blender tilts past 90° to easily pour out contents  Manufacture code: LAR-25	240V	1.118kW 1.5hp	1180 x 410 x 525	22kg	\$1,600
BRAZIL							


\$800





BENCHTOP DEHYDRATORS	Model	Product Description	Voltage	Power	Unit Size (mm	Kg	List Price excl GST
ITALY	DCT1001	ATACAMA - Cube  • 6 food grade ABS trays • 2600cm² drying surface • Body in painted steel and reinforced nylon • Anti-slip, anti-vibration rubber feet • Manual thermostat control • "Wideflow" technology ensures even drying across all trays • Manufacture code: F77000/CU/AUS	240V	0.5kW	260 x 350 x 270	4kg	\$340
ITALY	DCT2002	ATACAMA - Pro Deluxe  • 6 stainless steel mesh trays with ABS frame  • 5500cm² drying surface  • Body in stainless steel and reinforced nylon  • Anti-slip, anti-vibration rubber feet  • Easy to read and operate digital display with electronic control  • 5 "Auto" programmes for versatility  • 1 fully customisable programme for specific drying functions  • 1 delayed programme for deferred starting time  • "Wideflow" technology ensures even drying across all trays  • Manufacture code: F77000/DL/AUS	240V	0.5kW	260 x 500 x 270	5.5kg	\$660

#### **FOOD DEHYDRATOR**







## **DEHYDRATING / BILTONG CABINETS**

L

WAREHOUSE SYDNEY



Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCA0001	Biltong Cabinet – Small Full stainless steel body Adjustable temperature control Heater cannot be switched on without fan being in operation Efficient extraction fan for maximum air flow and uniform drying throughout cabinet Unit can cure 25kg of wet product at a time Chamber size: 500 x 450 x 910 Accessories supplied: 10 x stainless steel hanging rods 1 x stainless steel drip tray Manufacture code: BCB0245	240V	0.75kW	580 x 460 x 1080	43kg	\$1,400
BCA1001	Biltong Cabinet – Large  Glass window for product display Unit fitted with anti-bacterial ultraviolet lamp for product protection  Locking door handle for security Adjustable thermostat  Powerful extraction fan to ensure maximum air flow for uniform drying throughout Heater cannot be switched on without fan being in operation Unit can cure 100kg of wet product at a time Chamber size: 950 x 730 x 1750 Accessories supplied: 24 x stainless steel hanging rods 1 x stainless steel drip tray Manufacture code: BCB1250  FREIGHT: DUE TO THE SIZE OF THIS ITEM, PRICE QUOTED IS EX	240V	3kW 15A	1000 x 740 x 2015	120kg	\$4,600



SOUTH AFRICA

### **SAUSAGE FILLERS**

SOUTH AFRICA


	SFT0005	5L Sausage Filler	N/A	N/A	520 x 210 x 160	7kg	\$430
ITALY		Stainless steel cylinder Gear rack in carbon steel Aluminium gear block with self lubricating bushes Silicon gasket Supplied with 10, 20, 30 and 40mm funnels Manufacture code: 20000					
	SFT0008	7L Sausage Filler	N/A	N/A	635 x 210 x 160	9kg	\$480
ITALY		Stainless steel cylinder Gear rack in carbon steel Aluminium gear block with self lubricating bushes Silicon gasket Supplied with 10, 20, 30 and 40mm funnels Manufacture code: 20100				$T_{R}$	E SPADE






RIO BAR BLENDER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	BBN2255	Rio Bar Blender  Powerful 1.6 peak HP motor  Wave action jar with single stainless steel blade  Durable and easy to use switches, sealed to ensure longevity  High/low and pulse functions  Safety sensor on lid triple lid seal	240V		216 x 190 x 410 d ice in cocktails but ppés and other ice-ba		\$680
	Metal drive coupling Removable jar pad for easy cleaning Sure grip rubber feet Manufacture code: HBB255-AU						
	XBBN2001	1.4L Jug for BBN2255					\$280
(September 1997)		BPA free complete jug with Lid     Suits BBN2255/BBN2255S Rio Blenders		3 month warranty on jugs			
CHINA		Manufacture code: 6126-455-CE					

#### **RIO BAR BLENDER with STAINLESS STEEL JUG**



#### **FURY BLENDER**



#### **TEMPEST ICE BLENDER**





### **BLENDERS**



## TEMPEST FOOD BLENDER



Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BBF0600	Tempest Blender – Food  • Wave action jug design  • 3HP motor enables chefs to puree, emulsify, grind, chop, etc.  • Variable speed control for products that need slower or faster blending eg. mayonnaise  • Unique one touch chopping function for chopping solid ingredients  • Slow pour filler cap to easily add liquid to sauces etc while blending  • 2L stackable jug  • Manufacture code:HBF600-AU	240V	2.2kW 3HP	178 x 203 x 457	5kg	\$1,580
XBBN0001R	R Series Jug Complete  • Manufacture code: 6126-650R		3	\$340		

#### **ECLIPSE BLENDER**



BBE0755	Eclipse Blender	240V	2.2kW	210 x 290 x 470	7kg	\$2,500
	High performance blender New QuietBlend Technology Powerful 3HP motor Life time warranty on drive coupling and stainless steel blade Select from 100 pre-programmed cycles IN/ON counter model L Stackable jug Manufacture code: HBH755R-AU		3HP			
XBBE1002	Spare Jug for Eclipse – 2L  • Manufacture code: 6126-755R		3 month warranty on jugs			\$360

240V

1.5kW

226 x 312 x 473

14.5kg

\$3,150

### **SUMMIT IN/ON COUNTER**



	<ul> <li>BPA free copolyester container with laser-etched measurements to last a lifetime</li> <li>Mess-free spout for easy pouring and a comfortable, ergonomic handle</li> <li>Manufacture code: 6126-855</li> </ul>	3	month warranty on j	ugs		
- 1	<ul><li>1.4L Complete Jug for Summit Edge</li><li>Stackable</li></ul>				\$320	
	a creamy profile for every recipe  • Ultra-quiet blending with Advanced Quiet Blend <sup>™</sup> Technology  • One touch to perfect consistency with Auto Blend  • Intuitive capacitive touchpad with 6 programmable buttons, variable speeds and pulse  • Summit® Edge comes with 36 pre- programmed cycles in 11 languages  • Stackable 1.4 L BPA-free copolyester container  • Easy-to-use Quiet Shield <sup>™</sup> sound enclosure  • Manufacture code: HBH855-AU					



Model



List Price

excl GST

Kg

HBF1100	Expeditor Culinary Blender 4L  Powerful 3.5HP motor  Lid interlock with safety micro switch  Unique chop function pulses blades to ensure optimum consistency  Dosing cup incorporated into lid  Variable speed control  4 preset timer keys  Custom programs provides automation for signature recipes  Ideal for use in hospitals, aged care facilities and any large commercial kitchen  Manufacture code: HBF1100SR-CE	240V	2.61kW 3.5HP	226 x 378 x 481	9.5kg	\$4,000
XHBF1002	Polycarbonate Jug to suit Polycarbonate 4L jug complete with li	id	3 mon	th warranty on jugs		\$800

Voltage

Power

Unit Size (mm)

**Product Description** 

#### **TAMPER**

XBBN9999	Hamilton Beach Tamper	N/A	N/A		\$64
	Tamper or muddling stick suitable for use with XBBN1001 or XBBE1001/2 Assists blender in effectively blending hard product like ACAI Manufacture code: BT650				

## HAND OPERATED JUICER

CHINA		BJ0932  Manual Citrus Juicer  Designed to extract juice from lemons, limes, oranges and grapefruit  Removable strainer cone and funnel for easy cleaning  Maximum juice extraction  Manufacture code: 932	N/A	N/A	178 x 230 x 495	4.3kg	\$540	
-------	--	---	-----	-----	-----------------	-------	-------	--

## **QUIET SHIELD FOR 'TEMPEST' BLENDERS**

USA	XBBN0651	After Market Quiet Shield  • Suitable for new and old model 'Tempest' blenders  • Manufacture code: SE2-HBH-650  NOTE: Blender <u>not</u> included	\$840
	XBBE1751	Frothing Jug  • Froth skim milk into cold foam topping in less than 20 seconds  • Ideal for whipping, frothing, aerating and emulsifying  • Patent-pending cone agitator  • Durable jar clutch  • 1.4L Jug - Suitable for Quantum BBQ0950 and Eclipse BBE0755 blenders  • Manufacture code: 6126-751	\$320
	XBBJ0750	<b>Jar Pad</b> To use this jug on the Tempest BBT0650 and Fury BBD0550 simply use the convertible jar pad XBBJ0750	\$32



## **MILKSHAKE MIXERS**



MILKSHAKE MIXERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	HMD0200	Single Milkshake Mixer  • Supplied with stainless steel cup  • Sealed and permanently lubricated bearings  • 3-speed settings and pulse function  • Two-way motor activation with cup or pulse switch  • Manufacture code: HMD200R-AU	240V	0.3kW	165 x 171 x 521	6.5kg	\$720
	HMD0400	Triple Milkshake Mixer  • Supplied with 3 stainless steel cups  • Sealed and permanently lubricated bearings  • 3-speed settings and pulse function  • Two-way motor activation with cup or pulse switch  • Manufacture code: HMD400R-AU	240V	0.3kW per motor	318 x 229 x 521	15.5kg	\$2,000
	XHMD0929	Frozen Dessert Impellor					\$48
CHINA	XHMD0930	Agitator for mixing in of pre- ground candies, biscuits, etc					\$84





**List Price** 

excl GST

\$110

\$120

Kg

0.9kg

1.3kg

Unit Size (mm)

89 x 89 x 330

114 x 114 x 356

## **BARISTA PLUS**

CREAM GUNS	Model	Product Description
	CGB0001	Cream Gun – 0.5L  • Full steel head  • Supplied with floret and decorating nozzles  • Aluminium bulb holder
CHINA	CGB0002	Cream Gun – 1L  Full steel head Supplied with floret and decorating nozzles Aluminium bulb holder

#### RARISTA PRO CREAM STAINLESS STEEL DISPENSERS

DAKISTA PRO CREAM STAINLESS STEEL DISPENSERS								
	CGB0003	Barista Pro – 0.5L  Professional grade used by baristas and chefs worldwide Beautifully crafted, stainless steel construction Whipped cream lasts for up to 14 days in the refrigerator Create perfect fluffy and fresh whipped cream or add flavorings to make more unique creations Silicone head gasket Full Stainless Steel chrome charger with medical grade silicone grip and removable stainless steel piston for easy cleaning Decorator tips with stainless steel threads	89 x 89 x 305	1.1kg	\$150			
CHINA	CGB0004	Barista Pro – 1L	108 x 108 x 356	1.3kg	\$170			

#### **CREAM CHARGERS**

CGB100	* 8g (grams) nitrous oxide bulbs     * 10 bulbs per pack     * 40 packs per carton  For bulk pricing (10 cartons +) please contact your area sales manager or our head office.	\$8.20
--------	--	--------

#### **SODA CHARGERS**

CGB9999	Carbon dioxide bulbs     10 bulbs per pack     36 packs per carton	\$8.50
---------	--	--------



#### **DISHWASHERS**






## UNDERCOUNTER GLASSWASHER


SHER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
	DWA2040	Undercounter Glasswasher  Internal clearance 270mm  2 cycles 1 min/2 min  Double insulated door  Rinse aid and detergent pump  Digital temperature display  Stainless steel wash arms  Drain pump  Stainless steel inlet hose  Caleffi pressure control/ non return valve  Basket size 355mm x 430mm 1 supplied  Tank capacity 11L – Element 2kW  Boiler capacity 3L – Element 2.4kW  0.3 HP wash pump  Inlet pressure 2 – 4 bar  Water consumption 1.5L/cycle at 2 bar  Manufacture code: ECO40	240V	2.5kW 15A	480 x 517 x 838 (with legs)	38kg	\$4,000

#### **UNDERCOUNTER DISHWASHER**

ITALY



#### **TOPLINE UNDERCOUNTER DISHWASHER**








# **DISHWASHERS**

## **PASS THROUGH**

PASS THROUGH Model Model		Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DWA2000	Pass Through Dishwasher  Internal clearance 420mm  2 Cycles 1 minute/3 minutes Rinse aid and detergent pump Digital temperature display Stainless steel wash arms Drain pump Rubber inlet hose Caleffi pressure control/ non return valve Basket size 500mm x 500mm 2 supplied Tank capacity 20L – Element 4kW Boiler capacity 10L – Element 9kW 1 HP wash pump Inlet pressure 2 – 4 bar Water consumption 1.5L/cycle at 2 bar Plug not supplied. Must be installed by a licensed electrician Manufacture code: EC01000	400V 3PH	9.8kW 14.2A	630 x 750 x 1491 Closed 630 x 750 x 1980 Open	130kg	\$8,400
ITALY	DWA2001	Pass Through Dishwasher  • Single phase unit  • Manufacture code: EC01001	240V 1PH	3.6kW 15A	630 x 750 x 1491 Closed 630 x 750 x 1980 Open	130kg	\$8,800

### **TOPLINE PASS THROUGH DISHWASHER**



Extended Gold Star Warranty - 2 year parts, 1 year labour.

Please note that prices for refrigeration are ex-warehouse Sydney and do not include freight.



## **STAINLESS STEEL PRODUCTS**

TROLLEYS	Model	Product Description	Unit Size (mm)	Kg	List Price excl GST
CHINA	TRS0003	Stainless Steel 3 Tier Trolley  • Square tube frame 25mm x 25mm  • Maximum carrying capacity: 120kg  • Distance between shelves: 270mm  • 4 castors, 2 lockable  • Supplied in flat pack  • Manufacture code: YC103B	855 x 535 x 930	13kg	\$220
CHINA	TRS0015	Stainless Steel 15 Tier GN Trolley  • Square stainless steel tube frame 25mm x 25mm  • 125mm high castors  • 4 castors, 2 lockable  • Supplied in flat pack  • Weight limit per level: 20kg  • Manufacture code: YC215M1	385 x 550 x 1735	18kg	\$400
CHINA	TRS1015	Stainless Steel Multi Use Trolley  Compatible to suit 1/1 GN trays and 600 x 400mm baking trays and 70mm deep pizza trays Shelves are 75mm apart Supplied in flat pack 4 castors, 2 lockable Weight limit per level: 20kg Manufacture code: YC215LGB	460 x 645 x 1720	30kg	\$480
CHINA	TRS2015	Stainless Steel GN Trolley 2 x 15 Tier  • Square stainless steel tube frame 25mm x 25mm  • 125mm high castors  • 4 castors, 2 lockable  • Supplied in flat pack  • Weight limit per level: 20kg  • Manufacture code: YC215M	740 x 555 x 1735	30kg	\$600
CHINA	TRS0207	Stainless Steel GN Trolley 7 Tier  7 levels for GN pans Stainless steel top workbench Flat packed 4 castors, 2 lockable Manufacture code: YC-207M	385 x 550 x 855  Height can be reduced by 20mm if nut is removed upon installation	10kg	\$280

# STAINLESS STEEL PRODUCTS ICE

PLATFORM TROLLEY	Model	Product Description	Unit Size (mm)	Weight	List Price excl GST
CHINA	TRS0609	Platform Trolley  • Fold down handle  • Stainless Steel construction  • Bearing weight 300kg  • Manufacture code: YC609	1000 x 600 x 900	10kg	\$300

#### **FRYER BASKETS**

CHINA	XGFG1111	Fryer basket red handle	336 x 143 x 145	\$36
	XGFG2222	Fryer basket blue handle	320 x 150 x 140	\$32

#### **DRAWERS**

	DCI0004	Drawer Cabinet     AISI 304 18/8-10 Stainless Steel     Optional castors     Perfect as a vacuum sealer stand or dough roller stand     Manufacture code: ESS752D	520 x 700 x 870	17kg	\$1,600
GREECE					

### **GRILL SCRAPERS**

INDIA	GBP0001	Stainless Steel Handle Wire Brush Griddle Scraper  • Easily replaceable brush head  • Tough, durable and effective  • Hook for convenient storage  • Profiled, laser cut edge, suits most griddle profiles	\$100
SOUTH AFRICA	XGBP0001	Replacement Brushes	\$10




## **COUNTERTOP FRIDGE / FREEZER**



COUNTER TOP ICE CREAM FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	CFT0002	Ice Cream Freezer Piccolo  Takes 2 x 6.5 or 7.7L ice cream containers  O°C to -18°C  R290 gas  Body in ABS  Copper evaporator  Silent operation  Low energy consumption  Easy to clean  30°C ambient temperature  Pans not included  Manufacture code: PICCOLO	240V	0.18kW	505 x 680 x 400	25kg	\$3,200
ITALY	CFT0004	Tce Cream Freezer Baby  • Takes 4 x 5L ice cream containers • 0° C to -18°C • R290 gas • Body in ABS • Copper evaporator • Silent operation • Low energy consumption • Easy to clean • 30° C ambient temperature • Pans not included • Manufacture code: BABY	240V	0.35kW	925 x 505 x 620	32kg	\$4,000

### **COUNTER TOP INGREDIENT FRIDGE**



#### **LOGIC SUSHI DISPLAY CHILLERS**



LOGIC SUSHI DISPLAT CH	ILLERO			В	ARCELO	N A
SDS1320	Logic Sushi Display 6	240V	0.17kW	1320 x 380 x 300	65kg	\$4,200
SDS1680	Logic Sushi Display 8	240V	0.21kW	1680 x 380 x 300	75kg	\$4,800
SPAIN S	Powerful static cooling with cold pelectronic adjustable thermostat de Sliding glass doors that are easy to Silent hermetic compressor with de Hydrocarbon refrigerant SDS1320: Vat with capacity for 6 ges SDS1680: Vat with capacity for 8 ges Built in stainless steel and tempered LED lighting Compact glass sided countertop mesonitations.	igital remove and puble high qu astronorm tr astronorm tr ed double gla	clean uality turbo v rays 1/3 (sup rays 1/3 (sup rays 1/3 (sup razed glass	ventilated condenser uplied) uplied) ation and with adjustal	Š	- 4° C





# INGREDIENT UNITS IC

REFRIGERATED INGREDIENT UNIT	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	VRX1200	Refrigerated Ingredient Well  Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 4 x ½ GN pans or 3 x ½ + 1 x ½ size, not supplied Digital controller Adjustable feet Manufacture code: VRX1200/380	240V	0.19kW	1200 x 395 x 435	43kg	\$940
	VRX1500	Refrigerated Ingredient Well  Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 6 x ½ GN pans or 5 x ½ + 1 x ½ size, not supplied Digital controller Adjustable feet Manufacture code: VRX1500/380	240V	0.19kW	1500 x 395 x 435	48kg	\$1,060
	VRX1800 ★ ★	Refrigerated Ingredient Well  Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 8 x 1/3 GN pans, not supplied Digital controller Adjustable feet Manufacture code: VRX1800/380	240V	0.19kW	1800 x 395 x 435	51kg	\$1,200
CHINA	VRX2000  ★★	Refrigerated Ingredient Well  Interior and exterior stainless steel Supplied with glass in kit form Ambient temperature 38°C Takes 9 x ½ GN pans, not supplied Digital controller Adjustable feet Manufacture code: VRX2000/395	240V	0.19kW	2000 x 395 x 440	82kg	\$1,540

KEFKIG	GERATED STAINLESS STEEL INGREDIEN	T UNIT				
VRX1200S	Refrigerated Ingredient Well	240V	0.19kW	1200 x 395 x 255	24kg	\$940
S	Specifications as above, no glass supplied					
VRX1500S	Refrigerated Ingredient Well	240V	0.19kW	1500 x 395 x 255	28kg	\$1,060
S	Specifications as above, no glass supplied					
VRX1800S	Refrigerated Ingredient Well	240V	0.19kW	1800 x 395 x 255	34kg	\$1,200
S	Specifications as above, no glass supplied					
					Aaximum h lid open 63	-





UNDERBENCH FRIDGE & FREEZER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	FBC2201	Fridge Undercounter Stainless Steel Door  Stainless Steel Door  Stainless steel exterior  Reversible door  Adjustable front feet, rear rollers R600a  0.37kW/24hrs energy consumption  Auto defrost  Digital control Dixell  Door lock standard  3 Adjustable shelves  38 ° C ambient  Holds 23 x 2L milk cartons  Food safe plastic interior  Volume - Gross: 170L, Net: 145L  Interior dimension:  477mm(w) x 443mm(d) x 652mm(h)  Step at back 130mm(d) x 230mm(h)  Manufacture code: CRX2	240V	0.37kW	598 x 679 x 838	49kg	\$1,150
CHINA	FBCG2202	Fridge Undercounter Glass Door  • Stainless steel exterior double glazed • Internal led light • Reversible door, lock standard • Adjustable front feet, rear rollers • R600a • 1.036kW/24hrs energy consumption • Auto defrost • Digital control Dixell • 3 Adjustable shelves • 30°C ambient • Holds 23 x 2L milk cartons • Food safe plastic interior • Volume - Gross: 170L, Net: 145L • Interior dimension: 477mm(w), 443mm(d), 652mm(h) Step at back 130mm(d) x 230mm(h) • Manufacture code: CRXG2	240V	1.036kW	598 x 679 x 838	51kg	\$1,250
	FBF2203	Freezer Undercounter Stainless Steel Door  Stainless Steel Door  Reversible door, lock standard  Adjustable front feet, rear rollers  R290  1.2503kW/24hrs energy consumption Digital control Dixell 2 Fixed shelves 38°C Ambient Food safe plastic interior Volume - Gross: 170L, Net: 145L Interior dimension: 478mm(w), 635mm(d), 493mm(h) Manufacture code: CNX2	240V	0.13kW	598 x 679 x 838	51kg	\$1,200
CHINA	FBFG2204	Freezer Undercounter Glass Door  Triple glazed No light Stainless steel exterior Manual defrost required Adjustable front feet, rear rollers R290 Digital control Dixell Door lock standard Fixed shelves 30°C ambient Food safe plastic interior Volume - Gross: 170L, Net: 145L Interior dimension: 478mm(w), 635mm(d) 493mm(h) Manufacture code: CNXG2	240V	2.15kW	598 x 679 x 838	51kg	\$1,500

<sup>\*\*</sup> These units are fan forced and are not designed for silent environments such as office/home use\*\*



# BLACK BACK BAR FRIDGES IC



#### **BLACK BACK BAR REFRIGERATORS**

Model Product Description	n Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BBZ0200  2 Door, Glass, Back Bar  Fully ventilated cooling system with easily accondenser filter Seamless quiet operation Matte black powder coated finish Full door space with no bottom step, interna LED lighting per door Ambient temperature 38°C Temperature range 2°C - 8°C Supplied on removable castors with option of 860mm Gas type R290 Supplied with anti-tipping shelves per door Self closing and fully reversible glass doors we internal dimensions 1080 x 415 x 740 315L capacity Manufacture code:QBG200	l space 740mm high f legs to drop height to	0.24kW	1460 x 535 x 900	92kg	\$3,000
CHINA					
BBZ0300  3 Door, Glass, Back Bar  • Internal dimensions 1705 x 415 x 740  • 500L capacity  • Manufacture code: QBG300	240V	0.373kW	2085 x 535 x 900	121kg	\$3,900
BBZ0400  4 Door, Glass, Back Bar  • Internal dimensions 2160 x 415 x 740  • 670L capacity  • Manufacture code: QBG400	240V	0.456kW	2540 x 535 x 900	151kg	\$4,600
	•				



## **MARBLE TOP PIZZA BAR FRIDGES**



PIZZA FRIDGES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	MPB0020	Marble Top Pizza Fridge 2 Door  Stainless Steel exterior and interior Ventilated cooling with cassette system Automatic compressor cycle defrost Evaporator with anti-corrosion treatment Digital thermostat Removable gasket Door with self closing mechanism (not reversible) Adjustable shelves 600x400mm Granite top with 200mm high splash back Items suitable for VRX refrigerated topping unit Manufacture code: QZ20	240V	0.3kW	1500 x 800 x 1040	203kg	\$3,250
CHINA	MPB0026	Marble Top Pizza Fridge with Ambient Drawers  • As per MBP0020 PLUS  • Set of ambient, non-refrigerated drawers with telescopic guides suitable for 100mm deep 600 x 400 trays  • Manufacture code: QZ26	240V	0.3kW	2025 x 800 x 1040	309kg	\$4,400
CHINA	MPB0030	Marble Top Pizza Fridge 3 Door • As per MBP0020 • Manufacture code: QZ30	240V	0.4kW	2025 x 800 x 1040	296kg	\$4,000









# MULTIDECK FRIDGES IC



MUTLIDECK FRIDGES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
<b>★★</b> CHINA	MDS1250	Multideck Fridge 2 door  • Double glazed glass opening doors  • 1RH + 1LH opening doors  • 5.87kW/24hrs energy consumption  • Gross literage 1292L  • Net literage 764L  • Manufacture code VFC-ID125	240V	0.55kW	1310 x 740 x 2060	260kg	\$5,600
CHINA	MDS1875	Multideck Fridge 3 door  • Double glazed glass opening doors • 2RH + 1LH opening doors • 8.13kW/24hrs energy consumption • Gross literage 1939L • Net literage 1147L • Manufacture code VFC-IT187	240V	0.98kW	1935 x 740 x 2060	370kg	\$8,000
★ ★ CHINA	MDS2500	Multideck Fridge 4 door  • Double glazed glass opening doors  • 3RH + 1LH opening doors  • 10.2kW/24hrs energy consumption  • Gross literage 2585L  • Net literage 1529L  • Manufacture code VFC-IF250	240V	1.06kW	2560 x 740 x 2060	440kg	\$9,000

#### **ALL Multideck Units**

- Digital thermostat
  Painted steel, stainless steel floor
- R290 gas

- R290 gas
  Temperature range -1° to 5°C
  Self closing doors
  Double glazed glass opening doors
  Maximum ambient shop temperature 25°C & 60% R/H
  Air conditioned shop recommended
  5 adjustable shelves with price tag ends
  LED illumination

- LED illumination


- Lighting under each shelf
  Climate class B
  Supplied on small castors



MDS1250







MDS2500



### **UPRIGHT DISPLAY FRIDGES**



#### 1 DOOR FRIDGE

Mod	lel	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NDAO	• I	OL Single Door Fridge Internal dimensions: 560 x 580 x 1545 Gross volume: 500L Net volume: 420L Femperature range 0°C to 6°C Gelf-contained ventilated cooling system Inner vertical LED lights Double glazed glass door Dixell digital controller Automatic defrost 5 shelves per door 8290 Gas 7.5kW/24hrs energy consumption Supplied on castors Right hand hinged door	240V	0.38kW	680 x 730 x 2080	115kg	\$2,200

1250 x 730 x 2080

230kg

\$3,400

#### 2 DOOR FRIDGE

CHINA

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

240V

0.56kW



#### NDA1250 810L Double Door Fridge

Lockable

М

 Internal dimensions: 1130 x 580 x 1545

• Ambient rating at 32°C


- Gross volume: 1010L
   Net volume: 810L
- Temperature range 0°C to 6°C
- Self-contained ventilated cooling system
- Inner vertical LED lights
- Double glazed glass doorDixell digital controller
- Automatic defrost
- 5 shelves per door
- R290 Gas
- 9.65kW/24hrs energy consumption
- Supplied on castors
- Lockable

L

Ambient rating at 32°C

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

#### 3 DOOR FRIDGE



Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.



## **UPRIGHT DISPLAY FREEZERS**




List Price

1	DOOF	?
FI	REEZEI	R

FREEZER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	excl GST
CHINA	NDA2625	420L Single Door Freezer  Internal dimensions: 560 x 580 x 1545  Gross volume: 500L Net volume: 420L  Temperature range -16°C to -22°C  Self-contained ventilated cooling system  Inner vertical LED lights  Triple glazed anti-fog glass door Dixell digital controller  Automatic defrost  5 shelves per door  R290 Gas  16.45kW/24hrs energy consumption Supplied on castors  Right hand hinged door Lockable  Ambient rating at 32°C	240V	0.775kW	680 x 730 x 2080	130kg	\$3,200

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.

## 2 DOOR FREEZER



## 3 DOOR FREEZER

 $A vailable \ for \ free \ pick \ up \ in \ Sydney, \ Melbourne \ \& \ Brisbane. \ As k \ about \ our \ bulk \ discount \ on \ this \ item.$ 

**	NDA2875	• Internal dimensions:	240V 15A	2.15kW	1875 x 730 x 2080	260kg	\$8,000
CHINA	L+	1755 x 580 x 1545  Gross volume: 1570L Net volume: 1260L Temperature range -16°C to -22°C Self-contained ventilated cooling system Inner vertical LED lights Triple glazed anti-fog glass door Dixell digital controller Automatic defrost 5 shelves per door R290 Gas 39.41kW/24hrs energy consumption Supplied on castors Lockable Ambient rating at 32°C	(Supplied with 2 x 10A plugs)				

Available for free pick up in Sydney, Melbourne & Brisbane. Ask about our bulk discount on this item.





## STAINLESS STEEL UPRIGHT FRIDGES

Shown on feet. Supplied on castors

CHINA

CHINA

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
GUC1737	Stainless Steel Upright  1 Door Fridge 550L  • 43°C ambient • On castors – 2 lockable, 2 free running • 2/1 GN pan or 2 x 1/1 GN per level • Digital controller • Fan forced cooling • Auto defrost • 4 shelves • Temperature range –2°C to +4°C • Rounded internal corners for easy cleaning • Door gasket easy to remove and clean • 550L • Climate class 4/5/7 • 304 Grade stainless interior and exterior • High density 75mm thick foam insulation • Manufacture code: M-PW8U1F	240V	0.43kW	737 x 815 x 1980	130kg	\$3,200

240V

0.46kW

1400 x 815 x 1980

190kg

\$4,600



## GUC1140 Stainless Steel Upright 2 Door Fridge 1170L

М

- 43°C ambient
- On castors 2 lockable, 2 free running
- 2/1 GN pan or 2 x 1/1 GN per level
- Digital controller
- Fan forced cooling
- Auto defrost
- 4 Shelves per door
- •Temperature range-2°C to +4°C
- Rounded internal corners for easy cleaning
- Door gasket easy to remove and clean
- 1170L

L

- Climate class 4/5/7
- R290 gas
- 304 Grade stainless interior and exterior
- High density 75mm thick foam insulation
- Manufacture code: M-PW8U2FF

#### Double Gold Star Warranty - 2 year parts and labour.



# **UPRIGHT FREEZERS**

STAINLESS STEEL UPRIGHT FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
Shown on feet. Supplied on castors	GUF2737	Stainless Steel Upright 1 Door Freezer 550L  • 43°C ambient • On castors – 2 lockable, 2 free running • 2/1 GN pan or 2 x 1/1 GN per level • Digital controller • Fan forced cooling • Auto defrost • 4 shelves • Temperature range: -18°C to -22°C • Rounded internal corners for easy cleaning • Door gasket easy to remove and clean • 550L • Climate class 4/5/7 • R290 gas • 304 Grade stainless interior and exterior • High density 75mm thick foam insulation • Manufacture code: L-PW8U1F	240V	0.65kW	737 x 815 x 1980	130kg	\$3,800
CHINA							

240V

0.8kW

1400 x 815 x 1980

\$5,000

190kg



CHINA

#### GUF2140 Stainless Steel Upright 2 Door Freezer 1170L

- 43°C ambient
- On castors 2 lockable, 2 free running
- 2/1 GN pan or 2 x 1/1 GN per level
- Digital controller
- Fan forced cooling
- Auto defrost
- 4 Shelves per door
- Temperature range -18°C to -22°C Rounded internal corners
- for easy cleaning
- Door gasket easy to remove and clean
- 1170L
- Climate class 4/5/7
- R290 gas
- 304 Grade stainless interior and exterior
- High density 75mm thick foam insulation
- Manufacture code: L-PW8U2FF

#### Double Gold Star Warranty - 2 year parts and labour.





#### **STEEL DOOR UNDERBAR REFRIGERATORS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCS71815	2 Door Underbar – 760mm Deep Stainless Steel Doors  • 1815mm wide  • 416L  • Internal dimensions 1249 x 658 x 558mm  • Manufacture code: M-PW7T2HH	240V	0.4kW	1815 x 760 x 850	146kg	\$3,650
BCS72476	3 Door Underbar – 760mm Deep Stainless Steel Doors  2476mm wide 637L Internal dimensions 1911 × 658 × 558mm Monoblock system with removable condenser filter for easy cleaning 304 grade stainless interior and exterior High density 75mm thick insulation Doors take 2 × 1/1 GN or 2/1 GN pan lengthways Corrosion resistant coating on evaporator coil Fan delay switch on doors to save energy Supplied on castors (legs optional) Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: M-PW7T3HHH	240V	0.4kW	2476 x 760 x 850	186kg	\$4,200





#### **GLASS DOOR UNDERBAR REFRIGERATORS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCG71815	2 Door Underbar – 760mm Deep Glass Doors  • 1815mm wide  • 416L  • Internal dimensions 1249 × 658 × 558mm  • Manufacture code: M-PW7T2DD	240V	0.56kW	1815 x 760 x 850	145kg	\$3,700
BCG72476	3 Door Underbar – 760mm Deep Glass Doors  2476mm wide 637L Internal dimensions 1911 x 658 x 558mm Monoblock system with removable condenser filter for easy cleaning LED Lighting 304 grade stainless interior and exterior High density 75mm thick insulation Doors take 2 x 1/1 GN or 2/1 GN pan lengthways Corrosion resistant coating on evaporator coil Fan delay switch on doors to save energy Supplied on castors (feet optional) Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: M-PW7T3DDD	240V	0.56kW	2476 x 760 x 850	190kg	\$4,800









#### **STEEL DOOR SLIMLINE REFRIGERATORS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCS6955	1 Door Slimline – 660mm Deep Stainless Steel Door  • 955mm wide  • 123L  • Internal dimensions 390 x 563 x 558mm  • Manufacture code: M-PW6T1H	240V	0.27kW	955 x 660 x 850	89kg	\$2,400
BCS61420	2 Door Slimline – 660mm Deep Stainless Steel Doors  • 1420mm wide  • 267L  • Internal dimensions 855 x 563 x 558mm  • Manufacture code: M-PW6T2HH	240V	0.35kW	1420 x 660 x 850	109kg	\$3,300
BCS61885	3 Door Slimline – 660mm Deep Stainless Steel Doors  • 1885mm wide  • 420L  • Internal dimensions 1320 x 563 x 558mm  • Manufacture code: M-PW6T3HHH	240V	0.465kW	1885 x 660 x 850	153kg	\$3,800
BCS62350	4 Door Slimline – 660mm Deep Stainless Steel Doors  2350mm wide  590L  Internal dimensions 1785 x 563 x 558mm  Monoblock system with removable condenser filter for easy cleaning  304 grade stainless interior and exterior  High density 75mm thick insulation  Doors take 1/1 GN pans widthways  Corrosion resistant coating on evaporator coil  Fan delay switch on doors to save energy  Supplied on castors (feet optional)  Rounded internal corners for easy cleaning  43°C Ambient temperature  Self closing doors  R290 GAS  Supplied with 2 shelves per door  Manufacture code: M-PW6T4HHHH	240V	0.4kW	2350 x 660 x 850	178kg	\$4,200







# **SLIMLINE FRIDGES**

#### **GLASS DOOR SLIMLINE REFRIGERATORS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BCG61420	2 Door Slimline – 660mm Deep Glass Doors  • 1420mm Wide  • 267L  • Internal dimensions 855 x 563 x 558mm  • Manufacture code: M-PW6T2DD	240V	0.53kW	1420 x 660 x 850	118kg	\$3,500
BCG61885	3 Door Slimline – 660mm Deep Glass Doors  • 1885mm wide  • 420L  • Internal dimensions 1320 x 563 x 558mm  • Manufacture code: M-PW6T3DDD	240V	0.54kW	1885 x 660 x 850	148kg	\$4,200
BCG62350	4 Door Slimline – 660mm Deep Glass Doors  2350mm wide 590L Internal dimensions 1785 x 563 x 558mm Monoblock system with removable condenser filter for easy cleaning LED Lighting 304 grade stainless interior and exterior High density 75mm thick insulation Doors take 1/1 GN pans widthways Corrosion resistant coating on evaporator coil Fan delay switch on doors to save energy Supplied on castors (feet optional) Rounded internal corners for easy cleaning 43°C Ambient temperature Self closing doors R290 GAS Supplied with 2 shelves per door Manufacture code: M-PW6T4DDDD	240V	0.56kW	2350 x 660 x 850	220kg	\$4,600







#### **UNDERBAR SLIMLINE FREEZERS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
BFS6955	1 Door Slimline 660mm Deep Freezer  • 955mm wide  • 123L  • Internal dimensions 390 x 563 x 558mm  • Manufacture code: L-PW6T1H	240V	0.54kW	955 x 660 x 850	89kg	\$2,600
BFS61420	2 Door Slimline 660mm Deep Freezer  • 1420mm wide  • 267L  • Internal dimensions 855 x 563 x 558mm  • Manufacture code: L-PW6T2HH	240V	0.605kW	1420 x 660 x 850	109kg	\$3,600
BFS61885	3 Door Slimline 660mm Deep Freezer  • 1885mm wide  • 420L  • Internal dimensions 1320 x 563 x 558mm  • Manufacture code: L-PW6T3HHH	240V	0.67kW	1885 x 660 x 850	153kg	\$4,200
BFS62350	4 Door Slimline 660mm Deep Freezer  2350mm wide  590L  Internal dimensions 1785 x 563 x 558mm  Monoblock system with removable condenser filter for easy cleaning  304 grade stainless interior and exterior  Temperature range -18°C to -22°C  High density 75mm thick insulation  Doors take 1/1 GN pans widthways  Corrosion resistant coating on evaporator coil  Fan delay switch on doors to save energy  Audible alarm on doors if left open for more than 3 minutes  Supplied on castors (feet optional)  Rounded internal corners for easy cleaning  43°C Ambient temperature  Self closing doors  R290 GAS  Supplied with 2 shelves per door  Manufacture code: L-PW6T4HHHH	240V	0.85kW	2350 x 660 x 850	178kg	\$4,600





CHINA





## **PIZZA BARS**

Model	Product Description	Voltage	Power	Unit Size (mm) L x D x H	Kg	List Price excl GST
HPB1152	<ul> <li>1 Door Pizza Bar</li> <li>1152mm Wide</li> <li>216L</li> <li>Internal dimensions: 587 x 658 x 558mm</li> <li>5 x 1/3 size pans (not supplied)</li> <li>Manufacture code: M-PW10H</li> </ul>	240V	0.38kW	1152 x 760 x 1100 Removable Nylon Board increases depth to 830mm	135kg	\$4,000
HPB1815	2 Door Pizza Bar  • 1815mm wide  • 416L  • Internal dimensions: 1249 x 658 x 558mm  • 9 x 1/3 size pans (not supplied)  • Manufacture code: M-PW20HH	240V	0.45kW	1815 x 760 x 1100 Removable Nylon Board increases depth to 830mm	170kg	\$5,200
HPB1815DD	As per <b>HPB1815</b> but supplied with 2 sets of drawers instead of doors					\$6,200
HPB2476	3 Door Pizza Bar  2476mm wide  656L  Internal dimensions: 1911 x 658 x 558mm  12 x 1/3 size pans (not supplied)  Monoblock system with removable condenser filter for easy cleaning  Supplied on 150mm castors (feet optional)  Nylon cutting board (increases overall depth to 830mm)  Sliding polycarbonate pan covers  Supplied with spacer bars for 1/6 and 1/9 size pans  Removable well, for easy cleaning in places normally difficult to clean  304 grade stainless interior and exterior  High density 75mm thick insulation  Doors take 2 x 1/1 GN or 2/1 GN pan lengthways  Corrosion resistant coating on evaporator coil  Rounded internal corners for easy cleaning  43°C Ambient temperature  Self closing doors  R290 GAS  Supplied with 2 shelves per door  Manufacture code: M-PW30HHH	240V	0.585kW	2476 x 760 x 1100 Removable Nylon Board increases depth to 830mm	220kg	\$6,400
HPB2476DDD	As per <b>HPB2476</b> but supplied with 3 sets of drawers instead of doors	1	I			\$7,800





## **UPRIGHT REFRIGERATORS**



REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
和 型 改 租 場 基 目	UFI1170	Single Door Upright Fridge – 654L  • European design and manufacture • On castors • Embedded controller • Ambient temperature of 40°C • High quality AISI 304/18/8-10 stainless steel interior and exterior • Internal corners rounded for ease of cleaning • Self-closing door • Reversible door • R290 gas • Operating temp: -2°C to 8°C • Gastronorm size - 2 x 1 size trays (lengthways) • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 2/1 x 65mm deep pans per door capacity • Supplied with 5 shelves per door • Internal usable space 550 x 660 x 1250mm • Manufacture code: CAP172/AUS	240V	0.56kW	720 x 870 x 2115  (body is 830mm deep and evaporator tray extends 40mm = 870mm total)  Castors available to reduce height to 2085mm	145kg	\$4,200
GREECE	M						
	UFI1140	Double Door Upright Fridge  - 1432L  • European design and manufacture • On castors  • Embedded controller  • Ambient temperature of 40°C  • High quality AISI 304/18/8-10  st/steel interior and exterior  • Internal corners rounded for ease of cleaning  • Self-closing door at 90° or less  • R290 gas  • Operating temp: -2°C to 8°C  • Gastronorm size - 2 x 1 size trays (lengthways)  • 60mm thick injected polyurethane insulation (CFC & HCFC free)  • 22 x 1/1 x 65mm deep pans per door capacity  • Supplied with 5 shelves per door  • Internal usable space 550 x 660 x 1250mm per door  • Manufacture code: CEP2144/AUS	240V	0.75W	(body is 830mm deep and evaporator tray extends 40mm - 870mm total)  Castors available to reduce height to 2085mm	224kg	\$6,400

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



# UPRIGHT FREEZERS IC

_		Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UFI2170	Single Door Upright Freezer  - 654L  • European design and manufacture  • On castors  • Embedded controller  • Ambient temperature of 40°C  • High quality AISI 304/18/8- 10 stainless steel interior and exterior  • Internal corners rounded for ease of cleaning  • Self-closing door  • Reversible door  • R290 gas  • Operating temp: -22°C to -10°C  • 60mm thick injected polyurethane insulation (CFC & HCFC free)  • 22 x 2/1 x 65mm deep pans per door capacity  • Supplied with 5 shelves per door  • Internal usable space: 550 x 660 x 1250mm  • Manufacture code: CBP172/AUS	240V	0.58kW	720 x 870 x 2115  (body is 830mm deep and evaporator tray extends 40mm = 870mm total)  Castors available to reduce height to 2105mm	147kg	\$4,800
GREECE L	M UFI2140	Double Door Upright Freezer - 1432L  • European design and manufacture • On castors  • Embedded controller • Ambient temperature of 40°C  • High quality AISI 304/18/8- 10 stainless steel interior and exterior  • Internal corners rounded for ease of cleaning • Self-closing doors • R290 gas • Operating temp: -22°C to -10°C • 60mm thick injected polyurethane insulation (CFC & HCFC free) • 22 x 2/1 x 65mm deep pans per door capacity • Supplied with 5 shelves per door • Internal usable space: 550 x 660 x 1250mm per door • Manufacture code: CFP2144/AUS	240V	1.21kW	1440 x 870 x 2115  (body is 830mm deep and evaporator tray extends 40mm = 870mm total)  Castors available to reduce height to 2105mm	236kg	\$7,200

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



## **UPRIGHT REFRIGERATORS**



# UPRIGHT

UPRIGHT REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
GREECE	UFI1170G	Single Glass Door Upright Fridge – 654L  Stainless Steel AISI 304 18/8-10 interior and exterior  Self closing door Internal LED light  32°C Ambient Embedded controller Rounded internal corners for easy cleaning R290 Gas On castors  60mm thick injected polyurethane insulation (CFC & HCFC free)  22 x 2/1 x 65mm deep GN pans per door capacity Supplied with 5 shelves Internal usable space 550 x 660 x 1250mm Operating temp -2°C to 8°C Glass door is not reversible Manufacture code: CAP172/GL/AUS	240V	0.56kW	720 x 910 x 2115  (Body is 820mm deep and evaporator tray extends 40mm = 860mm total)  Handle is 45mm. Total depth including handle = 905mm  Castors available to reduce height to 2085mm	162kg	\$4,500
GRECE	UFI1140G	Double Glass Door Upright Fridge – 1432L  Stainless Steel AISI 304 18/8-10 interior and exterior  Self closing doors Internal LED light  32°C Ambient Embedded controller Rounded internal corners for easy cleaning R290 Gas On castors  60mm thick injected polyurethane insulation (CFC & HCFC free)  22 x 2/1 x 65mm deep GN pans per door capacity Supplied with 5 shelves per door Internal usable space: 550 x 660 x 1250mm per door Operating temp -2°C to 8°C Glass door is not reversible Manufacture code: CEP2144/GL/AUS	240V	0.79kW	1440 x 910 x 2115  (Body is 820mm deep and evaporator tray extends 40mm = 860mm total)  Handle is 45mm. Total depth including handle = 905mm  Castors available to reduce height to 2085mm	258kg	\$7,400

## PATISSERIE KIT - Not suitable for Slimline Units

XUFI6010	Kit to enable fridge/freezer to store 600 x 400 baking trays		4.9kg	\$400
NOTION OF	Kits suit single or 2 door models. For 2 door unit, 2 kits are required     Kits are supplied without guides. These need to be ordered separately. You will need 11 sets for 75mm gap			



## **UPRIGHT FREEZERS**



UPRIGHT FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
<b>在任利亚纳森</b> 特	UFI2170G	Single Glass Door Upright Freezer – 654L  Stainless Steel AISI 304 18/8-10 interior and exterior Self closing door Anti-fog membrane on glass Internal LED light 32°C Ambient Embedded controller Rounded internal corners for easy cleaning R290 Gas On castors Om m thick injected polyurethane insulation (CFC & HCFC free) 22 x 2/1 x 65mm deep GN pans per door capacity Supplied with 5 shelves Internal usable space: 550 x 660 x 1250mm Glass door is not reversible Manufacture code: CBP172/GL/AUS	240V	0.66kW	720 x 860 x 2115  (Body is 820mm deep and evaporator tray extends 40mm = 860mm total)  Handle is 45mm. Total depth including handle = 905mm  Castors available to reduce height to 2085mm	162kg	\$5,000
GREECE	M						
	UFI2140G	Double Glass Door Upright Freezer – 1432L  Stainless Steel AISI 304 18/8-10 interior and exterior  Self closing doors  Anti-fog membrane on glass  Internal LED light  32°C Ambient  Embedded controller  Rounded internal corners for easy cleaning  R290 Gas  On castors  60mm thick injected polyurethane insulation (CFC & HCFC free)  22 x 2/1 x 65mm deep GN pans per door capacity  Supplied with 5 shelves per door  Internal usable space:  550 x 660 x 1250mm per door  Glass door is not reversible  Manufacture code: CFP2144/GL/AUS	240V	1.26kW	(Body is 820mm deep and evaporator tray extends 40mm = 860mm total) Handle is 45mm. Total depth including handle = 905mm Castors available to reduce height to 2085mm	286kg	\$8,800
GREECE	L						

- All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.
- Glass door models supplied with narrow spaced shelving for drinks.
- Triple glazed treated glass to prevent condensation.



# **SLIMLINE FRIDGES/FREEZERS**



## SLIMLINF R

SLIMLINE REFRIGERATORS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST	
2	UFI1170SL	Slimline Fridge 1 Door-560L  Stainless steel door  European design and manufacture  On castors  Embedded controller  Ambient temperature of 40°C  Internal corners rounded for ease of cleaning  Self-closing door  Reversible doors  R290 gas  Operating temp -2°C to 8°C  Supplied with 5 shelves per door  Internal dimensions: 600 x 570 x 1550  Manufacture code:	240V	0.46kW	720 x 768 x 2115	135kg	\$3,800	
GREECE	M UFI1140SL	CAP172/SL/AUS  Slimline Fridge 2 Door-1227L	240V	0.75kW	1440 x 768 x 2115	201kg	\$5,800	
GREECE	L	Stainless steel door Anticorrosive protection on the evaporators Self closing doors Embedded controller Ambient temperature of 40°C Supplied with 5 shelves per door Heavy duty construction from 304 stainless steel interior and exterior Operating temp -2°C to 8°C Supplied on castors Internal dimensions: 1320 x 570 x 1550 Manufacture code: CEP2144/SL/AUS	2400	0.7 JKW	1440 x 700 x 2113	ZVINY	,3,000	

#### **SLIMLINE FREEZERS**

**	UFI2170SL	Slimline Freezer 1 Door-560L	240V	0.58kW	720 x 768 x 2115	144kg	\$4,800
7	М	Stainless steel door European design and manufacture On castors Embedded controller Ambient temperature of 40°C Internal corners rounded for ease of cleaning Self closing door Reversible doors R290 gas Operating temp -22°C to -10°C Supplied with 5 shelves per door Internal dimensions: 600 x 570 x 1550 Manufacture code: CBP172/SL/AUS					
GREECE	UFI2140SL	, ,	240V	0.76kW	1440 x 765 x 2115	2121.0	\$7,000
To the second se		Stainless steel door Self closing doors Embedded controller Ambient temperature of 40°C Supplied with 5 shelves per door Operating temp -22°C to -10°C Heavy duty construction from 304 stainless steel interior and exterior Supplied on castors Internal dimensions: 1320 x 570 x 1550 Manufacture code:	2400	0.76kW	1440 X / 05 X Z 115	212kg	\$7,000
GREECE	L	CFP2144/SL/AUS					



## **LOWBOY AND DRAWER COMBO UNITS**



LOWBOY UNDERBENCH FRIDGES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UBI71790LB	Low Boy Underbench Fridge  245L capacity Embedded controller Heavy duty stainless steel interior and exterior 304 Designed with height suitable for placing cooking equipment on Suitable for 100mm deep 1/1 GN pans Automatic defrost Supplied with telescopic guides on all drawers 0°C to +10°C Ambient 43°C Supplied on castors Manufacture code: PWDP333/AUS	240V	0.34kW	1790 x 700 x 660	164kg	\$5,600
GREECE	UBI72240LB	Low Boy Underbench Fridge  • 332L capacity  • Manufacture code: PWDP3333/AUS	240V	0.34kW	2240 x 700 x 660	204kg	\$6,600





#### **UNDER BAR DRAWER FRIDGES**

**	UBD2000	1 Door 2 Drawers Fridge 270L capacity Manufacture code: PNRP29/AUS	240V	0.34kW	1345 x 700 x 890	133kg	\$4,800
	UBD4000	1 Door 4 Drawers Fridge • 421L capacity • Manufacture code: PNRP229/AUS	240V	0.34kW	1790 x 700 x 890	155kg	\$5,600
GREECE	UBD6000	1 Door 6 Drawers Fridge 571L capacity European design & manufacture On castors Digital controller Ambient temperature of 43 °C Stainless steel interior/exterior Internal corners rounded for ease of cleaning Fits gastronorm trays in drawers and door up to 150mm deep Manufacture code: PNRP2229/AUS	240V	0.45kW	2240 x 700 x 890	212kg	\$7,000

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



UBD2000 shown




## **ULTRA SLIMLINE UNDERBENCH FRIDGES**



ULTRA SLIMLINE FRIDGES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	UBI6134	Ultra Slimline 600mm Deep Fridge  • 224L capacity • 600mm Deep • Embedded controller • Heavy duty stainless steel interior and exterior 304 • Doors equipped with return mechanism for angles less than 90° • Anticorrosive protection on the evaporators • Automatic defrost • 0°C to +10°C • Ambient +43°C • Supplied on castors • Manufacture code: PMRP99/AUS	240V	0.34kW	1345 x 600 x 890	115kg	\$3,800
	UBI6179	Ultra Slimline 600mm Deep Fridge • 350L capacity • Manufacture code: PMRP999/AUS	240V	0.34kW	1790 x 600 x 890	142kg	\$4,200
GREECE	UBI6224	Ultra Slimline 600mm Deep Fridge • 475L capacity • Manufacture code: PMRP9999/AUS	240V	0.45kW	2240 x 600 x 890	172kg	\$5,000

All Inomak fridges feature electrostatic painted coils on the evaporator which protect against corrosive agents found in the food zone. This increases the lifespan of the evaporator by minimizing leakages caused by corrosion.



Double Gold Star Warranty – 2 year parts and labour.





#### **UNDERCOUNTER FRIDGE STAINLESS STEEL DOORS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
UBI7134 ★★	Stainless steel undercounter fridge 1345mm • 270L capacity • Manufacture code: PNRP99/AUS	240V	0.35kW	1345 x 700 x 890	106kg	\$3,600
UBI7179 ★★	Stainless steel undercounter fridge 1790mm  • 421L capacity  • Manufacture code: PNRP999/AUS	240V	0.35kW	1790 x 700 x 890	133kg	\$4,600
UBI7224 ★★	Stainless steel undercounter fridge 2240mm • 571L capacity • Manufacture code: PNRP9999/AUS	240V	0.45kW	2240 x 700 x 890	162kg	\$5,600
GREECE	All above models feature:  • 700mm Deep  • Suitable for 1/1 GN pans  • Embedded controller  • Heavy Duty Stainless Steel Interior And Exterior 304  • Self closing doors  • Automatic Defrost  • 0°C to +10°C  • Ambient of 43°C  • Supplied on castors					





## **UNDERBENCH FRIDGES**



#### **UNDERCOUNTER FRIDGE GLASS DOORS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
UBI7134G	Glass door undercounter fridge 1345mm  • 270L capacity  • Manufacture code: PNRP99/GL/AUS	240V	0.35kW	1345 x 700 x 890	106kg	\$4,200
UBI7179G  ★★	Glass door undercounter fridge 1790mm  • 421L capacity  • Manufacture code: PNRP999/GL//AUS	240V	0.35kW	1790 x 700 x 890	133kg	\$5,200
UBI7224G  ★★	Glass door undercounter fridge 2240mm • 571L capacity • Manufacture code: PNRP9999/GL//AUS	240V	0.45kW	2240 x 700 x 890	162kg	\$6,400
GREECE	All above models feature:  • 700mm deep  • Suitable for 1/1 GN pans  • Embedded controller  • Heavy duty stainless steel interior and exterior 304  • Self closing doors  • Automatic defrost  • 0°C to +10°C  • Ambient of 43°C  • Supplied on castors					



UBI7134G



Shown on legs, supplied on castors



UBI7179G



Shown on legs, supplied on castors



UBI7224G



Shown on legs, supplied on castors



# **ICE CREAM MACHINES**



ICE CREAM MACHINES	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	IMM0001	• Capacity: 0.7kg per batch • Stirrer speed: 80rpm • Production: up to 2kg/h* • Manufacture code: MINI	240V	0.2kW	270 x 450 x 300	18kg	\$1,600
ITALY	IMM0002	• Capacity: 1.5kg per batch • Stirrer speed: 76rpm • Production: up to 4.5kg/h* • Manufacture code: STELLA	240V	0.25kW	510 x 350 x 310	31kg	\$2,000
ITALY	IMM0003	L3 Giardino  Capacity: 2.5kg per batch Stirrer speed: 72rpm Production: up to 8kg/h* Manufacture code: GIARDINO	240V	0.56kW	620 x 420 x 430	62kg	\$6,200
ITALY	IMM0003R	• Capacity: 2.5kg per batch • Stirrer speed: 72rpm • Production: up to 8kg/h* • Manufacture code: CLUB	240V	056kW	420 x 450 x 850	65kg	\$6,200
ITALY	IMM0004	• Capacity: 3.5kg per batch • Stirrer speed: 76rpm • Production: up to 12kg/h* • Manufacture code: CONSUL	240V	1.1kW	440 x 600 x 850	105kg	\$8,400

<sup>\*</sup>Production capacity is a guide only and can vary depending on sugar content, alcohol content, ambient temperature and other factors.



LI Mini IMM0001



L2 Stella IMM0002 L3 Giardino IMM0003





L3R Club IMM0003R



L4 Consul IMM0004

.....

111111111111



## **UNDERBAR REFRIGERATION**



# CI IMI INE

 $({\sf Model}\ numbers\ now\ show\ ({\sf H})\ to\ identify\ the\ upgraded\ range\ with\ Hydrocarbon\ {\sf Gas})$ 

UNDERBARS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
*	UBS6120(H)	Slimline Under Bar (1½ Stainless Steel Doors) 1200mm – 295L	240V	0.41kW	1200 x 660 x 900	110kg	\$3,400
5-1-	UBS6180(H)	Slimline Under Bar (2½ Stainless Steel Doors) 1800mm – 480L	240V	0.41kW	1800 x 660 x 900	130kg	\$4,000
SOUTH AFRICA	UBS6240(H)	Slimline Under Bar (3½ Stainless Steel Doors) 2400mm – 693L • 2 lockable, 2 free running castors • Stainless steel countertop • Stainless steel back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.41kW	2400 x 660 x 900	160kg	\$4,400

#### **UNDERBAR** ~ **STAINLESS STEEL DOORS**

★ UI	BS1800(H)	Stainless Steel Under Bar (2½ Stainless Steel Doors) 1800mm – 610L	240V	0.48kW	1800 x 760 x 900	145kg	\$3,900
SOUTH AFRICA	BS2400 (H)	Stainless Steel Under Bar (3½ Stainless Steel Doors) 2400mm – 886L 2 lockable, 2 free running castors 5 Stainless steel countertop Stainless steel back & sides Self closing doors 35°C ambient at 70% RH Heated door mullions Dixell controller	240V	0.56kW	2400 x 760 x 900	175kg	\$4,600

#### **UNDERBAR** ~ **GLASS DOORS**

*	UBG1200(H)	Under Bar (1½ Glass Doors) 1200mm – 360L	240V	0.42kW	1200 x 760 x 900	115kg	\$3,600
	UBG1800 (H)	Under Bar (2½ Glass Doors) 1800mm – 610L	240V	0.5kW	1800 x 760 x 900	145kg	\$4,200
SOUTH AFRICA	UBG2400 (H)	Under Bar (3½ Glass Doors) 2400mm – 886L • 2 lockable, 2 free running castors • LED illuminated • Stainless steel countertop, back & sides • Self closing doors • 35°C ambient at 70% RH • Heated door mullions • Dixell controller	240V	0.59kW	2400 x 760 x 900	175kg	\$4,600

#### **BACK BARS**

	UBG6180 (H)	<b>Back Bar 1800mm – 535L</b> • 610mm deep	240V	0.58kW	1800 x 610 x 985	165kg	\$4,200
SOUTH AFRICA	UBG6240 (H)	Back Bar 2400mm - 763L  • 610mm deep  • 2 shelves per door (can hold 3 rows of stubbies per door)  • Castor height 90mm	240V	0.64kW	2400 x 610 x 985	185kg	\$5,800



# UNDERBAR REFRIGERATION IC

PIZZA BARS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
*	UBP1800	Pizza Bar (2 <sup>1</sup> / <sub>2</sub> Doors) 1800mm - 440L	240V	0.9kW	1800 x 840 x 1100	150kg	\$7,600
SOUTH AFRICA	UBP2400	Pizza Bar (3½ Doors) 2400mm  - 630L  • Stainless steel front back & sides  • Stainless steel interior  • Stainless steel fridge doors  • Insulated night lids  • 2 lockable, 2 free running castors  • Rack for working on trays  • Air over top cooling  • Spacers for diff. config. of pans  • 9 x 1/3 inserts - 1800mm  12 x 1/3 inserts - 2400mm  • 35°C ambient at 70% RH	240V	1.02kW	2400 x 840 x 1100	180kg	\$8,800
SOUTH AFRICA						se units do with pans	not

#### **CASTORS FOR UNDERBARS & PIZZA BARS**

	XUBS0028	Small Castors with Brakes     These castors reduce the overall height of the fridges from 900mm to 870mm in order to fit under a counter     Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range	Actual overall castor height 100mm	\$28
3	XUBS0034	Small Castors with <u>no</u> Brakes • Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range	Actual overall castor height 100mm	\$24
	XUBS0031	Tiny Castors with Brakes  These castors reduce the overall height of the fridges from 900mm to 847mm in order to fit under a counter  Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range	Actual overall castor height 76mm	\$28
	XUBS0030	Tiny Castors with no Brakes Fits all fridges with codes starting with UBS, UBG, UBP as well as UFI and UBD range	Actual overall castor height 76mm	\$24



# **BLAST CHILLERS / FREEZERS**



BLAST CHILLERS / FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	BCE0004	4 Tray Blast Chiller  4 pairs of stainless steel guides (supplied) for 1/1 GN  10kg Blast Chilling from +90°C to +3°C by core probe or by time  7 kg Shock freezing from +90°C to -18°C by core probe or by time  Choice between HARD and SOFT cycles both for blast chilling and for shock freezing  Automatic storage phase at cycle end  Ambient temp 32°C  R452A refrigerant gas  Manufacture code: BAB060	240V	0.67kW	Internal Dimensions: 595 x 373 x 286  Shelf guides are spaced 17mm apart	49kg	\$6,400
ITALY	BCE0005	5 Tray Blast Chiller     5 pairs of stainless steel guides (supplied) for 1/1 GN pans and 600 x 400 baking trays     25kg Blast Chilling from +90°C to +3°C by core probe or by time     18kg Shock freezing from +90°C to -18°C by core probe or by time     Choice between HARD and SOFT cycles both for blast chilling and for shock freezing     Automatic storage phase at cycle end     Ambient temp 38°C     R452A refrigerant gas     Manufacture code: BAC000	240V	1.2kW	760 x 705 x 850  Internal Dimensions: 660 x 402 x 360  Shelf guides are spaced 17mm apart	108kg	\$8,200
ITALY	BCE0007	7 Tray Blast Chiller  • 7 pairs of stainless steel guides (supplied) for 1/1 GN pans and 600 x 400 baking trays  • 30kg Blast Chilling from +90°C to +3°C by core probe or by time  • 21kg Shock freezing from +90°C to -18°C by core probe or by time  • Choice between HARD and SOFT cycles both for blast chilling and for shock freezing  • Automatic storage phase at cycle end  • Ambient temp 38°C  • R452A refrigerant gas  • Manufacture code: BAD000	240V	1.2kW	780 x 798 x 1097  Internal Dimensions: 660 x 402 x 550  Shelf guides are spaced 17mm apart	148kg	\$11,000
ITALY	BCE2010	10 Tray Blast Chiller  10 pairs of stainless steel guides (supplied) for 1/1 GN pans and 600 x 400 baking trays 47kg Blast Chilling from +90°C to +3°C by core probe or by time 35kg Shock freezing from +90°C to -18°C by core probe or by time Choice between HARD and SOFT cycles both for blast chilling and for shock freezing Automatic storage phase at cycle end Ambient temp 38°C R452A refrigerant gas Manufacture code: BAE000	240V	1.6kW	780 x 798 x 1437  Internal Dimensions: 660 x 402 x 760  Shelf guides are spaced 17mm apart	172kg	\$14,400



# BLAST CHILLERS / FREEZERS ICE



BLAST CHILLERS / FREEZERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	BCE2015	15 Tray Blast Chiller  15 pairs of stainless steel guides for 1/1 GN and 600 x 400 baking trays 64kg Blast Chilling from +90°C to +3°C by core probe or by time 52kg Shock freezing from +90°C to -18°C by core probe or by time Choice between HARD and SOFT cycles both for blast chilling and for shock freezing Automatic storage phase at cycle end Ambient temp 38°C R452A refrigerant gas Supplied without plug - must be installed by an electrician Manufacture code: BAF000	400V 3PH	3.3kW	780 x 798 x 1817  Internal Dimensions: 660 x 402x 1140  Shelf guides are spaced 17mm apart	216kg	\$18,000
TTALV	BCE2020 ★	20 Tray Blast Chiller  20 pairs of stainless steel guides for 1/1 GN and 600 x 400 baking trays  82kg Blast Chilling from +90°C to +3°C by core probe or by time  65kg Shock freezing from +90°C to to -18°C by core probe or by time  Choice between HARD and SOFT cycles both for blast chilling and for shock freezing  Automatic storage phase at cycle end  Ambient temp 43°C  High Efficiency and low energy consumption  Colour touch screen with a user friendly interface controller  R452A refrigerant  Professional Tray Range can be controlled remotely via a wifi connection  Supplied without plug - must be installed by a licensed electrician  Manufacture code: BBG000	400V 3PH	4.1kW	780 x 800 x 2207  Internal Dimensions: 660 x 402 x 1520  Shelf guides are spaced 17mm apart	227kg	\$24,000
ITALY	BCE9320	20 Tray Blast Chiller - Remote Installation  Suitable for a range of trolleys; 2 x 1/1 GN, 1 x 2/1 GN, 1x600x800  120kg Blast Chilling from +90°C to +3°C by core probe or by time  90kg Shock freezing from +90°C to -18°C by core probe or by time  Choice between HARD and SOFT cycles both for blast chilling and for shock freezing  Automatic storage phase at cycle end  Ambient temp 40°C  High efficiency and low energy consumption  Colour touch screen with user friendly interface controller  R452A refrigerant  Professional Tray Range can be controlled remotely via a wifi connection  Supplied without plug, must be installed by a licensed electrician, price does not include installation  Manufacture code: BEA005	400V 3PH	5.5kW	Room: 950 x 1360 x 2180  Internal Dimensions: 660 x 801 x 1860  Shelf guides are spaced 17mm apart  Condensing Unit: 1352 x 702 x 891	454kg	\$45,400



## **DRY AGE MEAT CABINETS**



ALL IN ONE DRY AGE CABINET	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
DAE0700	DAE0700	Seasoning/Dry Age Cabinet  Suitable for dry ageing meat, curing salami and seasoning cheese  304 18/10 Stainless Steel  32°C Ambient  Full control of temperature o°C to 30°C  Full control of relative humidity 40%-95% RH  Approx 100kg of hanging product  Approx 30 days for salami  75mm thick insulation	240V	1.8kW 750 x 850 x 2080 Shelf guides are spaced 53mm apart		149Kg	\$15,400
	<ul> <li>Auto defrost</li> <li>Self closing doors</li> <li>Supplied with 3 shelves, 2 sets of rod grids, 3 rods per level (6 rods) and 36 hooks</li> <li>Built-in humidifier</li> <li>Manufacture code: AC8C01</li> </ul>		connecti water, v	e connected to a ¾" E on. If unit is in an are ve recommend installi or to protect the comp	a with hard ng a water		

#### **DRY AGE MEAT CABINET**

	DAE0701	Dry Age Meat Cabinet Single Door	240V	1kW	750 x 850 x2080	168kg	\$13,000
Partice Property of the Partic	М	Suitable for meat 32°C Ambient Full control of temperature Standard with UV Light 0° to +10°C Full control of relative humidity 40%-90% RH 150kg product capacity No need for water connection Black glazed stainless steel Supplied with 3 shelves, 1 hook rail and 2 meat hooks Auto defrost Self closing doors			Shelf guides are spaced 53mm apart		
ITALY	М	Manufacture code: AC9F08					

#### **DRY AGE MEAT CABINET PANORAMA**

	DAE0702	Dry Age Meat Cabinet Single Door Panorama	240V	1kW	750 x 815 x2080	184kg	\$14,400	
PROTECTION OF THE PROPERTY OF	М	Suitable for meat Front and back glass display 32°C Ambient Full control of temperature Standard with UV Light O°C to +10°C Full control of relative humidity 40%-90% RH 100kg product capacity Self closing doors Auto defrost No need for water connection Black glazed stainless steel Supplied with 3 shelves, 1 hook rail and 2 meat hooks Manufacture code: AC9308			Shelf guides are spaced 53mm apart			
ITALY								



## **DRY AGE MEAT CABINETS**

1500 x 850 x2080

Shelf quides are

spaced 53mm

apart

1500 x 815 x2080

Shelf guides are

spaced 53mm

apart

305kg


\$19,600

\$23,400

323kg



#### **ALL IN ONE DRY AGE CABINET**



240V

240V

1.7kW

1.7kW

<b>DRY AGE</b>	<b>MEAT</b>
<b>CABINET</b>	



TTALY

#### DAE1501

L

#### **Dry Age Meat Cabinet Double Door**

- Suitable for meat
- 32°C Ambient
- Full control of temperature
- Standard with UV Light
- 0°C to +10°C
- Full control of relative humidity 40%-90% RH
- 300kg product capacity
- No need for water connection
- Glass door and LED lighting for food visual display
- · Black glazed stainless steel
- Supplied with 6 shelves, 1 hook rail and 4 meat hooks
- External condensation pan
- · Automatic suction fan for air exchange
- Auto defrost
- Self closing doors
- · Key and lock standard
- Manufacture code: AC9F18

#### DRY AGE MEAT CABINET PANORAMA



ITALY

#### DAE1502 **Dry Age Meat Cabinet Double Door Panorama**

- Suitable for meat · Front and back glass display
- 32°C Ambient
- Full control of temperature
- Standard with UV Light
- 0°C to +10°C
- Full control of relative humidity 40%-90% RH
- 300kg product capacity
- No need for water connection
- Glass door and LED lighting for food visual display
- Black glazed stainless steel
- · Supplied with 6 shelves, 1 hook rail and 4 meat hooks
- External condensation pan
- Automatic suction fan for air exchange
- · Auto defrost
- · Self closing doors L

<ul> <li>Key and lock standard</li> </ul>	
Manufacture code: AC9I18	





RETARDER PROVER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
Shown on feet. Supplied on castors	RPE1790	Retarder Prover  Controlled fermentation by accurate management of temperature, humidity and time  Single 600 x 400 trays per level (20 levels at 48mm pitch or 18 levels are 72mm pitch)  Supplied with 20 pairs of guides  Temperature Range -10°C - +40°C  R290 refrigerant  Monoblock refrigerating unit with internal evaporator for accessibility  Must be connected to a 3/4" BSP water connection  If unit is in an area with hard water, we recommend installing a water filter to protect the components  Manufacture code: AFR021	240V 15A	1.7kW	790 x 743 x 2050	181kg	\$12,000
Shown on feet. Supplied on castors	RPE2790	Retarder Prover  Controlled fermentation by accurate management of temperature, humidity and time  Supplied with kit for 406mm x 720mm (16" x 29") trays (1 per level)  Can be converted without tools to take 2 of 600 x 400 trays per level  Temperature Range -10°C - +40°C  R290 refrigerant  Monoblock refrigerating unit with internal evaporator for accessibility  Must be connected to a 3/4" BSP water connection  If unit is in an area with hard water, we recommend installing a water filter to protect the components  Manufacture code: AFR231	240V 15A	2.3kW	790 x 1043 x 2050	191kg	\$16,600
Shown on feet. Supplied on castors	RPE5790S	Retarder Prover As above, supplied with stainless steel door • Manufacture code: AFR031  Conversion kit to take 18" trays, set o	f 8 blocks				\$14,400




# **GELATO/PASTRY STORAGE**



GELATO STORAGE	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
Shown on feet. Supplied on castors	GEL2000	Gelato Storage Cabinet 875L  Made from stainless steel AISI 304  Rounded corners for easy cleaning  60mm thick insulation  Colour touch screen with a user friendly interface controller  Automatic defrost and evaporation of condensate water  Self closing door  R452a Gas  Supplied with 5 levels of shelves (5 pair of guides and 10 shelves) which can accommodate 30 x  5L ice cream containers. Extra shelves and guides available to increase capacity to 54 x 5L ice cream containers  Can go down to -30°C at ambient temperature of 32°C or -12°C to -25°C at 40°C ambient temperature  Manufacture code: AIK031 – ICE 100 BTV	240V	1.2kW	790 x 1043 x 2050	165kg	\$10,800
	XGEL0001	Shelf Guides (pair)					\$72
ITALY	XGEL0002	Shelves to suit GEL2000 (2 shelv	Shelves to suit GEL2000 (2 shelves per level)				\$56

#### PASTRY FRIDGE (2 x 600mm x 400mm trays per level)









## **JEWELLERY CAKE DISPLAY – 2 TIER**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NDSJ2730	Jewellery Cake Display 2 Tier  • Cold 900mm wide  • 190L  • Manufacture code: NLR730V	240V	0.86kW	900 x 680 x 1000	153kg	\$3,800
NDSJ2740	Jewellery Cake Display 2 Tier  • Cold 1200mm wide  • 260L  • Manufacture code: NLR740V	240V	1.07kW	1200 x 680 x 1000	190kg	\$4,600
NDSJ2750	Jewellery Cake Display 2 Tier  • Cold 1500mm wide  • 325L  • Manufacture code: NLR750V	240V	1.09kW	1500 x 680 x 1000	222kg	\$5,100
NDSJ2760	Jewellery Cake Display 2 Tier Cold 1800mm wide 395L Manufacture code: NLR760V	240V	1.29kW	1800 x 680 x 1000	255kg	\$5,700
	All above cold models feature:  • Warm/Cool LED lighting modes  • Fixed shelving  • Black brushed #304 stainless steel body  • Easily removable front and side stainless steel panels  • Easily accessible cooling system and controller for simple cleaning and maintenance  • Removable condenser filter for easy cleaning  • 1 level frosted glass shelf with stainless steel base shelf  • R290 gas  • ITO Heated tempered glass front, top and sides  • Ambient 32°C at 82% RH  • Unit can be run as ambient display by turning on lights only  • Ventilated cooling system  • Auto defrost  • Operating temperature 2°C ~ 8°C  • Shelf load capacity 30kg					









## All cold displays now feature adjustable shelving and warm/cool LED light modes

## **COLD 3 TIER SQUARE CAKE DISPLAYS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST	
NDSV3720	Square Glass Display 3 Tier  • Cold 600mm wide	240V	0.62kW	600 x 680 x 1200	140kg	\$3,800	
	<ul><li>150L</li><li>Unit has front and rear vents</li><li>Manufacture code: NR720V</li></ul>		600mm wide units have both front and rear vents and a hinged door due to size				
NDSV3730	Square Glass Display 3 Tier  • Cold 900mm wide  • 285L  • Manufacture code: NR730V	240V	0.89kW	900 x 680 x 1200	174kg	\$4,000	
NDSV3740	• Cold 1200mm wide • 385L • Manufacture code: NR740V	240V	1.1kW	1200 x 680 x 1200	215kg	\$4,700	
NDSV3750	Square Glass Display 3 Tier  • Cold 1500mm wide  • 485L  • Manufacture code: NR750V	240V	1.12kW	1500 x 680 x 1200	254kg	\$5,400	
NDSV3760	Square Glass Display 3 Tier  • Cold 1800mm wide  • 585L  • Manufacture code: NR760V	240V	1.32kW	1800 x 680 x 1200	291kg	\$5,800	
	All above cold models feature:  • Warm/Cool LED lighting modes  • Adjustable shelving  • Black brushed #304 stainless steel body  • Easily removable front and side stainless panels  • Easily accessible cooling system and controller for simple cleaning and maintenance  • Removable condenser filter for easy cleaning  • 2 levels frosted glass shelves with stainless steel base shelf  • R290 gas	<ul> <li>ITO Heated tempered glass front, top and sides</li> <li>Ambient 32°C at 82% RH</li> <li>Unit can be run as ambient display by turning on lights only</li> <li>Ventilated cooling system</li> <li>Auto defrost</li> <li>Operating temperature 2°C ~ 8°C</li> <li>Shelf load capacity 30kg</li> </ul>					

#### **HOT 3 TIER DISPLAYS**

	3 Tier Hot Display	240V	0.62kW	600 x 680 x 1200	106kg	\$3,000
**	Adjustable wire shelving • 150L • Temperature range 40°C to 75°C     Manufacture code: H-NR720V		600mm wide units have both front and rear vents and a hinged door due to size			
NDHV3730	3 Tier Hot Display	240V	0.74kW	900x680x1200	122kg	\$3,400
**	Adjustable wire shelving					
NDHV3740	3 Tier Hot Display	240V	0.855kW	1200x680x1200	139kg	\$3,750
**	Adjustable wire shelving • 385L • Temperature range 40°C to 75°C     Manufacture code: H-NR740V					









## All cold displays now feature adjustable shelving and warm/cool LED light modes

#### **COLD 4 TIER CAKE DISPLAYS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NDSV4720	Square Glass Display 4 Tier  • Cold 600mm wide  • 190L  • Unit has front and rear vents	240V		600 x 680 x 1350  ide units have both fro		\$3,900
NDSV4730	Manufacture code: NSR720V  Square Glass Display 4 Tier     Cold 900mm wide     355L     Manufacture code: NSR730V	240V	0.91kW	900 x 680 x 1350	196kg	\$4,200
NDSV4740	Square Glass Display 4 Tier  • Cold 1200mm wide  • 480L  • Manufacture code: NSR740V	240V	1.1kW	1200 x 680 x 1350	239kg	\$4,800
NDSV4750	Square Glass Display 4 Tier  • Cold 1500mm wide  • 605L  • Manufacture code: NSR750V	240V	1.14kW	1500 x 680 x 1350	280kg	\$5,600
NDSV4760	Square Glass Display 4 Tier  • Cold 1800mm wide  • 735L  • Manufacture code: NSR760V	240V	1.34kW	1800 x 680 x 1350	319kg	\$6,400
	All above cold models feature:  • Warm/Cool LED lighting modes  • Adjustable shelving  • Black brushed #304 stainless steel body  • Easily removable front and side stainless panels  • Easily accessible cooling system and controller for simple cleaning and maintenance  • Removable condenser filter for easy cleaning	<ul> <li>3 levels frosted glass shelves with stainless steel base shelf</li> <li>R290 gas</li> <li>ITO Heated tempered glass front, top and sides</li> <li>Ambient 32°C at 82% RH</li> <li>Unit can be run as ambient display by turning on lights only</li> <li>Ventilated cooling system</li> <li>Auto defrost</li> <li>Operating temperature 2°C ~ 8°C</li> <li>Shelf load capacity 30kg</li> </ul>				

#### **HOT 4 TIER DISPLAYS**

пот 4	HER DISPLATS					
NDHV4720	4 Tier Hot Display  • Wire shelving  • 190L • Temperature range 40°C to 75°C  • Manufacture code: H-NSR720V	240V	0.66kW	600 x 680 x 1350	131kg	\$3,200
NDHV4730	4 Tier Hot Display  • Wire shelving • 355L • Temperature range 40°C to 75°C  • Manufacture code: H-NSR730V	240V	0.8kW	900x680x1350	145kg	\$3,500
NDHV4740	4 Tier Hot Display  • Wire shelving • 480L • Temperature range 40°C to 75°C  • Manufacture code: H-NSR740V	240V	0.935kW	1200x680x1350	156kg	\$3,850









## All cold displays now feature adjustable shelving and warm/cool LED light modes

## **SALAD / CAKE DISPLAYS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
NDSS3830	Salad/Cake Display – GN Pans  • 3 Tier salad/cake display 900mm  • 415L  • Supplied with 6 x 1/1 clear GN pans (2 per level)  • Supplied with 2 levels of frosted glass shelves and stainless steel base shelf  • Manufacture code: DSS0830	240V	0.72kW	900 x 830 x 1350	210kg	\$5,000
NDSS3840	Salad/Cake Display – GN Pans  • 3 Tier salad/cake display 1200mm  • 560L  • Supplied with 9 x 1/1 clear GN pans (3 per level)  • Supplied with 2 levels of frosted glass shelves and stainless steel base shelf  • Manufacture code: DSS0840	240V	0.953kW	1200 x 830 x 1350	257kg	\$6,000
NDSS3850	Salad/Cake Display – GN Pans  3 Tier salad/cake display 1500mm  705L  Supplied with 12 x 1/1 clear GN pans (4 per level)  Supplied with 2 levels of frosted glass shelves and stainless steel base shelf  Manufacture code: DSS0850	240V	0.963kW	1500 x 830 x 1350	297kg	\$7,000
NDSS3860	Salad/Cake Display – GN Pans  • 3 Tier salad/cake display 1800mm  • 850L  • Supplied with 15 x 1/1 clear GN pans (5 per level)  • Supplied with 2 levels of frosted glass shelves and stainless steel base shelf  • Manufacture code: DSS0860	240V	1.158kW	1800 x 830 x 1350	338kg	\$8,000
	All above cold models feature:  • Warm/cool LED lighting modes  • Black brushed #304 stainless steel body  • Easily removable front and side stainless steel panels  • Easily accessible cooling system and controller for simple cleaning and maintenance	<ul> <li>Removable condenser filter for easy cleaning</li> <li>R290 gas</li> <li>ITO Heated tempered glass front, top and sides</li> <li>Ambient 32°C at 82% RH</li> <li>Ventilated cooling system</li> <li>Auto defrost</li> <li>Operating temperature 2°C ~ 8°C</li> </ul>				







#### **HOT DISPLAY**

NDSSH3830	Hot Display to match DSS Range 900  • Supplied with wire racking • Can take 1/1 gastronorm to match DSS3830 • Black brushed #304 stainless steel body	240V	1.21kW	900 x 830 x 1350	190kg	\$4,000
NDSSH3840	• Supplied with wire racking • Can take 1/1 gastronorm to match DSS3840 • Black brushed #304 stainless steel body	240V	1.52kW	1200 x 830 x 1350	230kg	\$4,400





COUNTERTOP DISPLAY - COLD	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
<b>*</b>	DGV0530	Countertop Showcase	240V	0.44kW	900 x 540 x 820	112kq	\$2,600
	S	Easily accessible cooling system and controller     304 stainless steel interiors     Warm/cool LED lighting modes     Temp diff. among shelves 1*-2*C     Ambient temp at 32*C, R.H 82%     140L     R290 gas     Temperature range 2*C - 8*C     Modern style and design     Gastronorm size     Manufacture code: NA530V					
	DGV0540	Countertop Showcase  • 190L  • Manufacture code: NA540V	240V	0.54kW	1200 x 540 x 820	132kg	\$3,200
	DGV0550	Countertop Showcase	240V	0.65kW	1500 x 540 x 820	155kg	\$3,600
CHINA	М	240L     Manufacture code: NA550V					

#### **COUNTERTOP DISPLAY - HOT**

**	DGHV0530	Hot Countertop Showcase  140L Temperature range 40°C to 75°C Wire shelving Manufacture code: H-NA530V	240V	0.76kW	900 x 540 x 820	90kg	\$2,400
	DGHV0540	Hot Countertop Showcase  • 190L  • Temperature range 40°C to 75°C  • Wire shelving  • Manufacture code: H-NA540V	240V	0.8kW	1200 x 540 x 820	110kg	\$2,600
CHINA	DGHV0550	Hot Countertop Showcase  • 240L  • Temperature range 40°C to 75°C  • Wire shelving  • Manufacture code: H-NA550V	240V	0.84kW	1500 x 540 x 820	120kg	\$2,950







REFRIGERATED DRAWER DISPLAYS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
CHINA	DSD0001	Black brushed #304 stainless steel interior and exterior     Triple glazed ITO safety glass with heater     Warm/cool LED lighting modes     R290 gas     Rear sliding drawer with illuminated base     Maximum loading height of drawer 300mm     Manufacture code: P720VT1	240V	0.79kW	600 x 700 x 1200	119kg	\$3,600
CHINA	DSD0002	Drawer Display Double – 197L  Black brushed #304 stainless steel interior and exterior  Triple glazed ITO safety glass with heater  Warm/cool LED lighting modes R290 gas  2 x Rear sliding drawers with illuminated base  Maximum loading height of drawer 300mm  Manufacture code:P740VT2	240V	1.04kW	1200 x 700 x 1200	200kg	\$5,000

#### REFRIGERATED DRINK DISPENSERS ~ STIRRER TYPE

	JDA2001	Single Bowl Drink Dispenser	240V	0.29kW	230 x 430 x 640	20kg	\$840
CHINA		Clear food grade 12L polycarbonate bowl (removable for cleaning) Stirrer makes it suitable for milk based products and juice with pulp Internal motor sealed to prevent liquid ingress Chassis and panels all stainless steel Manufacture code: COROLLA-1S					
CHINA	JDA2002	Ouble Bowl Drink Dispenser  Clear food grade 2 x 12L polycarbonate bowl (removable for cleaning)  Stirrer makes it suitable for milk based products and juice with pulp  Internal motor sealed to prevent liquid ingress  Chassis and panels all stainless steel  Manufacture code: COROLLA-2S	240V	0.37kW	430 x 430 x 640	28kg	\$1,260
CHINA	JDA2003	Triple Bowl Drink Dispenser  Clear food grade 3 x 12L polycarbonate bowl (removable for cleaning)  Stirrer makes it suitable for milk based products and juice with pulp  Internal motor sealed to prevent liquid ingress  Chassis and panels all stainless steel  Manufacture code: COROLLA-3S	240V	0.45kW	630 x 430 x 640	36kg	\$1,400




# **ICE CREAM / GELATO DISPLAYS**



# **GELATO DISPLAY**

FREEZER	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
	DSI0530	Countertop Showcase Freezer  4 x <sup>1</sup> / <sub>3</sub> size GN pans 100mm deep (4 x clear polycarbonate supplied)  Perfect for scoop or prepacked ice cream  Heated front glass  Auto defrost  140L  Grade 304 Stainless Steel  LED strip lighting  30 ° C ambient temperature  Not suitable for overnight storage  Manufacture code: F-A530V	240V	0.45kW	900 x 540 x 790	108kg	\$3,600
	DSI0540	Countertop Showcase Freezer  5 x <sup>1</sup> / <sub>3</sub> size GN pans 100mm deep (5 x clear polycarbonate supplied)  190L  Manufacture code: F-A540V	240V	0.49kW	1200 x 540 x 790	130kg	\$4,200
CHTNA	DSI0550	Countertop Showcase Freezer  7 x <sup>1</sup> / <sub>3</sub> size GN pans 100mm deep (7 x clear polycarbonate supplied)  240L  Manufacture code: F-A550V	240V	0.54kW	1500 x 540 x 790	152kg	\$4,600
CHINA							









# **OUT-OF-CHAMBER VACUUM SEALERS**

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
-------	---------------------	---------	-------	----------------	----	------------------------

#### use with channel bags only (VBC)

ITALY	VME0001	For use only with Channel bags     Filter for pump protection     Not suitable for liquids     Manufacture code: ECO VACUUM	240V	0.4kW	360 x 265 x 126	3.5kg	\$400
ITALY	VMB0001	Vacuum Sealer Domestic  For use only with Channel bags Automatic and Manual modes Automatic sealing Not suitable for liquids Manufacture code: VACUUM FAMILY	240V	0.4kW	360 x 265 x 126	3.5kg	\$500
ITALY	VMF0001	Fast Vac  • For use only with Channel bags • Automatic sealing • Internal filter system • Full stainless steel body • Not suitable for liquids • Manufacture code: FAST VAC	240V	0.45kW	360 x 300 x 150	8kg	\$880

#### **VACUUM SEALERS**

#### use with regular bags (VBP) or (VBS) Cooking Bags

					, , , , , ,		0 0
ITALY	VM00025	Vacuum Sealer EVOX 25  • 4m³/h Pump  • Chamber size 300 x 290 x 109  • Sealing bar length: 260mm  • 2 vacuum levels – storage/cooking  • 4 sealing settings  • Manufacture code: EVOX 25	240V	0.3kW	444 x 482 x 208	22kg	\$3,350
ITALY	VM0030E	Vacuum Sealer EVOX 30  • 8m³/h pump  • Chamber size: 355 x 366 x 183  • Sealing bar size: 310mm  • 2 vacuum levels – storage/cooking  • 4 sealing settings  • Manufacture code: EVOX	240V	0.53kW	495 x 627 x 288	35.5kg	\$4,600









# **VACUUM SEALERS**



VACUUM SEALERS	Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST
ITALY	VM00030	IDEA 30 • Digital panel, waterproof and scratch resistant • 10 editable programs • Smart vacuum sensor • 8m³/h pump • Chamber size 334 x 351 x 190h mm • Sealing bar 310mm length • Manufacture code: IDEA 30	240V	0.6kW	425 x 504 x 398	35.3kg	\$5,800
TALY	VM00040	IDEA 40  • Digital panel, waterproof and scratch resistant  • 10 editable programs  • Smart vacuum sensor  • 16m³/h pump  • Chamber size 448 x 440 x 190h mm  • Sealing bar 410mm length  • Manufacture code: IDEA 40	240V	0.8kW	531 x 600 x 461	60.9kg	\$7,200

ITALY	VM09941	Vacuum Sealer Commercial - VM41  • 25m³/h pump  • Chamber size: 520 x 450 x 180  • Sealing bar length: 410mm  • Replaces previous model VM18  • Manufacture code: VM41	240V	1.2kW	580 x 665 x 509	87kg	\$10,800
ITALY	VM09945	Vacuum Sealer Commercial - VM45  • 25m³/h pump • Chamber size: 551 x 487 x 175 • Dual sealing bars • Sealing bar lengths: 456mm • Replaces previous model VM53 • Manufacture code: VM45	240V	1.2kW	612 x 700 x 500	95kg	\$15,600



#### VACUUM SEALERS CHAMBER MODELS

Model	Product Description	Voltage	Power	Unit Size (mm)	Kg	List Price excl GST	
-------	---------------------	---------	-------	----------------	----	------------------------	--

#### use with regular bags (VBP) or (VBS) Cooking Bags




VM00020	Vacuum Sealer Commercial - VM 20	400V 3Ph	1.5kW	771 x 700 x 1017	230kg	\$22,400	
	60m³ pump     Chamber size: 650 x 535 x 200     Sealing bar size: 2 x 500mm     Dual bars     Standard with gas flush     Standard with soft air     Supplied without plug- needs to be installed by licensed electrician     Manufacture code: VM20						

#### **VACUUM SEALERS**

#### use with regular bags (VBP) or (VBS) Cooking Bags

TOTAL TO	VM00031	Idea 31 Vacuum Sealer  • Digital panel, waterproof and scratch resistant  • 10 editable programs  • Ready to connect to gas (MAP) if required  • Smart vacuum sensor  • 12m3/h pump  • Chamber size 434 x 343 x 195h mm  • Sealing bar 310mm length  • Manufacture code: IDEA 31	240V	0.6kW	415 x 603 x 460	46.3kg	\$7,200
ITALY  ITALY	VM00041	Idea 41 Vacuum Sealer  • Digital panel, waterproof and scratch resistant  • 10 editable programs  • Ready to connect to gas (MAP) if required  • Smart vacuum sensor  • 20m3/h pump  • Chamber size 440 x 448 x 190h mm  • Sealing bar 410mm length  • Manufacture code: IDEA 41	240V	1.2kW	531 x 600 x 461	60.9kg	\$8,600


#### VACUUM SEALERS CHAMBER MODELS use with regular bags (VBP) or (VBS) Cooking Bags







#### **CHANNEL BAG ROLLS**



#### **VACUUM BAGS**

CODE	VACUUM BAG SIZES	Pkts. p/carton	Price per pkt of 100
VBP1422	140 x 220mm	10	\$12.60
VBP1823	180 x 230mm	10	\$15.00
VBP2025	200 x 250mm	10	\$20.00
VBP2030	200 x 300mm	10	\$26.00 up to 1.0lt
VBP2535	250 x 350mm	10	\$36.00 up to 1.5lt
VBP3045	300 x 450mm	5	\$54.00 up to 4.0lt
VBP4060	400 x 600mm	5	\$88.00 up to 6.0lt
	CHANNEL BAG SIZES		

For use in Chamber Models  $20/70-90\mu$  Polyamide/Polyethylene Maximum temperature:  $70^{\circ}\text{C}$  for a duration up to 2 hours -  $100^{\circ}\text{C}$  for a duration up to 15 minutes.

	CHANNEL BAG SIZES		
VBC1623	160 x 230mm	25	\$23.00
VBC1530	150 x 300mm	20	\$27.50
VBC2025	200 x 250mm	18	\$30.00
VBC2030	200 x 300mm	16	\$39.00
VBC2535	250 x 350mm	10	\$52.00
VBC2545	250 x 450mm	7	\$70.00
VBC3040	300 x 400mm	8	\$82.00
	COOKING BAG SIZES		
VBS1520	150 x 200mm	10	\$16.50
VBS2030	200 x 300mm	10	\$33.00

5

250 x 350mm

300 x 400mm

\$44.00

\$66.00

For use in Out-of-Chamber Models 20/80 – 100µ Polyamide/Polyethylene Maximum temperature: 70°C for a duration up to 2 hours – 100°C for a duration up to 15 minutes

For use in Chamber Model machines 15/60 – 72µ Polyamide/Polypropylene for Sous Vide can handle up to 121° C , 85° C for a duration of up to 72 hours, up to 100° C for a duration of up to 4 hours and heat treatment such as pasteurisation or steam sterilization within 121° C for 30 minutes

VBS2535

VBS3040



# **TERMS & CONDITIONS**



- 1. 1 The Terms of Trade govern all orders placed by the Applicant and apply to and form part of any contract for the supply of Goods by the Company to the Applicant.
- 1.2 These Terms of Trade replace any previous terms and conditions of trade.
- 2. 2.1 No quotation given by the Company to the Applicant shall constitute an offer.
- 2.2 Orders must be placed by purchase order issued by the Applicant. Any order from the Applicant for the supply of Goods shall not be binding on the Company until accepted by the Company.
- 2.3 Orders must be accompanied by necessary ordering information as requested by the Company.
- 2.4 The prices for the Goods may be varied to the Company's general prices in effect at the requested date of delivery of the Goods notwithstanding any prior orders or sales order acceptances in respect of the Goods.
- 2.5 Prices given in any quotation are applicable to that quotation only and will not apply in any other instance.
- 2.6 Quotations are valid for a period of 30 days from the date of issue by the Company, unless otherwise agreed in writing.
- 2.7 Unless expressly included, the prices given in any quotation, price list or any Invoice and the consideration for any supply under or in connection with the Terms of Trade, do not include GST.
- 2.8 Prices for the Goods will be as stated in each Invoice and are subject to change without notice.
- 3. These Terms of Trade apply to the Applicant and to the Company in respect of Goods ordered by the Applicant. Any terms and conditions set out in the Applicant's order deviating from or inconsistent with these Terms of Trade will not bind the Company notwithstanding any statement by the Applicant in its order that its terms and conditions shall prevail over these Terms of Trade. No variation or modification or substitution of these Terms of Trade shall be binding on the Company unless specifically accepted by the Company in writing.
- 4. The Company accepts no liability for Goods supplied by any third party who has not purchased the Goods directly from the Company.
- 5.1 In relation to deliveries within the Company's nominated metropolitan distribution areas, for orders over \$600.00 (exclusive of GST), the Company shall arrange for the Goods to be delivered F.I.S., except for refrigeration and display cabinets hot or cold.
- 5.2 The Company is not liable for any claims for non fulfilment or late delivery of Goods or for any loss or damage (including consequential loss or damage) suffered by the Applicant arising from delay in delivery or a failure to deliver. The Applicant shall accept and pay for the Goods notwithstanding late delivery.
- 5.3 The Applicant shall upon placing its order advise the Company of the nominated delivery point and requested delivery date.
- 5.4 Unless otherwise agreed by the Applicant and the Company, the Company shall be entitled to deliver the Goods in one or more lots. Where delivery of the Goods is effected by way of part delivery, the Company shall be entitled to invoice the Applicant for pro rata progress payments in respect thereof.
- 5.5 Notwithstanding the Applicant's inability to accept delivery of the Goods, the Company shall be deemed to have delivered the Goods in accordance with these Terms of Trade.
- 5.6 All claims by the Applicant in relation to delivery quantities or loss or damage to the Goods must be made within 7 days of delivery of the Goods, time being of the essence.

  Any claims made outside this time frame will not be recognised by the Company.
- 6. Unless otherwise agreed by the Company in writing, all Goods will be supplied on a cash before delivery basis.
- 6.2 The extension of credit to the Applicant by the Company shall be at the absolute discretion of the Company, which discretion may be varied from time to time, and where extended unless otherwise advised in writing by the Company, the Company requires cash payment in full by the last Business Day which is 30 days following the date of the Invoice. A letter signed by a director of the Company will be sufficient evidence as to the terms of credit applicable to the Applicant at any point in time.
- 6.3 In the event that payment for any Invoice has not been received by the Company within 30 days of Invoice, the Company may, in its discretion:
  - (a) immediately cease any extension of credit; and/or
  - (b) charge the Applicant interest on overdue amounts, such interest to be calculated daily on the balance outstanding; and/or
  - (c) charge to the Applicant all administration and other costs incurred by the Company in relation to collection of outstanding amounts owed by the Applicant to the Company.
- 6.4 The Applicant may not withhold payment or make any deductions from any amount owing without the Company's prior written consent, which consent may be withheld in its absolute discretion.
- 6.5 The Company will forward a statement monthly to those Applicants granted an extension of credit pursuant to clause 6.2.
  - (a) legal and equitable ownership of the Goods;
  - (b) to enter the Applicant's premises or the premises of any associated company or agent where the Goods are located) without liability for trespass or any resulting damage and retake possession of the Goods; and
  - (c) to keep or resell any of the Goods pursuant to clause 8.6(b).
- 6.6 The Applicant must, so long as the Company is entitled to the property in the Goods, store the Goods so that they are clearly identifiable as the property of the Company.
- 6.7 In the event that the Goods are resold by the Applicant, it will be deemed to have done so as agent for the Company and only on the following terms:
  - (a) on such disposal or dealing, the Applicant transfers all rights to the proceeds of that disposal or dealing to the Company absolutely;
  - (b) the Applicant as bailee and fiduciary of the Goods must hold the proceeds of any sale or dealing of the Goods (to the extent of any liability to the Company in respect of the Goods) in trust for the Company;
    - c) the Applicant must keep separate records of any sale of the Goods and must maintain the proceeds in a separate account; and
  - (d) the Applicant must account to the Company for any proceeds from such Goods and must direct any purchasers of the goods to pay the proceeds to the Company.
- 6.8 If payment for the Goods is not made by the Applicant by the due date specified by the Company to the Applicant then the Applicant must return the Goods to the Company on demand. If the Applicant does not return the Goods to the Company within 48 hours of receipt of the demand, the Company shall be entitled to enter upon the Applicant's premises at any time to do all things necessary to recover the Goods. The Applicant shall be liable for all costs associated with the exercise by the Company of its rights under this clause which shall be repayable on demand.

#### 7. COMPANY'S WARRANTY

- 7.1 The Goods distributed by the Company are guaranteed against defective workmanship and materials for a period of 12 months from the date of purchase, the Company's obligations pursuant to this express warranty being limited to the repair or replacement of the defective Goods or materials at its option and subject to the terms and conditions stated in the warranty card attached to the Goods. Glass and lamps are not included in this warranty. RCD tripping due to moisture absorption by Tubular Heating Elements is not considered a warranty fault. Hinges, rubber seals or gears acting a sacrificial component to protect motors, are wear and tear items and are not covered by warranty.
- 7.2 Any item that can be picked up and put into a normal vehicle, is covered by a back to base warranty. This means the end user needs to return it (freight pre-paid) to either the place where it was purchased from, or our closest appointed service agent, or back to our head office. A call out for refrigeration and other non portable equipment is covered by an on site warranty during the hours of 8am-5pm Monday to Friday only. Travel costs for on site warranty are limited to 50km from our nearest appointed service agent and are reachable by road.
- 7.3 Except as provided in this clause, the Company shall not be liable for any loss or damage, whether direct or indirect (including consequential losses or damage) arising out of any breach of contract by the Company or any negligence of the Company, its employees or agents.
- 7.4 To the extent permitted by law all implied conditions and warranties are expressly excluded.
- 7.5 The Company will not be liable in respect of any claims for parts damaged in transport, misused by the Applicant or its authorised parties or modified in any way without the approval of the Company.
- 7.6 Any repairs or replacement of defective Goods or materials pursuant to the warranty set out in this clause, must be authorised by a director of the Company prior to any action being taken. The Company reserves the right to reject a warranty claim if it is not completely satisfied with the circumstances under which such fault or defect occurred.
- 7.7 Nothing in these Terms of Trade shall be read or applied so as to exclude, restrict or modify or have the effect of excluding, restricting, modifying any condition warranty guarantee right or remedy implied by law (including the Trade Practices Act 1974 (Commonwealth)) which by law cannot be excluded, restricted or modified.
- 7.8 This warranty does not extend to cover loss of profits or damage to other equipment.
- 7.9 Warranty does not cover products which have been subject to misuse, neglect, unauthorised alteration, incorrect installation, power surges, accident, use of inappropriate chemicals for cleaning, flooding, fire or acts of God.



- 7.10 Failure to honour payments for a notice or non warranty call out by end user, will result in immediate voiding of warranty on that item.
- 7.11 On site warranty covers repairs on site. If customer does not permit repair on their premises, they are responsible for freight to and from site.

#### 8. APPLICANT'S WARRANTY AND INDEMNITY

- 8.1 The Applicant acknowledges and warrants to the Company that as at the date of entry into a contract to purchase the Goods, the Applicant is not insolvent nor has he committed any act of bankruptcy or, being a company, knows of no circumstances which would entitle a debenture holder or unsecured creditor to appoint a receiver to petition for winding up of the Applicant or exercise any other rights over or against the Applicant's assets.
- 8.2 Without prejudice to any other rights the Company may have against the Applicant, the Applicant shall indemnify the Company for and save it harmless from any loss, damage or expense incurred by the Applicant as a result of the Applicant:
  - (a) cancelling any order (or part thereof) for the Goods; or
  - (b) breaching these Terms of Trade.

#### 9. DEFAULT

Should the Applicant fail to make payment for any Goods supplied by the Company on the dates due for payment or commit a breach of any term of the sale or, being a natural person, commit an act of bankruptcy or, being a corporation, an act or omission enabling the appointment of an administrator, scheme manager, trustee, official manager, receiver, receiver and manager, liquidator or any other person authorised to enter into possession or assume control of any property of the Applicant pursuant to a mortgage or other security, then:

- (a) the right of the Applicant to sell the Goods in the ordinary course of business or otherwise immediately terminates without the need for the Company to provide written confirmation; and
- (b) the Company may without prejudice to any other rights it may have, do any or all of the following:
  - (i) immediately withdraw any credit facilities which may have been extended to the Applicant and require immediate payment of all moneys accrued or owing to the Company.
  - (ii) withhold any further deliveries of Goods or performance of service required under the contract;
  - (iii) in respect of Goods already delivered, enter onto the Applicant's premises to recover and resell same for its own benefits;
  - (iv) suspend and/or terminate performance of any other contracts which the Company has with the Applicant.

#### 10. GOODS RETURNED

- 10.1 The Applicant shall inspect the Goods immediately upon delivery and if the Goods are damaged or not otherwise in conformity with the contract relating to their supply shall give written notice to the Company of the details in respect thereof within 7 days of the date of delivery.
- 10.2 Subject to clause 10.3, any Goods the subject of a notice under clause 10.1 shall be left in the state and condition in which they were delivered until such time as the Company or its duly authorised agent has inspected the Goods, such inspection to be carried out within a reasonable time after notification by the Applicant. If the Goods are not so left in the state and condition in which they were delivered, the Applicant shall be deemed to have accepted the Goods and shall pay the purchase price for the Goods to the Company.
- 10.3 Upon receipt of a notice under clause 10.1, the Company will advise a return authorisation number and the mode of transport (clause 10.2) acceptable to the Company. Any Goods returned to the Company will be at the Applicant's entire risk as to loss or damage. In relation to Goods returned to the Company, the Applicant undertakes to follow the Company's instructions, prepay the freight and clearly mark the freight with the return authorisation number advised by the Company.
- 10.4 Deliveries not complying with clause 10.3 will not be accepted by the Company.
- 10.5 Subject to clauses 10.1 and 10.3, valid claims for incorrectly sent Goods will be credited in full. A 20% restocking fee will apply to all Goods returned against orders correctly executed. The Company reserves the right to charge for any cost incurred in such execution.
- 10.6 Subject to clause 10.1 acceptance of the Goods shall be deemed for all purposes to have taken place when delivery has occurred.
- 10.7 In the case of a non-standard manufacture, where a "Confirmation of Non-standard Items" form has been signed, and where orders have been correctly executed, no returns will be accepted.
- 10.8 The Company will charge an additional restocking fee for goods returned out of the original packing.

#### 11. DISPUTES

- Any disputes between the parties arising from the performance of the provisions of these Terms of Trade must be settled through friendly consultation by the parties.

  All disputes arising in respect of these Terms of Trade which are not resolved within 30 days of first arising will be finally settled under the Rules of Conciliation and Arbitration of the International Chamber of Commerce by a single arbitrator appointed in accordance with the said Rules. The place of arbitration will be Sydney New South Wales. The procedural law applicable to the arbitration will be that of New South Wales. The decision of the arbitration is final and binding upon both parties.
- 11.2 During the period in which the dispute is being resolved, the parties must continue to perform all of the provisions of these Terms of Trade which are not under dispute and which are able to be performed by the parties.

#### 12. SEVERABILITY

All provisions contained in these Terms of Trade shall be construed so as not to be invalid, illegal or unenforceable in any respect but if any such provision on its true interpretation is illegal, invalid or unenforceable that provision may, at the option of the parties, be read down to such extent as may be necessary to ensure that it is not illegal, invalid or unenforceable and as may be reasonable in all circumstances so as to give it a valid operation of the partial character. In the event that any such provision or part thereof cannot be so read down, such provision shall be deemed to be void and severable and the remaining provisions thereof shall not in any way be affected or impaired thereby.

#### 13. FORCE MAJEURE

The Company shall not be liable for non-fulfilment or late delivery should actual delivery of the Goods or any parts be delayed in consequence of unforeseen events such as strikes, unforeseen breakdown, of machinery (save where caused by improper maintenance or operation by untrained personnel), suspension of electricity or other relevant power supply, riots, war, robbery, civil commotion, adverse non foreseeable weather conditions, disaster caused by fire and/or water, action of government or port authority, delay of vessel, rail-road embargoes, inability to obtain transportation facilities or due to a failure of an original equipment manufacturer to supply components by the due date.

#### 14. APPLICABLE LAW

These Terms of Trade shall be governed by and construed in accordance with the laws in force in the State of New South Wales, Australia and the parties submit to the non-exclusive jurisdiction of the Courts of that State.

#### 15. DEFINITIONS

The following words have the following meaning:

"Applicant" means the person or entity purchasing the Goods from the Company.

"Business day" means a day other than a Saturday or Sunday when trading banks in Sydney are open for general banking business.

"Company" means INTERNATIONAL CATERING EQUIPMENT Pty Ltd ABN 29 079 648 918.

"F.I.S." means free into store as referred to in the Incoterms.

"F.O.B." means free on board as referred to in the Incoterms.

"Goods" means all Goods ordered by the Applicant from time to time and supplied by the Company under these Terms of Trade and includes any services forming part of the supply of Goods.

"6ST" means goods and services tax or similar value added tax levied or imposed in Australia pursuant to the GST law or otherwise on a supply.

"GST Act" means A New Tax System (Goods and Services Tax) Act 1999 (Commonwealth).

"GST Law" has the same meaning as in the GST Act.

"Incoterms" means the International Rules for the Interpretation of Trade Terms, ICC Publishing S.A., Paris 2000 edition.

"Invoice" means an invoice sent by the Company to the Applicant for payment of the Goods supplied to the Applicant at the request of the Applicant.

"Terms of Trade" means the terms and conditions of trade as set out above.



GASTRONORM SIZES	UNITS
GN1/9: 108 x 176 mm	1 HP = 0.7457 kW
GN1/6: 176 x 162 mm	1 kW = 1.341 HP
GN1/4: 265 x 163 mm	1 Quart = 0.946352 Lt
GN1/3: 325 x 176 mm	1 Litre = 1.056689 Qt
GN1/2: 325 x 265 mm	
GN2/3: 354 x 325 mm	
GN1/1: 530 x 325 mm	
GN2/1: 650 x 530 mm	

TEMPERATURES				
°F	°C			
225	105			
250	120			
275	130			
300	150			
325	165			
350	180			
375	190			
400	200			
425	220			
450	230			
475	245			

# RUNNING COSTS HOW TO CALCULATE ANNUAL RUNNING COST OF A REFRIGERATOR

Simply take the number of KW/24Hr and multiply it by \$0.30 (average cost of small business electricity) which will give you the daily running cost, then multiply that by 365 which will give you the approx running cost per annum

EG: NDA1875: 11.46KW/24hr x \$0.30 x 365 = \$1254.87 per annum



- Scan to get the ICE app on your DEVICE
- Browse our product range, submit warranty claims or register to become a distributor



## Exclusive distributor of:















































International Catering Equipment Pty Ltd